
SPIsHSPiS

Release 2.9.0

Interactive Computer Graphics

Dec 08, 2020

INTRODUCTION:

1	Main features	3
2	License	5
3	Getting started	7
3.1	SPHSimulator	7
3.2	Python bindings	8
3.3	Tools	8
3.4	partio2vtk	8
3.5	PartioViewer	8
3.6	SurfaceSampling	10
3.7	VolumeSampling	10
4	SPlisHSPlasH Scene Files	11
4.1	Configuration	11
4.2	FluidBlocks	15
4.3	FluidModels	15
4.4	Emitters	16
4.5	RigidBodies	17
4.6	Materials	18
4.7	Animation fields	20
5	Replicability	23
6	Installation Instructions - Linux	25
6.1	Ubuntu Fresh Install	25
7	Installation Instructions - Windows	27
7.1	Visual Studio	27
8	CMake Options	29
8.1	USE_DOUBLE_PRECISION	29
8.2	USE_AVX	29
8.3	USE_OpenMP	29
8.4	USE_GPU_NEIGHBORHOOD_SEARCH	29
8.5	USE_IMGUI	30
8.6	USE_PYTHON_BINDINGS	30
8.7	USE_DEBUG_TOOLS	30
9	Software Architecture	31
9.1	The Simulation class	31

9.2	The TimeStep class	32
9.3	The FluidModel class	32
9.4	The BoundaryModel class	33
10	Implementing a new non-pressure force method	35
10.1	Creating a new class	35
10.2	Registering the viscosity method	37
11	Creating Pressure Solvers	39
11.1	Creating a new class	39
11.2	Registering the pressure solver	41
12	Macros	43
12.1	Looping over fluid neighbors	43
12.2	Looping over boundaries	44
12.3	AVX variants	46
13	pySPlisHSPlasH	47
13.1	Python bindings for the SPlisHSPlasH library	47
13.2	Requirements	47
13.3	Installation	47
13.4	I want to see something very very quickly	48
13.5	Minimal working example	48
13.6	SPHSimulator.py	49
13.7	Modifying other properties	49
14	Creating Scenes	51
14.1	Loading the empty scene	51
14.2	Recreating the double dam break scenario	51
14.3	Putting it all together	52
14.4	Loading a scene from file	52
15	Restrictions	53
16	Library API	55
16.1	Class Hierarchy	55
16.2	File Hierarchy	55
16.3	Full API	55
17	References	201
18	Indices and tables	203
	Bibliography	205
	Index	209



SPlisHSPlasH is an open-source library for the physically-based simulation of fluids. The simulation in this library is based on the Smoothed Particle Hydrodynamics (SPH) method which is a popular meshless Lagrangian approach to simulate complex fluid effects. The SPH formalism allows an efficient computation of a certain quantity of a fluid particle by considering only a finite set of neighboring particles. One of the most important research topics in the field of SPH methods is the simulation of incompressible fluids. SPlisHSPlasH implements current state-of-the-art pressure solvers (WCSPH, PCISPH, PBF, IISPH, DFSPH, PF) to simulate incompressibility. Moreover, the library provides different methods to simulate viscosity, surface tension and vorticity.

**CHAPTER
ONE**

MAIN FEATURES

- open-source SPH fluid simulation (2D & 3D)
- neighborhood search on CPU or GPU
- supports vectorization using AVX
- Python binding (thanks to Stefan Jeske)
- several implicit pressure solvers (WCSPH, PCISPH, PBF, IISPH, DFSPH, PF)
- explicit and implicit viscosity methods
- current surface tension approaches
- different vorticity methods
- computation of drag forces
- support for multi-phase simulations
- simulation of deformable solids
- rigid-fluid coupling with static and dynamic bodies
- two-way coupling with deformable solids
- fluid emitters
- scripted animation fields
- a json-based scene file importer
- automatic surface sampling
- a tool for volume sampling of closed geometries
- partio file export of all particle data
- VTK file export of all particle data (enables the data import in ParaView)
- rigid body export
- a Maya plugin to model and generate scene files

CHAPTER

TWO

LICENSE

The MIT License (MIT)

Copyright (c) 2016-present, SPlisHSPlasH contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GETTING STARTED

This page should give you a short overview of SPlisHSPlasH.

SPlisHSPlasH currently consists of a simulators and different tools which are introduced in the following:

3.1 SPHSimulator

This application reads a SPlisHSPlasH scene file and performs a simulation of the scene.

The scene file format is explained [here](#).

3.1.1 Command line options:

- -h, --help: Print help text.
- -v, --version: Print version.
- --no-cache: Disable caching of boundary samples/maps.
- --state-file: Load a simulation state of the corresponding scene.
- --output-dir: Output directory for log file and partio files.
- --no-initial-pause: Disable caching of boundary samples/maps.
- --no-gui: Disable graphical user interface. The simulation is run only in the command line without graphical output. The “stopAt” option must be set in the scene file or by the next parameter.
- --stopAt arg: Sets or overwrites the stopAt parameter of the scene.
- --param arg: Sets or overwrites a parameter of the scene.
 - Setting a fluid parameter: ::
 - * Example: --param Fluid:viscosity:0.01
 - Setting a configuration parameter: :
 - * Example: --param cflMethod:1

3.1.2 Hotkeys

- Space: pause/continune simulation
- r: reset simulation
- w: wireframe rendering of meshes
- m: recompute min and max values for color-coding the color field in the rendering process
- i: print all field information of the selected particles to the console
- s: save current simulation state
- l: load simulation state (currently only Windows)
- ESC: exit

3.2 Python bindings

SPlisHSPlasH implements bindings for python using `pybind11`. See the [getting started guide](#).

3.2.1 Impatient installation guide

In order to install, simply clone the repository and run pip install on the repository. It is recommended, that you set up a **virtual environment** for this, because cache files will be stored in the directory of the python installation along with models and scene files.

```
git clone https://github.com/InteractiveComputerGraphics/SPlisHSPlasH.git  
pip install SPlisHSPlasH/
```

3.3 Tools

3.4 partio2vtk

A tool to convert partion files in vtk files. In this way the particle data which is exported from SPlisHSPlasH can be converted to the vtk format. This is useful to import the data in ParaView for visualization.

3.5 PartioViewer

The simulators can export the particle simulation data using the partio file format. The PartioViewer can read such a file and render the particle data using OpenGL. This tool is able to handle multiphase data and rigid body data. It can create image sequences and movies (using ffmpeg).

To visualize a sequence of partio files or a single file, call (the index in the file name is used for the sequence):

```
PartioViewer fluid_data_1.bgeo
```

This tool is also able to read a complete output directory:

```
PartioViewer output/DamBreakModel
```

In this case the tool searches for the partio files of multiple phases in the subdirectory “partio” and for rigid body data in “rigid_bodies”.

Note: To generate videos you must tell PartioViewer where it can find the ffmpeg executable.

3.5.1 Command line options:

- -h, --help: Print help
- --renderSequence: Render a sequence from startFrame to endFrame as jpeg.
- --renderVideo: Render a sequence from startFrame to endFrame as video. This function requires ffmpeg which must be in the PATH or the ffmpegPath parameter must be set.
- --noOverwrite: Do not overwrite existing frames when using --renderSequence option. Existing frames are not loaded at all which accelerates the image sequence generation.
- -o, --outdir arg: Output directory for images
- --rbData arg: Rigid body data to visualize (bin file)
- --ffmpegPath arg: Path of the ffmpeg executable.
- --width arg: Width of the image in pixels. (default: 1024)
- --height arg: Height of the image in pixels. (default: 768)
- --fps arg: Frame rate of video. (default: 25)
- -r, --radius arg: Particle radius (default: 0.025)
- -s, --startFrame arg: Start frame (only used if value is >= 0) (default: -1)
- -e, --endFrame arg: End frame (only used if value is >= 0) (default: -1)
- --colorField arg: Name of field that is used for the color. (default: velocity)
- --colorMapType arg: Color map (0=None, 1=Jet, 2=Plasma) (default: 1)
- --renderMinValue arg: Min value of field. (default: 0.0)
- --renderMaxValue arg: Max value of field. (default: 10.0)
- --camPos arg: Camera position (e.g. --camPos “0 1 5”) (default: 0 3 10)
- --camLookat arg: Camera lookat (e.g. --camLookat “0 0 0”) (default: 0 0 0)

3.5.2 Hotkeys

- Space: pause/continue simulation
- r: reset simulation
- w: wireframe rendering of meshes
- i: print all field information of the selected particles to the console
- s: save current frame as jpg image
- v: generate video
- j: generate image sequence

- +: step to next frame
- -: step to previous frame
- ESC: exit

3.6 SurfaceSampling

A popular boundary handling method which is also implemented in SPlisHSPlasH uses a particle sampling of the surfaces of all boundary objects. This command line tool can generate such a surface sampling. Note that the same surface sampling is also integrated in the simulators and the samplings are generated automatically if they are required. However, if you want to generate a surface sampling manually, then you can use this tool.

3.7 VolumeSampling

The simulators can load particle data from partio files. This particle data then defines the initial configuration of the particles in the simulation. The VolumeSampling tool allows you to sample a volumetric object with particle data. This means you can load an OBJ file with a closed surface geometry and sample the interior with particles.

SPLISHSPLASH SCENE FILES

A SPlisHSPlasH scene file is a json file which can contain the following blocks:

- Configuration
- FluidBlocks
- FluidModels
- Emitters
- RigidBodies
- Fluid parameter block
- Animation fields

4.1 Configuration

This part contains the general settings of the simulation and the pressure solver.

Example code:

```
"Configuration":  
{  
    "pause": true,  
    "sim2D": false,  
    "timeStepSize": 0.001,  
    "numberOfStepsPerRenderUpdate": 2,  
    "particleRadius": 0.025,  
    "simulationMethod": 4,  
    "gravitation": [0.0,-9.81,0],  
    "cflMethod": 1,  
    "cflFactor": 1,  
    "cflMaxTimeStepSize": 0.005,  
    "maxIterations": 100,  
    "maxError": 0.01,  
    "maxIterationsV": 100,  
    "maxErrorV": 0.1,  
    "stiffness": 50000,  
    "exponent": 7,  
    "velocityUpdateMethod": 0,  
    "enableDivergenceSolver": true  
}
```

4.1.1 General:

- pause (bool): Pause simulation at beginning.
- pauseAt (float): Pause simulation at the given time. When the value is negative, the simulation is not paused.
- stopAt (float): Stop simulation at the given time and exit. When the value is negative, the simulation is not stopped.
- cameraPosition (vec3): Initial position of the camera.
- cameraLookat (vec3): Lookat point of the camera.

4.1.2 Visualization:

- numberOfStepsPerRenderUpdate (int): Number of simulation steps per rendered frame
- renderWalls (int):
 - 0: None
 - 1: Particles (all)
 - 2: Particles (no walls)
 - 3: Geometry (all)
 - 4: Geometry (no walls)

4.1.3 Export

- enablePartioExport (bool): Enable/disable partio export (default: false).
- enableVTKExport (bool): Enable/disable VTK export (default: false).
- enableRigidBodyExport (bool): Enable/disable rigid body export (default: false).
- enableRigidBodyVTKExport (bool): Enable/disable rigid body VTK export (default: false).
- dataExportFPS (float): Frame rate of particle and rigid body export (default: 25).
- particleAttributes (string): A list of attribute names separated by ";" that should be exported in the particle files (e.g. "velocity;density") (default: "velocity").
- enableStateExport (bool): Enable/disable export of complete simulation state (default: false).
- stateExportFPS (float): Frame rate of simulation state export (default: 1).

4.1.4 Simulation:

- timeStepSize (float): The initial time step size used for the time integration. If you use an adaptive time stepping, this size will change during the simulation (default: 0.001).
- particleRadius (float): The radius of the particles in the simulation (all have the same radius) (default: 0.025).
- sim2D (bool): If this parameter is set to true, a 2D simulation is performed instead of a 3D simulation (default: false).
- enableZSort (bool): Enable z-sort to improve cache hits and therefore to improve the performance (default: true).
- gravitation (vec3): Vector to define the gravitational acceleration (default: [0,-9.81,0]).

- maxIterations (int): Maximal number of iterations of the pressure solver (default: 100).
- maxError (float): Maximal density error in percent which the pressure solver tolerates (default: 0.01).
- boundaryHandlingMethod (int): The boundary handling method that is used in the simulation (default: 2, Volume Maps):
 - 0: particle-based boundaries (Akinci et al. 2012)
 - 1: density maps (Koschier et al. 2017)
 - 2: volume maps (Bender et al. 2019)
- simulationMethod (int): The pressure solver method used in the simulation (default: 4, DFSPH):
 - 0: Weakly compressible SPH for free surface flows (WCSPH)
 - 1: Predictive-corrective incompressible SPH (PCISPH)
 - 2: Position based fluids (PBF)
 - 3: Implicit incompressible SPH (IISPH)
 - 4: Divergence-free smoothed particle hydrodynamics (DFSPH)
 - 5: Projective Fluids (dynamic boundaries not supported yet)

4.1.5 WCSPH parameters:

- stiffness (float): Stiffness coefficient of the equation of state.
- exponent (float): Exponent in the equation of state.

4.1.6 PBF parameters:

- velocityUpdateMethod (int):
 - 0: First Order Update
 - 1: Second Order Update

4.1.7 DFSPH parameters:

- enableDivergenceSolver (bool): Turn divergence solver on/off.
- maxIterationsV (int): Maximal number of iterations of the divergence solver.
- maxErrorV (float): Maximal divergence error in percent which the pressure solver tolerates.

4.1.8 Projective Fluids parameters:

- stiffness (float): Stiffness coefficient used by the pressure solver.

4.1.9 Kernel:

- kernel (int): Kernel function used in the SPH model.
 - For a 3D simulation:
 - * 0: Cubic spline
 - * 1: Wendland quintic C2
 - * 2: Poly6
 - * 3: Spiky
 - * 4: Precomputed cubic spline (faster than cubic spline)
 - For a 2D simulation:
 - * 0: Cubic spline
 - * 1: Wendland quintic C2
- gradKernel (int): Gradient of the kernel function used in the SPH model.
 - For a 3D simulation:
 - * 0: Cubic spline
 - * 1: Wendland quintic C2
 - * 2: Poly6
 - * 3: Spiky
 - * 4: Precomputed cubic spline (faster than cubic spline)
 - For a 2D simulation:
 - * 0: Cubic spline
 - * 1: Wendland quintic C2

4.1.10 CFL:

- cflMethod (int): CFL method used for adaptive time stepping.
 - 0: No adaptive time stepping
 - 1: Use CFL condition
 - 2: Use CFL condition and consider number of pressure solver iterations
- cflFactor (float): Factor to scale the CFL time step size.
- cflMinTimeStepSize (float): Min. allowed time step size.
- cflMaxTimeStepSize (float): Max. allowed time step size.

4.2 FluidBlocks

In this part the user can define multiple axis-aligned blocks of fluid particles.

Example code:

```
"FluidBlocks": [
    {
        "denseMode": 0,
        "start": [-2.0, 0.0, -1],
        "end": [-0.5, 1.5, 1],
        "translation": [1.0, 0.0, 0.0],
        "scale": [1, 1, 1]
    }
]
```

- start (vec3): Minimum coordinate of the box which defines the fluid block.
- end (vec3): Maximum coordinate of the box which defines the fluid block.
- translation (vec3): Translation vector of the block.
- scale (vec3): Scaling vector of the block.
- denseMode (int):
 - 0: regular sampling
 - 1: more dense sampling
 - 2: dense sampling
- initialVelocity (vec3): The initial velocity is set for all particles in the block.
- id (string): This id is used in the “Fluid parameter block” (see below) to define the properties of the fluid block. If no id is defined, then the standard id “Fluid” is used.

4.3 FluidModels

This part can be used to import one or more partio particle files in the scene.

Example code:

```
"FluidModels": [
    {
        "particleFile": "../models/bunny.bgeo",
        "translation": [-2.0, 0.1, 0.0],
        "rotationAxis": [0, 1, 0],
        "rotationAngle": 3.14159265359,
        "scale": 1
    }
]
```

- particleFile (string): Path of the partio file which contains the particle data.
- translation (vec3): Translation vector of the fluid model.
- scale (vec3): Scaling vector of the fluid model.
- rotationAxis (vec3): Axis used to rotate the particle data after loading.

- rotationAngle (float): Rotation angle for the initial rotation of the particle data.
- id: This id is used in the “Fluid parameter block” (see below) to define the properties of the fluid block. If no id is defined, then the standard id “Fluid” is used.

4.4 Emitters

In this part the user can define one or more emitters which generate fluid particles.

Example code:

```
"Emitters": [
    {
        "width": 5,
        "height": 5,
        "translation": [-1, 0.75, 0.0],
        "rotationAxis": [0, 1, 0],
        "rotationAngle": 3.1415926535897932384626433832795,
        "velocity": 2,
        "emitStartTime": 2,
        "emitEndTime": 6,
        "type": 0
    }
]
```

- type (int): Defines the shape of the emitter (default: 0).
 - 0: box
 - 1: circle
- width (int): Width of the box or radius of the circle emitter in number of particles (default: 5).
- height (int): Height of the box in number of particles (is only used for type 0) (default: 5).
- translation (vec3): Translation vector of the emitter (default: [0,0,0]).
- rotationAxis (vec3): Axis used to rotate the emitter. Note that in 2D simulations the axis is always set to [0,0,1] (default: [0,0,1]).
- rotationAngle (float): Rotation angle for the initial rotation of the emitter (default: 0).
- velocity (float): Initial velocity of the emitted particles in direction of the emitter (default: 1).
- id: This id is used in the “Fluid parameter block” (see below) to define the properties of the fluid block. If no id is defined, then the standard id “Fluid” is used (default: “Fluid”).
- emitStartTime (float): Start time of the emitter (default: 0).
- emitEndTime (float): End time of the emitter (default: REAL_MAX).

4.5 RigidBodies

Here, the static and dynamic rigid bodies are defined which define the boundary in the scene. In case of dynamic rigid bodies, the PositionBasedDynamics library is used for their simulation. Note that in this case the PositionBasedDynamics library also reads this json scene files and picks out the relevant parts. That means if you want to define for example a hinge joint or a motor, then just use the json format of PositionBasedDynamics in this scene file.

Example code:

```
"RigidBodies": [
    {
        "geometryFile": "../models/UnitBox.obj",
        "translation": [0, 2, 0],
        "rotationAxis": [1, 0, 0],
        "rotationAngle": 0,
        "scale": [2.5, 4, 1.0],
        "color": [0.1, 0.4, 0.6, 1.0],
        "isDynamic": false,
        "isWall": true,
        "mapInvert": true,
        "mapThickness": 0.0,
        "mapResolution": [20, 20, 20],
        "samplingMode": 1
    }
]
```

- geometryFile (string): Path to a OBJ file which contains the geometry of the body.
- particleFile (string): Path to a partio file which contains a surface sampling of the body. Note that the surface sampling is done automatically if this parameter is missing.
- translation (vec3): Translation vector of the rigid body.
- scale (vec3): Scaling vector of the rigid body.
- rotationAxis (vec3): Axis used to rotate the rigid body after loading.
- rotationAngle (float): Rotation angle for the initial rotation of the rigid body.
- isDynamic (bool): Defines if the body is static or dynamic.
- isWall (bool): Defines if this is a wall. Walls are typically not rendered. This is the only difference.
- color (vec4): RGBA color of the body.
- mapInvert (bool): Invert the map when using density or volume maps, flips inside/outside (default: false)
- mapThickness (float): Additional thickness of a volume or density map (default: 0.0)
- mapResolution (vec3): Resolution of a volume or density map (default: [20,20,20])
- samplingMode (int): Surface sampling mode. 0 Poisson disk sampling, 1 Regular triangle sampling (default: 0).

4.6 Materials

```
"Materials": [
    {
        "id": "Fluid",
        "density0": 1000,
        "colorField": "velocity",
        "colorMapType": 1,
        "renderMinValue": 0.0,
        "renderMaxValue": 5.0,
        "surfaceTension": 0.2,
        "surfaceTensionMethod": 0,
        "viscosity": 0.01,
        "viscosityMethod": 1,
        "vorticityMethod": 1,
        "vorticity": 0.15,
        "viscosityOmega": 0.05,
        "inertiaInverse": 0.5,
        "maxEmitterParticles": 1000,
        "emitterReuseParticles": false,
        "emitterBoxMin": [-4.0,-1.0,-4.0],
        "emitterBoxMax": [0.0,4,4.0]
    }
]
```

4.6.1 General

- id (string): Defines the id of the material. You have to give the same id to a FluidBlock, a FluidModel or an Emitter if they should have the defined material behavior.
- density0 (float): Rest density of the corresponding fluid.

4.6.2 Particle Coloring

- colorField (string): Choose vector or scalar field for particle coloring.
- colorMapType (int): Selection of a color map for coloring the scalar/vector field.
 - 0: None
 - 1: Jet
 - 2: Plasma
 - 3: CoolWarm
 - 4: BlueWhiteRed
 - 5: Seismic
- renderMinValue (float): Minimal value used for color-coding the color field in the rendering process.
- renderMaxValue (float): Maximal value used for color-coding the color field in the rendering process.

4.6.3 Viscosity

- viscosityMethod (int): Viscosity method
 - 0: None
 - 1: Standard
 - 2: XSPH
 - 3: Bender and Koschier 2017
 - 4: Peer et al. 2015
 - 5: Peer et al. 2016
 - 6: Takahashi et al. 2015 (improved)
 - 7: Weiler et al. 2018
- viscosity (float): Coefficient for the viscosity force computation
- viscoMaxIter (int): (Implicit solvers) Max. iterations of the viscosity solver.
- viscoMaxError (float): (Implicit solvers) Max. error of the viscosity solver.
- viscoMaxIterOmega (int): (Peer et al. 2016) Max. iterations of the vorticity diffusion solver.
- viscoMaxErrorOmega (float): (Peer et al. 2016) Max. error of the vorticity diffusion solver.
- viscosityBoundary (float): (Weiler et al. 2018) Coefficient for the viscosity force computation at the boundary.

4.6.4 Vorticity

- vorticityMethod (int): Vorticity method
 - 0: None
 - 1: Micropolar model
 - 2: Vorticity confinement
- vorticity (float): Coefficient for the vorticity force computation
- viscosityOmega (float): (Micropolar model) Viscosity coefficient for the angular velocity field.
- inertiaInverse (float): (Micropolar model) Inverse microinertia used in the micropolar model.

4.6.5 Drag force

- dragMethod (int): Drag force method
 - 0: None
 - 1: Macklin et al. 2014
 - 2: Gissler et al. 2017
- drag (float): Coefficient for the drag force computation

4.6.6 Surface tension

- surfaceTensionMethod (int): Surface tension method
 - 0: None
 - 1: Becker & Teschner 2007
 - 2: Akinci et al. 2013
 - 3: He et al. 2014
- surfaceTension (float): Coefficient for the surface tension computation

4.6.7 Elasticity

- elasticityMethod (int): Elasticity method
 - 0: None
 - 1: Becker et al. 2009
 - 2: Peer et al. 2018
- youngsModulus (float): Young's modulus - coefficient for the stiffness of the material (default: 100000.0)
- poissonsRatio (float): Poisson's ratio - measure of the Poisson effect (default: 0.3)
- alpha (float): Coefficent for zero-energy modes suppression method (default: 0.0)
- elasticityMaxIter (int): (Peer et al. 2018) Maximum solver iterations (default: 100)
- elasticityMaxError (float): (Peer et al. 2019) Maximum elasticity error allowed by the solver (default: 1.0e-4)

4.6.8 Emitters

- maxEmitterParticles (int): Maximum number of particles the emitter generates. Note that reused particles (see below) are not counted here.
- emitterReuseParticles (bool): Reuse particles if they are outside of the bounding box defined by emitterBoxMin, emitterBoxMax
- emitterBoxMin (vec3): Minimum coordinates of an axis-aligned box (used in combination with emitterReuseParticles)
- emitterBoxMax (vec3): Maximum coordinates of an axis-aligned box (used in combination with emitterReuseParticles)

4.7 Animation fields

In this part the user can define one or more animation fields which animate fluid particles. The user can define math expressions for the components of the field quantity. The typical math terms like cos,sin,... can be used.

Available expression variables:

- t: Current time.
- dt: Current time step size.
- x, y, z: Position of the particle which is in the animation field.

- vx, vy, vz: Velocity of the particle which is in the animation field.
- valuex, valuey, valuez: Value of the field quantity of the particle which is in the animation field.

Example:

```
"particleField": "angular velocity",
"expression_x": "valuex + cos(2*t)"
```

This means that in each step we add $\cos(2*t)$ to the x-component of the angular velocity.

Example code:

```
"AnimationFields": [
  {
    "particleField": "velocity",
    "translation": [-0.5, -0.5, 0],
    "rotationAxis": [0, 0, 1],
    "rotationAngle": 0.0,
    "scale": [0.5, 0.25, 0.8],
    "shapeType": 0,
    "expression_x": "cos(2*t)*0.1",
    "expression_y": "",
    "expression_z": ""
  }
]
```

- shapeType (int): Defines the shape of the animation field (default: 0).
 - 0: box
 - 1: sphere
 - 2: cylinder
- particleField (string): Defines the field quantity that should be modified by the field (e.g. velocity, angular velocity, position) (default: velocity).
- translation (vec3): Translation vector of the animation field (default: [0,0,0]).
- rotationAxis (vec3): Axis used to rotate the animation field (default: [0,0,1]).
- rotationAngle (float): Rotation angle for the initial rotation of the animation field (default: 0).
- scale (vec3): Scaling vector of the animation field.
 - shapeType=0 (box): This vector defines the width, height, depth of the box.
 - shapeType=1 (sphere): The x-component of the vector defines the radius of the sphere. The other components are ignored.
 - shapeType=2 (cylinder): The x- and y-component of the vector defines the height and radius of the cylinder, respectively. The z-component is ignored.
- expression_x (string): Math expression for the x-component of the field quantity (default="").
- expression_y (string): Math expression for the y-component of the field quantity (default="").
- expression_z (string): Math expression for the z-component of the field quantity (default="").

REPLICABILITY

The SPPlisHSPlasH library implements the SPH methods developed by our and other research groups (build instructions can be found [here](#)). This allows to reproduce the research results of the corresponding publications. Inspired by the [Graphics Replicability Stamp Initiative](#) we started to add scenes to the repository to reproduce some of the results in our papers:

Jan Bender, Tassilo Kugelstadt, Marcel Weiler, Dan Koschier, “Implicit Frictional Boundary Handling for SPH”, IEEE Transactions on Visualization and Computer Graphics, 2020

- Figure 7.a) can be replicated by loading the scene: data/Scenes/GridModel_Akinici2012.json
- Figure 7.b) can be replicated by loading the scene: data/Scenes/GridModel_Bender2019.json

INSTALLATION INSTRUCTIONS - LINUX

6.1 Ubuntu Fresh Install

6.1.1 Installation List

```
sudo apt install git cmake xorg-dev freeglut3-dev build-essential
```

6.1.2 Python Bindings

If you plan on using the python bindings by specifying `-DUSE_PYTHON_BINDINGS=On`, then you should also have a working python installation in your path. This installs an additional tool pipx, which allows the installation of packages as executables in virtualized environments.

```
sudo apt install python3-dev python3-pip python3-venv
python3 -m pip install pipx
python3 -m pipx ensurepath
```

Alternatively to this you may also install other Python Distributions such as Anaconda (personal preference).

6.1.3 Building Instructions

```
git clone https://github.com/InteractiveComputerGraphics/SPHSPlasH.git
cd SPHSPlasH
mkdir build && cd build
cmake -DCMAKE_BUILD_TYPE=Release -DUSE_PYTHON_BINDINGS=<On|Off> ..
make -j 4
```

6.1.4 Run Executable

```
cd ../bin
./SPHSimulator ../data/Scenes/DoubleDamBreak.json
```

On some systems it may be necessary to define an OpenGL override like so

```
cd ../bin
MESA_GL_VERSION_OVERRIDE=3.3 ./SPHSimulator ../data/Scenes/DoubleDamBreak.json
```

The command loads the selected scene. To start the simulation disable the pause mode by clicking the checkbox or pressing [Space]. More hotkeys are listed [here](#).

6.1.5 Using Bindings

Assuming that the python bindings were generated in the default location Project Root/build/lib/pysplishsplash.cpython-38-x86_64-linux-gnu.so, you can use the bindings by adding this path to sys.path within your python script, or by calling your scripts within the directory containing the .so file. You can test that the bindings work using the following command.

```
cd lib  
python3 -c "import pysplishsplash"
```

6.1.6 Installing Bindings

If you followed the above instructions for building SPlisHSPlasH using CMake and generated the python bindings, then these commands should work automatically.

Note: You don't have to clone the repository again. This only shows, that the command should be run in the project root directory. It is also recommended, that you create and activate a virtual environment before installing, so that your base python installation is not affected by any new generated files.

```
git clone https://github.com/InteractiveComputerGraphics/SPlisHSPlasH.git  
cd SPlisHSPlasH  
python setup.py bdist_wheel  
pip install build/dist/*.whl
```

If you specified any additional CMake variables in the form of `-DVAR_NAME=Value`, you can just append them after `bdist_wheel`

Alternatively you may also run the following command, which essentially combines all of the above commands into a single command.

```
pip install git+https://github.com/InteractiveComputerGraphics/SPlisHSPlasH.git
```

Drawbacks: You lose the ability for incremental rebuilds, i.e. if you want to modify the source code and build the bindings anew, you would have to build the entire project every time.

INSTALLATION INSTRUCTIONS - WINDOWS

7.1 Visual Studio

7.1.1 Dependencies

To build SPlisHSPlasH on Windows you need to install CMake and git.

7.1.2 Python Bindings

If you plan on using the python bindings by specifying `-DUSE_PYTHON_BINDINGS=On`, then you should also have a working Python installation in your path. Moreover, you require the Python Package Installer (pip).

7.1.3 Building Instructions

First, clone the repository by

```
git clone https://github.com/InteractiveComputerGraphics/SPlisHSPlasH.git
```

Then run cmake-gui and set “Where is the source code:” to the [SPlisHSPlasH-dir] and “Where to build the binaries:” to [SPlisHSPlasH-dir]/build.

Now run Configure and select the correct Visual Studio version. Ensure that you choose a x64 build on a 64bit system. Finally, run Generate and open the project. Now you can build the project in Visual Studio. Note that you have to select the “Release” build, if you want to have an optimized executable.

7.1.4 Run Executable

Execute “bin/SPHSimulator.exe” to start the simulator and select a scene file to run the simulation. Alternatively, you can start the simulation in the command line:

```
./SPHSimulator ..../data/Scenes/DoubleDamBreak.json
```

The command loads the selected scene. To start the simulation disable the pause mode by clicking the checkbox or pressing [Space]. More hotkeys are listed [here](#).

7.1.5 Using Bindings

Assuming that the python bindings were generated in the default location [SPlisHSPlasH-dir]/build/lib/pysplishsplash.cp37-win_amd64.pyd, you can use the bindings by adding this path to `sys.path` within your python script, or by calling your scripts within the directory containing the .pyd file. You can test that the bindings work using the following command.

```
cd lib  
python3 -c "import pysplishsplash"
```

7.1.6 Installing Bindings

If you followed the above instructions for building SPlisHSPlasH using CMake and generated the python bindings, then these commands should work automatically.

Note: You don't have to clone the repository again. This only shows, that the command should be run in the project root directory. It is also recommended, that you create and activate a virtual environment before installing, so that your base python installation is not affected by any new generated files.

```
git clone https://github.com/InteractiveComputerGraphics/SPlisHSPlasH.git  
cd SPlisHSPlasH  
python setup.py bdist_wheel  
pip install build/dist/pySPlisHSPlasH-2.8.3-cp37-cp37m-win_amd64.whl
```

If you specified any additional CMake variables in the form of `-DVAR_NAME=Value`, you can just append them after `bdist_wheel`

Alternatively you may also run the following command, which essentially combines all of the above commands into a single command.

```
pip install git+https://github.com/InteractiveComputerGraphics/SPlisHSPlasH.git
```

Drawbacks: You lose the ability for incremental rebuilds, i.e. if you want to modify the source code and build the bindings anew, you would have to build the entire project every time.

CMAKE OPTIONS

This page should give you a short overview over the CMake options of SPPlisHSPlasH.

8.1 USE_DOUBLE_PRECISION

If this flag is enabled, then all computations with floating point values are performed using double precision (double). Otherwise single precision (float) is used.

8.2 USE_AVX

SPlishSPlasH supports the usage of AVX (Advanced Vector Extensions) which is an extension of modern CPUs to perform a single instruction on multiple data. The extension allows to perform eight floating point operations in parallel. Enabling AVX significantly improves the performance of the simulator. Currently, the following methods have AVX support:

- DFSPH
- the micropolar vorticity model
- the standard viscosity model
- the viscosity model of Weiler et al.

8.3 USE_OpenMP

Enable the OpenMP parallelization which lets the simulation run in parallel on all available cores of the CPU.

8.4 USE_GPU_NEIGHBORHOOD_SEARCH

As default SPPlisHSPlasH uses `CompactNSearch` as neighborhood search which performs all operations on the CPU. However, with this flag you can switch to `cuNSearch` which is our GPU neighborhood search. In case you want to use the GPU method, you have to install Cuda.

8.5 USE_IMGUI

We just reimplemented the GUI using `imgui` instead of `AntTweakBar`. If you want to try out the new GUI, enable this flag.


8.6 USE_PYTHON_BINDINGS

Generate a shared library object which can be imported into python scripts and exposes C++ functionality to the python interpreter. *Default:On Options:<On|Off>*

8.7 USE_DEBUG_TOOLS

Adds a debug tools tab to the graphical user interface which allows to generate additional particle data for debugging. Note that generating the additional data will slightly decrease the performance of the simulation.

SOFTWARE ARCHITECTURE



SPPlisHSPlasH follows a very intuitive and modular design approach. We want to illustrate part of the software architecture in conjunction with the simplified class diagram above. Note, that this documentation only covers the simulation part of SPPlisHSPlasH. The whole software architecture follows a similar design pattern as the **Model View Controller**.

9.1 The Simulation class

The simulation class is the main part of the software. It contains the currently used simulation method (`TimeStep`), all fluids (`FluidModel`), all boundaries (`BoundaryModel`), and a `AnimationFieldSystem`. It is defined as a **singleton**, thus only one simulation instance exists during the runtime. The simulation instance contains:

- exactly one `TimeStep` instance, which defines the simulation loop and contains the pressure solver
- any number of `FluidModel` instances each defining a different fluid phase
- any number of `BoundaryModel` instances representing either dynamic rigid bodies or static boundaries
- exactly one `AnimationFieldSystem` instance which allows to animate particles in a predefined area

The simulation class also implements the following:

- evaluation of the SPH kernel methods
- update of the time step size using a CFL condition
- uniform invocation of all `EmitterSystem` instances
- invocation of `AnimationFieldSystem` instance

- saving & loading the current simulation state

Lastly, the simulation class also contains a well defined interface for the neighborhood search functionalities defined in [CompactNSearch](#) or [cuNSearch](#), which are further needed in the respective algorithm implementations in e.g. the TimeStep or NonPressureForces.

9.2 The TimeStep class

The TimeStep class is a **abstract base class** for any subsequent derived simulation method one wants to implement. It implements the required interface for the simulation class, notably the `step()` function containing the simulation algorithm called in the main loop. During execution there exists exactly one instance of a TimeStep class. By default SPlisHSPlasH currently implements the following pressure solvers and the corresponding simulation algorithms:

- WCSPH
- PCISPH
- PBF
- IISPH
- DFSPH
- Projective Fluids

9.3 The FluidModel class

A FluidModel instance represents a fluid phase with its respective properties and applied effects to it. SPlisHSPlasH allows for arbitrary many FluidModels inside a simulation as long as there is at least one and they all have a different id (see scene file format). One FluidModel contains the following:

- Physical parameters like rest density, mass, position, velocity, acceleration and current density
- Simulation parameters like the number of particles, their state and ID
- References to the applied non-pressure effects, one for each:
 - Drag
 - Elasticity
 - Surface tension
 - Viscosity
 - Vorticity
- Emitter systems

Concerning the non-pressure effects, each FluidModel can *only* utilize up to one method per non-pressure effect, which will be directly included in the computation inside the `computeNonPressureForces()` method of the Simulation class. Thus having e.g. two different surface tension algorithms inside one FluidModel is **not** possible. However, it is possible to define e.g. two phases, which have a different viscosity model and only one regarding surface tension effects.

The emitters are only stored inside the FluidModels since they are assigned to a fixed FluidModel. Their functionalities are uniformly executed by the Simulation class in the `emitParticles()` step usually invoked at the end of the simulation loop of the current TimeStep instance.

9.4 The BoundaryModel class

The `BoundaryModel` class provides a useful base class for any boundary handling methods. It stores a `RigidBodyObject` reference representing the object of the boundary. This can be a stationary or dynamic rigid body, whose coupling effects are handled uniformly. Note that `RigidBodyObject` is an abstract class providing an interface for the two derived classes `StaticRigidBody` and `PBDRigidBody`. The first is handled internally and represent stationary objects. The latter describes a moving rigid body which is simulated externally by the `Position-BasedDynamics` library. SPlisHSPlasH implements three different boundary models:

- Particle-based rigid-fluid coupling [Akinci et al. 2012]
- Density maps [Koschier and Bender 2017]
- Volume maps [Bender et al. 2019]

Finally, SPlisHSPlasH defines a boundary as a list of rigid bodies in conjunction with a rigid-fluid coupling algorithm.

IMPLEMENTING A NEW NON-PRESSURE FORCE METHOD

Non-pressure forces (e.g. viscosity, vorticity, surface tension or drag forces) are all implemented in the same way in SPLisHSPlasH. In the following we explain the implementation of such a method using as example a new viscosity method.

SPLisHSPlasH organizes the viscosities in /SPLisHSPlasH/Viscosity/ and thus any changes or additions are intended to take place in this directory. The user can add new viscosity methods by creating new or copying and modifying existing viscosity class files and registering these inside the build system and the source code.

10.1 Creating a new class

If you want to create a new viscosity class from scratch, you should consider reading the doxygen documentation on the `ViscosityBase` class and several of its derived classes. In short, every viscosity method inherits from the base class `ViscosityBase`, which itself inherits from `NonPressureForceBase`. A minimal working derived class would look like this:

MyViscosity.h

```
#ifndef __MyViscosity_h__
#define __MyViscosity_h__

#include "SPLisHSPlasH/Common.h"
#include "SPLisHSPlasH/FluidModel.h"
#include "ViscosityBase.h"

namespace SPH
{
    class MyViscosity : public ViscosityBase
    {
        protected:
            virtual void initParameters();

        public:
            MyViscosity(FluidModel *model);
            virtual ~MyViscosity(void);

            virtual void step();
            virtual void reset();
    };
}

#endif
```

MyViscosity.cpp

```
#include "MyViscosity.h"

MyViscosity::MyViscosity(FluidModel *model) :
    ViscosityBase(model)
{
    [...]
}

MyViscosity::~MyViscosity(void)
{
    [...]
}

void MyViscosity::initParameters()
{
    ViscosityBase::initParameters();

    [...]
}

void MyViscosity::step()
{
    [...]
}

void MyViscosity::reset()
{
    [...]
}
```

including the following:

- a constructor with `FluidModel*` as the sole parameter `MyViscosity(FluidModel *model)`
- a `initParameters()` method calling the base class method for parameter setup
- a step function `void step()` called in each timestep for the associated fluid
- a reset function `void reset()` called on every reset of the simulation

10.1.1 Customizing your class

The user is also free to add and save additional per particle data inside the viscosity method, but has to ensure that these are also included in the *neighborhood search sort*. Sorting is required if the data is used over multiple simulations steps. The neighborhood search performs a z-sort every n steps to improve the number of cache hits. Since all particles are resorted, also their data must be resorted. For this, the user has to override the `performNeighborhoodSearchSort()` method. A minimal example would look like the following:

```
void MyViscosity::performNeighborhoodSearchSort()
{
    Simulation *sim = Simulation::getCurrent();
    auto const& d = sim->getNeighborhoodSearch()->point_set(m_model-
    ↳getPointSetIndex());
    d.sort_field(&m_myParticleViscosityData[0]);
}
```

For visualization and/or debugging purposes, the user may also want to subject the particle data to SPlisHSPlasH's particle informations. To do this, the user has to add the particle data field to the list of fields inside each `FluidModel`.

This can be for example done in the constructor by adding the `addField(const FieldDescription &field)` of the corresponding `FluidModel`. The fields can be used to define the color of a particle, they can be exported to bgeo or ParaView and in the simulator the user can output the field data of the selected particles by pressing “i”.

For more information, please refer to the doxygen documentation and maybe take a look at the already existing implementations. Adding a field has the following form:

```
model->addField({ "myFieldName", <FieldType>, <lambda expression returning reference_
↳ to the data field>}, <save state (boolean)>);
```

Here is an example:

```
model->addField({ "myFieldName", FieldType::Vector3, [&] (const unsigned int i) ->_
↳ Real* { return &m_myFieldValues[i][0]; }, true });
```

The field name is used in the GUI and when exporting the data. The boolean at the end determines if this field should be stored when the simulation state is saved. This should only be done if the value is not recomputed in each simulation step so that the value of the last step is required.

Also don't forget to remove the field, when the instance of the viscosity method is destroyed:

```
m_model->removeFiledByName ("myFieldName");
```

10.2 Registering the viscosity method

To add our new viscosity method, we have to integrate it into the build process and the source code.

10.2.1 Adding to the build process

Simply add the class files `MyViscosity.h` and `MyViscosity.cpp` to the `CMakeLists.txt` in the `/SPlisHSPlash/` directory. This can be done by adding the relative file paths to the respective variables `VISCOSITY_HEADER_FILES` and `VISCOSITY_SOURCE_FILES`:

```
set(VISCOSITY_HEADER_FILES
    [...]
    Viscosity/MyViscosity.h
)

set(VISCOSITY_SOURCE_FILES
    [...]
    Viscosity/MyViscosity.cpp
)
```

10.2.2 Integration in the source code

Any viscosity method is registered in the `FluidModel.h` and `FluidModel.cpp` files, which can be found in the `/SPlisHSPlasH/` directory. Adding our new viscosity method comprises of the following steps:

- adding a new enum element in `ViscosityMethods` for our method
- creating a new static variable `static int ENUM_VISCOSITY_MYVISCOSITY` for the `GenericParameter` system and initializing it in `FluidModel.cpp`
- including `Viscosity/MyViscosity.h` in `FluidModel.cpp`
- adding a new enum value for `VISCOSITY_METHOD` inside `FluidModel::initParameters()` using the following line:

```
enumParam->addEnumValue("MyViscosityName", ENUM_VISCOSITY_MYVISCOSITY);
```

- adding your viscosity method to `FluidModel::setViscosityMethod()`, thus making it available for the simulation using the following:

```
else if (m_viscosityMethod == ViscosityMethods::MyViscosity)
    m_viscosity = new MyViscosity(this);
```

After these additions and building SPlisHSPlasH, our new viscosity method is available inside the simulation.

CREATING PRESSURE SOLVERS

SPlisHSPlasH organizes the pressure solvers in their respective folders inside the `/SPlisHSPlasH/` directory. For example DFSPH can be found inside `/SPlisHSPlasH/DFSPH/`. We highly suggest the user to follow our file organization scheme. The user can also add new pressure solvers by creating new or copying and modifying existing classes and then adding them to the build system plus additionally registering in the source code.

Note that we do not strictly distinguish the pressure solver from the simulation algorithm. Each `TimeStep` class implements a whole time step including the pressure solver. The non-pressure forces are decoupled in their respective classes and only implicitly called. Thus for implementing a new pressure solver, we suggest copying the files from for example WCSPH and replacing the pressure solver by your own one. Note further, that we usually decouple data from the algorithm with the `SimulationData` classes. We strongly recommend doing the same with your implementation.

11.1 Creating a new class

Again, we want to stress that copying and modifying existent methods is easier than writing a new class from scratch. However, if you want to do so, be sure to implement every abstract method inherited from `TimeStep`. These include:

- `void step()`, the simulation step function
- `void resize()`, a method to initialize and resize any used field

Albeit being not necessary, the user may also want to override/redefine the following methods:

- `void init()`, the initialization method. It is **important to call** `TimeStep::init()` inside this method
- `void reset()`, the method invoked on every reset command
- `void computeDensities()`, if the user does not want to utilize the given density computation

A minimal working example of a derive class is shown below:

`TimeStepMyPressureSolver.h`

```
#ifndef __TimeStepMyPressureSolver_h__
#define __TimeStepMyPressureSolver_h__

#include "SPlisHSPlasH/Common.h"
#include "SPlisHSPlasH/TimeStep.h"
#include "SPlisHSPlasH/SPHKernels.h"

namespace SPH
{
    class TimeStepMyPressureSolver : public TimeStep
    {
```

(continues on next page)

(continued from previous page)

```

public:
    TimeStepMyPressureSolver();
    virtual ~TimeStepMyPressureSolver();

    virtual void step();

    virtual void resize();
};

}

#endif

```

TimeStepMyPressureSolve.cpp

```

#include "TimeStepMyPressureSolve.h"

using namespace SPH;
using namespace GenParam;

TimeStepMyPressureSolve::TimeStepMyPressureSolve() :
    TimeStep()
{
    [...]
}

TimeStepMyPressureSolve::~TimeStepMyPressureSolve(void)
{
    [...]
}

void TimeStepMyPressureSolve::step()
{
    [...]
}

void TimeStepMyPressureSolve::resize()
{
    [...]
}

```

SPlisHSPlasH assumes your simulation method allows for operator splitting, thus usually dividing the simulation into non-pressure forces and the pressure solver plus advection. The latter is subject of the TimeStep class. It is still possible to implement these together inside your own TimeStep class, but it contradicts SPlisHSPlasH's design principles. Since the `step()` method is forwarded to the main loop by the simulation class, its purpose is to define the simulation algorithm. For guidance, we also provide a simple SPH simulation algorithm outline:

```

void TimeStepWCSPH::step()
{
    Simulation *sim = Simulation::getCurrent();
    const unsigned int nModels = sim->numberOfFluidModels();
    TimeManager *tm = TimeManager::getCurrent();
    const Real h = tm->getTimeStepSize();

    // 1. Perform a neighborhood search
    performNeighborhoodSearch();
}

```

(continues on next page)

(continued from previous page)

```

// 2. Compute non-pressure forces and SPH densities
    for (unsigned int fluidModelIndex = 0; fluidModelIndex < nModels; →
fluidModelIndex++)
    {
        clearAccelerations(fluidModelIndex);
        computeDensities(fluidModelIndex);
    }
    sim->computeNonPressureForces();

// 3. Compute pressure forces
    computePressureForces();

// 4. Update time step size with CFL condition
    sim->updateTimeStepSize();

// 5. Advect particles
    advectParticles();

// 6. Emit and/or animate particles if necessary
    sim->emitParticles();
    sim->animateParticles();

// 7. Advect time
    tm->setTime(tm->getTime() + h);
}

```

where `computeDensities(...)` and `clearAcceleration(...)` are already defined by the base class.

We recommend the user to split the simulation algorithm and its data into two separate classes as it is the case for our already implemented ones.

11.2 Registering the pressure solver

To add our new simulation method, we have to integrate it into the build process and the source code.

11.2.1 Adding to the build process

Simply add all of your class files to the `CMakeLists.txt` in the `/SPlisHSPlasH/` directory. We suggest creating new variables for the header and source files and adding these to the `add_library()` as well as to new `source_group()` calls. A possible implementation following our class file conventions would look like the following:

```

set(MYPRESSURESOLVER_HEADER_FILES
    MyPressureSolver/SimulationDataMyPressureSolver.h
    MyPressureSolver/TimeStepMyPressureSolver.h
)

set(MYPRESSURESOLVER_SOURCE_FILES
    MyPressureSolver/SimulationDataMyPressureSolver.cpp
    MyPressureSolver/TimeStepMyPressureSolver.cpp
)

add_library(SPlisHSPlasH

```

(continues on next page)

(continued from previous page)

```
[...]
${MYPRESSURESOLVER_HEADER_FILES}
${MYPRESSURESOLVER_SOURCE_FILES}
)

source_group("Header Files\\MyPressureSolver" FILES ${MYPRESSURESOLVER_HEADER_FILES})
source_group("Source Files\\MyPressureSolver" FILES ${MYPRESSURESOLVER_SOURCE_FILES})
```

11.2.2 Integration in the source code

Any timestep method and thus any pressure solver is registered in the `Simulation.h` and `Simulation.cpp` files, which can be found in the `/SPlisHSPlasH/` directory. Adding a new method comprises of the following steps:

- Adding a new enum in `SimulationMethods`
- Creating a new static variable `static int ENUM_SIMULATION_MYPRESSURESOLVER` for the Generic-Parameter system and initializing it in `Simulation.cpp`
- Including `SPlisHSPlasH/MyPressureSolver/TimeStepMyPressureSolver.h` in `Simulation.cpp`
- Adding a new enum value for `SIMULATION_METHOD` inside `Simulation::initParameters()` using the following line:

```
enumParam->addEnumValue("MyPressureSolverName", ENUM_SIMULATION_MYPRESSURESOLVER);
```

- Adding the pressure solver to `Simulation::setSimulationMethod(...)`, thus making it available for the simulation using the following:

```
else if (method == SimulationMethods::MyPressureSolver)
{
    m_timeStep = new TimeStepMyPressureSolver();
    m_timeStep->init();
    setValue(Simulation::KERNEL_METHOD, <desired standard SPH kernel>);
    setValue(Simulation::GRAD_KERNEL_METHOD, <desired standard SPH gradient kernel>);
}
```

After these additions and building SPlisHSPlasH, our new pressure solver is available inside the simulation.

MACROS

SPlisHSPlasH defines useful macros to e.g. iterate over all neighboring particles inside the neighborhood of the current one. These can be found in `Simulation.h`. In the following, we want to give a short overview over these macros. For further information, please refer to the api documentation.

12.1 Looping over fluid neighbors

An essential part of SPH computation is to use the properties of neighboring particles to compute the desired value. SPlisHSPlasH provides macros iterating over every fluid neighbor, which can be used like predefined for-loop constructs. These include the following:

12.1.1 forall_fluid_neigbors

```
#define forall_fluid_neighbors(code) \
    for (unsigned int pid = 0; pid < nFluids; pid++) \
    { \
        FluidModel *fm_neighbor = sim->getFluidModelFromPointSet(pid); \
        for (unsigned int j = 0; j < sim->numberOfNeighbors(fluidModelIndex, \
→pid, i); j++) \
        { \
            const unsigned int neighborIndex = sim-> \
→getNeighbor(fluidModelIndex, pid, i, j); \
            const Vector3r &xj = fm_neighbor->getPosition(neighborIndex); \
→ \
            code \
        } \
    }
```

`forall_fluid_neighbors` loops over every fluid particle (in all fluid phases) in the neighborhood region of the current one. Note that this does **not** include boundary particles. The user can use this macro by writing the desired code inside the brackets. For the usage of most of the macros, some additional variables have to be predefined. These include in this case:

- `Simulation *sim = Simulation::getCurrent()`, the current simulation instance
- `unsigned int nFluids`, the amount of `FluidModel` instances
- `unsigned int fluidModelIndex`, the index of the `FluidModel` of the current particle
- `unsigned int i`, the index of the current particle inside the `FluidModel` with index `fluidModelIndex`

Further, this macro also defines certain variables, which can be accessed inside the code given to the macro:

- `unsigned int pid`, the index of the FluidModel of the neighboring particle
- `FluidModel *fm_neighbor`, the FluidModel reference of the neighboring particle
- `const unsigned int neighborIndex`, the particle index of the neighboring particle
- `const Vector3r &xj`, the position of the neighboring particle

Henceforth, we denote the required additional variables by **Requires** and the by the macro defined ones by **Defines**.

12.1.2 forall_fluid_neighbors_in_same_phase

```
#define forall_fluid_neighbors_in_same_phase(code) \
    for (unsigned int j = 0; j < sim->numberOfNeighbors(fluidModelIndex, \
    fluidModelIndex, i); j++) \
    { \
        const unsigned int neighborIndex = sim->getNeighbor(fluidModelIndex, \
        fluidModelIndex, i, j); \
        const Vector3r &xj = model->getPosition(neighborIndex); \
        code \
    }
```

`forall_fluid_neighbors_in_same_phase` loops over every fluid particle in the neighborhood region considering only neighbors from the **same** FluidModel as the current one.

- **Requires:**

- `Simulation *sim = Simulation::getCurrent()`
- `unsigned int fluidModelIndex`
- `unsigned int i`

- **Defines:**

- `const unsigned int neighborIndex`
- `const Vector3r &xj`

12.2 Looping over boundaries

12.2.1 forall_boundary_neighbors

```
#define forall_boundary_neighbors(code) \
    for (unsigned int pid = nFluids; pid < sim->numberOfPointSets(); pid++) \
    { \
        BoundaryModel_Akinci2012 *bm_neighbor = static_cast<BoundaryModel_ \
        Akinci2012*>(sim->getBoundaryModelFromPointSet(pid)); \
        for (unsigned int j = 0; j < sim->numberOfNeighbors(fluidModelIndex, pid, \
        i); j++) \
        { \
            const unsigned int neighborIndex = sim-> \
            getNeighbor(fluidModelIndex, pid, i, j); \
            const Vector3r &xj = bm_neighbor->getPosition(neighborIndex); \
            code \
        } \
    }
```

`forall_boundary_neighbors` loops over all boundary neighbors casting them to the Akinci 2012 boundary model.

- **Requires:**

- `Simulation *sim = Simulation::getCurrent()`
- `unsigned int nFluids`
- `unsigned int fluidModelIndex`
- `unsigned int i`

- **Defines:**

- `unsigned int pid`, the index of the FluidModel associated with the BoundaryModel
- `BoundaryModel_Akinci2012 *bm_neighbor`, the BoundaryModel reference of the neighboring particle
- `const unsigned int neighborIndex`, the particle index of the neighboring particle
- `const Vector3r &xj`, the position of the neigboring particle

12.2.2 forall_density_maps

```
#define forall_density_maps(code) \
for (unsigned int pid = 0; pid < nBoundaries; pid++) \
{ \
    BoundaryModel_Koschier2017 *bm_neighbor = static_cast<BoundaryModel_ \
→Koschier2017*>(sim->getBoundaryModel(pid)); \
    const Real rho = bm_neighbor->getBoundaryDensity(fluidModelIndex, i); \
    if (rho != 0.0) \
    { \
        const Vector3r &gradRho = bm_neighbor-> \
→getBoundaryDensityGradient(fluidModelIndex, i).cast<Real>(); \
        const Vector3r &xj = bm_neighbor->getBoundaryXj(fluidModelIndex, i); \
        code \
    } \
}
```

`forall_density_maps` loops over all boundary neighbors casting them to the Koschier 2017 boundary model.

- **Requires:**

- `Simulation *sim = Simulation::getCurrent()`
- `unsigned int nBoundaries`
- `unsigned int fluidModelIndex`
- `unsigned int i`

- **Defines:**

- `unsigned int pid`
- `BoundaryModel_Koschier2017 *bm_neighbor`
- `const Real rho`, the boundary density given by the density map
- `const Vector3r &gradRho`, the boundary density gradient
- `const Vector3r &xj`

12.2.3 forall_volume_maps

```
#define forall_volume_maps(code) \
    for (unsigned int pid = 0; pid < nBoundaries; pid++) \
    { \
        BoundaryModel_Bender2019 *bm_neighbor = static_cast<BoundaryModel_ \
→Bender2019*>(sim->getBoundaryModel(pid)); \
        const Real Vj = bm_neighbor->getBoundaryVolume(fluidModelIndex, i); \
        if (Vj > 0.0) \
        { \
            const Vector3r &xj = bm_neighbor->getBoundaryXj(fluidModelIndex, \
→i); \
            code \
        } \
    }
```

forall_volume_maps loops over all boundary neighbors casting them to the Bender 2019 boundary model.

- **Requires:**

- `Simulation *sim = Simulation::getCurrent()`
- `unsigned int nBoundaries`
- `unsigned int fluidModelIndex`
- `unsigned int i`

- **Defines:**

- `unsigned int pid`
- `BoundaryModel_Koschier2019 *bm_neighbor`
- `const Real Vj`, the boundary volume given by the volume map
- `const Vector3r &xj`

12.3 AVX variants

SPlisHSPlasH also defines versions using AVX optimizations for some of the macros. These can be used if the respective CMake option is set in the building process. Note that many of the aforementioned by the macro defined variables are given in AVX compatible data types, if you choose to use the AVX version of these macros.

PYSPLISHSPLASH

13.1 Python bindings for the SPLisHSPlasH library

13.2 Requirements

Currently the generation of python bindings is only tested on

- Linux Debian, gcc 8.3, Python 3.7/3.8 (Anaconda), CMake 3.13
- Windows 10, Visual Studio 15/17/19, Python 3.7/3.8 (Anaconda), CMake 3.13

Note that the compiler, the python installation as well as cmake have to be available from the command line for the installation process to work. MacOS builds should work but have not been tested.

13.3 Installation

In order to install it is advised that you create a new virtual environment so that any faults during installation can not mess up your python installation. This is done as follows for

conda

```
conda create --name venv python=3.7
conda activate venv
```

virtualenv

```
python3 -m virtualenv venv --python=python3.7
source venv/bin/activate
```

Now you can clone the repository by

```
git clone https://github.com/InteractiveComputerGraphics/SPLisHSPlasH.git
```

And finally you should be able to install SPLisHSPlasH using pip. **The trailing slash is important** otherwise pip will try to download the package, which is not supported yet at least. Also note, that `pip install SPLisHSPlasH` should be called from **one directory above** the cloned source directory and **not within** the directory itself.

```
pip install SPLisHSPlasH/
```

While `pip install` is useful if SPLisHSPlasH should only be installed once, for development purposes it might be more sensible to build differently. Change into the SPLisHSPlasH directory and build a python wheel file as follows

```
cd SPlisHSPlasH
python setup.py bdist_wheel
pip install -I build/dist/*.whl
```

When building a new version of SPlisHSPlasH simply run these commands again and the installation will be updated. The compile times will be lower, because the build files from previous installations remain. If you are getting compile errors please try to compile the pysplishsplash target of the CMake project separately.

Now check your installation by running

```
python -c "import pysplishsplash"
```

Note: You may have to install numpy. Future releases may already contain numpy as a dependency.

```
pip install numpy
```

13.4 I want to see something very very quickly

If you're very impatient, just run the following command after installing

```
splash
```

You will be prompted to select a preconfigured scene file which will then be run in a User Interface. For more options and functionality run. The keybindings in the GUI are the same as for the regular SPlisHSPlasH version.

```
splash --help
```

13.5 Minimal working example

The following examples should work, if SPlisHSPlasH was installed correctly. If you want to load other scene files, be sure to place them into the SPlisHSPlasH data directory structure.

With GUI

```
import pysplishsplash as sph

def main():
    base = sph.Exec.SimulatorBase()
    base.init()
    gui = sph.GUI.Simulator_GUI_TweakBar(base)
    base.setGui(gui)
    base.run()

if __name__ == "__main__":
    main()
```

Without GUI

```
import pysplishsplash as sph

def main():
    base = sph.Exec.SimulatorBase()
```

(continues on next page)

(continued from previous page)

```

base.init(useGui=False)
base.setValueFloat(base.STOP_AT, 10.0) # Important to have the dot to denote a_
↪float
base.run()

if __name__ == "__main__":
    main()

```

Outputting the results to a specific directory without GUI

```

import pysplishsplash as sph
from pysplishsplash.Extras import Scenes
import os

def main():
    base = sph.Exec.SimulatorBase()
    output_dir = os.path.abspath("where/you/want/the/data")
    base.init(useGui=False, outputDir=output_dir, sceneFile=Scenes.DoubleDamBreak)
    base.setValueFloat(base.STOP_AT, 20.0) # Important to have the dot to denote a_
↪float
    base.setValueBool(base.VTK_EXPORT, True)
    # Uncomment the next line to set the output FPS value (must be float)
    # base.setValueFloat(base.DATA_EXPORT_FPS, 10000.)
    base.run()

if __name__ == "__main__":
    main()

```

13.6 SPHSimulator.py

If you want to start the simulator in the same way as the C++ version, just use the SPHSimulator.py in the examples directory.

13.7 Modifying other properties

The bindings cover most of the public interface of the SPlisHSPlasH library. As such, it is possible to change components of the simulation dynamically. In the following example, the second cube in the well known double dam break scenario is replaced with a slightly larger cube.

```

import pysplishsplash
import pysplishsplash.Utilities.SceneLoaderStructs as Scene

def main():
    base = pysplishsplash.Exec.SimulatorBase()
    args = base.init()
    gui = pysplishsplash.GUI.Simulator_GUI_TweakBar(base)
    base.setGui(gui)
    scene = base.getScene()
    add_block = Scene.FluidBlock('Fluid', Scene.Box([0.0, 0.0, 0.0], [1.0, 1.0, 1.0]),
↪ 0, [0.0, 0.0, 0.0])
    scene.fluidBlocks[1] = add_block # In Place construction not supported yet
    base.run()

```

(continues on next page)

(continued from previous page)

```
if __name__ == "__main__":
    main()
```

CREATING SCENES

14.1 Loading the empty scene

Right now the easiest way to create a custom scene without specifying a `Scene.json` file, is to load the predefined empty scene.

```
import pysplishsplash as sph
import pysplishsplash.Utilities.SceneLoaderStructs as Scenes

base = sph.Exec.SimulatorBase()
base.init(sceneFile=Scenes.Empty)
```

This scene will set the default simulation method to be DFSPH and some other default values, which can all be changed later on.

14.2 Recreating the double dam break scenario

In order to recreate the double dam break scenario, we need to add a bounding box as well as two fluid cubes. The bounding box can be added as follows

```
scene = base.getScene()
scene.boundaryModels.append(Scenes.BoundaryData(meshFile="..../models/UnitBox.obj",
    ↪ translation=[0., 3.0, 0.], scale=[4., 6., 4.], color=[0.1, 0.4, 0.5, 1.0],
    ↪ isWall=True, mapInvert=True, mapResolution=[25, 25, 25]))
```

The two fluid blocks can at the end be added using

```
scene.fluidBlocks.append(Scenes.FluidBlock(id='Fluid', box=Scenes.Box([-1.5, 0.0, -1.
    ↪ 5], [-0.5, 2.0, -0.5]), mode=0, initialVelocity=[0.0, 0.0, 0.0]))
scene.fluidBlocks.append(Scenes.FluidBlock(id='Fluid', box=Scenes.Box([0.5, 0.0, 0.5],
    ↪ [1.5, 2.0, 1.5]), mode=0, initialVelocity=[0.0, 0.0, 0.0]))
```

This will recreate a somewhat larger scene than the default double dam break

14.3 Putting it all together

The following shows a script detailing how to build and run a custom double dam break. Follow the instruction from before to activate/ deactivate the GUI.

```
import pysplishsplash as sph
import pysplishsplash.Utilities.SceneLoaderStructs as Scenes

def main():
    # Set up the simulator
    base = sph.Exec.SimulatorBase()
    base.init(useGui=True, sceneFile=sph.Extras.Scenes.Empty)

    # Create a tweak bar simulator
    gui = sph.GUI.Simulator_GUI_TweakBar(base)
    base.setGui(gui)

    # Get the scene and add objects
    scene = base.getScene()
    scene.boundaryModels.append(Scenes.BoundaryData(meshFile="../models/UnitBox.obj",
                                                    translation=[0., 3.0, 0.], scale=[4., 6., 4.], color=[0.1, 0.4, 0.5, 1.0],
                                                    isWall=True, mapInvert=True, mapResolution=[25, 25, 25]))
    scene.fluidBlocks.append(Scenes.FluidBlock(id='Fluid', box=Scenes.Box([-1.5, 0.0, -1.5], [-0.5, 2.0, -0.5]), mode=0, initialVelocity=[0.0, 0.0, 0.0]))
    scene.fluidBlocks.append(Scenes.FluidBlock(id='Fluid', box=Scenes.Box([0.5, 0.0, 0.5], [1.5, 2.0, 1.5]), mode=0, initialVelocity=[0.0, 0.0, 0.0]))

    # Run the GUI
    base.run()

if __name__ == "__main__":
    main()
```

14.4 Loading a scene from file

Loading a scene from a file is as simple as simply specifying a custom scene file in the init function. This must be an **absolute path!**

```
custom_scene = os.path.abspath("scene.json")
base.init(sceneFile=custom_scene)
```

If you want to use a gui to locate the scene file you may want to use tkinter

```
import tkinter as tk
from tkinter import filedialog

tk.Tk().withdraw() # Dont show main window
custom_scene = filedialog.askopenfilename()
base.init(sceneFile=custom_scene)
```

CHAPTER
FIFTEEN

RESTRICTIONS

- When modifying simulation parameters this is the recommended structure, as modification will only work after `base.initSimulation()` has been called.

```
base.initSimulation()
sim = sph.Simulation.getCurrent()
sim.setValue...()
base.runSimulation()
base.cleanup()
```

- `setValue...()` and `getValue...()` functions cannot accept vectors as arguments yet

CHAPTER
SIXTEEN

LIBRARY API

16.1 Class Hierarchy

16.2 File Hierarchy

16.3 Full API

16.3.1 Namespaces

Namespace @54

Namespace chrono

Namespace Eigen

Contents

- *Namespaces*

Namespaces

- *Namespace Eigen::internal*

Namespace Eigen::internal

Contents

- *Classes*

Classes

- *Template Struct generic_product_impl< MatrixReplacement, Rhs, SparseShape, DenseShape, GemvProduct >*
- *Template Struct traits< SPH::MatrixReplacement >*

Namespace GenParam

Namespace SPH

Contents

- *Classes*
- *Enums*
- *Variables*

Classes

- *Struct FieldDescription*
- *Struct PoissonDiskSampling::CellPosHasher*
- *Struct PoissonDiskSampling::HashEntry*
- *Struct PoissonDiskSampling::InitialPointInfo*
- *Class AdhesionKernel*
- *Class AnimationField*
- *Class AnimationFieldSystem*
- *Class BinaryFileReader*
- *Class BinaryFileWriter*
- *Class BlockJacobiPreconditioner3D*
- *Class BoundaryModel*
- *Class BoundaryModel_Akinci2012*
- *Class BoundaryModel_Bender2019*
- *Class BoundaryModel_Koschier2017*
- *Class CohesionKernel*
- *Class CubicKernel*
- *Class CubicKernel2D*
- *Class DebugTools*
- *Class DragBase*
- *Class DragForce_Gissler2017*
- *Class DragForce_Macklin2014*

- *Class Elasticity_Becker2009*
- *Class Elasticity_Peer2018*
- *Class ElasticityBase*
- *Class Emitter*
- *Class EmitterSystem*
- *Class FluidModel*
- *Class GaussQuadrature*
- *Class JacobiPreconditioner1D*
- *Class JacobiPreconditioner3D*
- *Class MathFunctions*
- *Class MatrixReplacement*
- *Class MicropolarModel_Bender2017*
- *Class NonPressureForceBase*
- *Class PoissonDiskSampling*
- *Class Poly6Kernel*
- *Template Class PrecomputedKernel*
- *Class RegularSampling2D*
- *Class RegularTriangleSampling*
- *Class RigidBodyObject*
- *Class SimpleQuadrature*
- *Class Simulation*
- *Class SimulationDataDFSPH*
- *Class SimulationDataIISPH*
- *Class SimulationDataPBF*
- *Class SimulationDataPCISPH*
- *Class SimulationDataPF*
- *Class SimulationDataWCSPH*
- *Class SpikyKernel*
- *Class StaticRigidBody*
- *Class SurfaceTension_Akinci2013*
- *Class SurfaceTension_Becker2007*
- *Class SurfaceTension_He2014*
- *Class SurfaceTension_ZorillaRitter2020*
- *Class SurfaceTensionBase*
- *Class TimeIntegration*
- *Class TimeManager*

- *Class TimeStep*
- *Class TimeStepDFSPH*
- *Class TimeStepIISPH*
- *Class TimeStepPBF*
- *Class TimeStepPCISPH*
- *Class TimeStepPF*
- *Class TimeStepWCSPH*
- *Class TriangleMesh*
- *Class Viscosity_Bender2017*
- *Class Viscosity_Peer2015*
- *Class Viscosity_Peer2016*
- *Class Viscosity_Standard*
- *Class Viscosity_Takahashi2015*
- *Class Viscosity_Weiler2018*
- *Class Viscosity_XSPH*
- *Class ViscosityBase*
- *Class VorticityBase*
- *Class VorticityConfinement*
- *Class WendlandQuinticC2Kernel*
- *Class WendlandQuinticC2Kernel2D*

Enums

- *Enum BoundaryHandlingMethods*
- *Enum DragMethods*
- *Enum ElasticityMethods*
- *Enum FieldType*
- *Enum ParticleState*
- *Enum SimulationMethods*
- *Enum SurfaceSamplingMode*
- *Enum SurfaceTensionMethods*
- *Enum ViscosityMethods*
- *Enum VorticityMethods*

Variables

- *Variable SPH::gaussian_abscissae_1*
- *Variable SPH::gaussian_n_1*
- *Variable SPH::gaussian_weights_1*

Namespace std

Namespace Utilities

Contents

- *Classes*
- *Enums*
- *Variables*

Classes

- *Struct AverageCount*
- *Struct AverageTime*
- *Struct MeshFaceIndices*
- *Struct SceneLoader::AnimationFieldData*
- *Struct SceneLoader::BoundaryData*
- *Struct SceneLoader::Box*
- *Struct SceneLoader::EmitterData*
- *Struct SceneLoader::FluidBlock*
- *Struct SceneLoader::FluidData*
- *Struct SceneLoader::MaterialData*
- *Struct SceneLoader::Scene*
- *Struct TimingHelper*
- *Class ConsoleSink*
- *Class Counting*
- *Class FileSink*
- *Class FileSystem*
- *Class IDFactory*
- *Class Logger*
- *Class LogSink*
- *Class LogStream*

- *Class OBJLoader*
- *Class PartioReaderWriter*
- *Class SceneLoader*
- *Class SDFFunctions*
- *Class StringTools*
- *Class SystemInfo*
- *Class Timing*
- *Class VolumeSampling*
- *Class WindingNumbers*

Enums

- *Enum LogLevel*

Variables

- *Variable Utilities::logger*

16.3.2 Classes and Structs

Template Struct generic_product_impl< MatrixReplacement, Rhs, SparseShape, DenseShape, GemvProduct >

- Defined in file_SPlisHSPlasH_Utilsies_MatrixFreeSolver.h

Inheritance Relationships

Base Type

- public generic_product_base< MatrixReplacement, Rhs, generic_product< MatrixReplacement, Rhs > >

Struct Documentation

```
template<typename Rhs>
struct Eigen::internal::generic_product_impl<MatrixReplacement, Rhs, SparseShape, DenseShape, GemvProduct>
Implementation of the matrix-free matrix vector product
```

Public Types

```
typedef Product<MatrixReplacement, Rhs>::Scalar Scalar
```

Public Static Functions

```
template<typename Dest>
void scaleAndAddTo (Dest &dst, const MatrixReplacement &lhs, const Rhs &rhs, const Scalar &alpha)
```

Template Struct traits< SPH::MatrixReplacement >

- Defined in file_SPlisHSPlasH_Utils_MatrixFreeSolver.h

Inheritance Relationships

Base Type

- public Eigen::internal::traits< SystemMatrixType >

Struct Documentation

```
template<>
struct traits<SPH::MatrixReplacement> : public Eigen::internal::traits<SystemMatrixType>
```

Struct FieldDescription

- Defined in file_SPlisHSPlasH_FluidModel.h

Struct Documentation

```
struct SPH::FieldDescription
```

Public Functions

```
FieldDescription(const std::string &n, const FieldType &t, const
                    std::function<void*> const unsigned int > &fct, const bool s = false)
```

Public Members

```
std::string name
FieldType type
std::function<void* (const unsigned int) > getFct
bool storeData
```

Struct PoissonDiskSampling::CellPosHasher

- Defined in file_SPlisHSPlasH_Utilsities_PoissonDiskSampling.h

Nested Relationships

This struct is a nested type of *Class PoissonDiskSampling*.

Struct Documentation

```
struct SPH::PoissonDiskSampling::CellPosHasher
```

Public Functions

```
std::size_t operator() (const CellPos &k) const
```

Struct PoissonDiskSampling::HashEntry

- Defined in file_SPlisHSPlasH_Utilsities_PoissonDiskSampling.h

Nested Relationships

This struct is a nested type of *Class PoissonDiskSampling*.

Struct Documentation

```
struct SPH::PoissonDiskSampling::HashEntry
Struct to store the hash entry (spatial hashing)
```

Public Functions

```
HashEntry()
```

Public Members

```
std::vector<unsigned int> samples  
unsigned int startIndex
```

Struct PoissonDiskSampling::InitialPointInfo

- Defined in file_SPlisHSPlasH_Utilsies_PoissonDiskSampling.h

Nested Relationships

This struct is a nested type of *Class PoissonDiskSampling*.

Struct Documentation

```
struct SPH::PoissonDiskSampling::InitialPointInfo
```

Struct to store the information of the initial points.

Public Members

```
CellPos cP  
Vector3r pos  
unsigned int ID
```

Struct AverageCount

- Defined in file_Utilsies_Counting.h

Struct Documentation

```
struct Utilities::AverageCount
```

Public Members

```
Real sum  
unsigned int numberOfCalls
```

Struct AverageTime

- Defined in file_Utility_Timing.h

Struct Documentation

struct Utilities::AverageTime

Struct to store the total time and the number of steps in order to compute the average time.

Public Members

```
double totalTime
unsigned int counter
std::string name
```

Struct MeshFaceIndices

- Defined in file_Utility_OBJLoader.h

Struct Documentation

struct Utilities::MeshFaceIndices

Struct to store the position and normal indices.

Public Members

```
int posIndices[3]
int texIndices[3]
int normalIndices[3]
```

Struct SceneLoader::AnimationFieldData

- Defined in file_SPlisHSPlasH_Utils_SceneLoader.h

Nested Relationships

This struct is a nested type of [Class SceneLoader](#).

Struct Documentation

struct Utilities::SceneLoader::AnimationFieldData
 Struct to store an animation field object.

Public Members

```
std::string particleFieldName
std::string expression[3]
unsigned int shapeType
Vector3r x
Matrix3r rotation
Vector3r scale
Real startTime
Real endTime
```

Struct SceneLoader::BoundaryData

- Defined in file_SPlisHSPlasH_Utilsies_SceneLoader.h

Nested Relationships

This struct is a nested type of *Class SceneLoader*.

Struct Documentation

struct Utilities::SceneLoader::BoundaryData
 Struct to store a boundary object.

Public Members

```
std::string samplesFile
std::string meshFile
Vector3r translation
Matrix3r rotation
Vector3r scale
Real density
bool dynamic
bool isWall
Eigen::Matrix<float, 4, 1, Eigen::DontAlign> color
void *rigidBody
```

```
std::string mapFile
bool mapInvert
Real mapThickness
Eigen::Matrix<unsigned int, 3, 1, Eigen::DontAlign> mapResolution
unsigned int samplingMode
```

Struct SceneLoader::Box

- Defined in file_SPlisHSPlasH_Utilsies_SceneLoader.h

Nested Relationships

This struct is a nested type of *Class SceneLoader*.

Struct Documentation

```
struct Utilities::SceneLoader::Box
Struct for an AABB.
```

Public Members

```
Vector3r m_minX
Vector3r m_maxX
```

Struct SceneLoader::EmitterData

- Defined in file_SPlisHSPlasH_Utilsies_SceneLoader.h

Nested Relationships

This struct is a nested type of *Class SceneLoader*.

Struct Documentation

```
struct Utilities::SceneLoader::EmitterData
Struct to store an emitter object.
```

Public Members

```
std::string id
unsigned int width
unsigned int height
Vector3r x
Real velocity
Matrix3r rotation
Real emitStartTime
Real emitEndTime
unsigned int type
```

Struct SceneLoader::FluidBlock

- Defined in file_SPlisHSPlasH_Utilsities_SceneLoader.h

Nested Relationships

This struct is a nested type of *Class SceneLoader*.

Struct Documentation

```
struct Utilities::SceneLoader::FluidBlock
Struct to store a fluid block.
```

Public Members

```
std::string id
Box box
unsigned char mode
Vector3r initialVelocity
```

Struct SceneLoader::FluidData

- Defined in file_SPlisHSPlasH_Utilsities_SceneLoader.h

Nested Relationships

This struct is a nested type of [Class SceneLoader](#).

Struct Documentation

```
struct Utilities::SceneLoader::FluidData  
Struct to store a fluid object.
```

Public Members

```
std::string id  
std::string samplesFile  
Vector3r translation  
Matrix3r rotation  
Vector3r scale  
Vector3r initialVelocity  
unsigned char mode  
bool invert  
std::array<unsigned int, 3> resolutionSDF
```

Struct SceneLoader::MaterialData

- Defined in file_SPlisHSPlasH_Utils_SceneLoader.h

Nested Relationships

This struct is a nested type of [Class SceneLoader](#).

Struct Documentation

```
struct Utilities::SceneLoader::MaterialData  
Struct to store particle coloring information.
```

Public Members

```
std::string id  
std::string colorField  
unsigned int colorMapType  
Real minValue  
Real maxValue  
unsigned int maxEmitterParticles
```

```
bool emitterReuseParticles
Vector3r emitterBoxMin
Vector3r emitterBoxMax
```

Struct SceneLoader::Scene

- Defined in file_SPlisHSPlasH_Utilsies_SceneLoader.h

Nested Relationships

This struct is a nested type of *Class SceneLoader*.

Struct Documentation

```
struct Utilities::SceneLoader::Scene
    Struct to store scene information.
```

Public Members

```
std::vector<BoundaryData*> boundaryModels
std::vector<FluidData*> fluidModels
std::vector<FluidBlock*> fluidBlocks
std::vector<EmitterData*> emitters
std::vector<AnimationFieldData*> animatedFields
std::vector<MaterialData*> materials
Real particleRadius
bool sim2D
Real timeStepSize
Vector3r camPosition
Vector3r camLookat
```

Struct TimingHelper

- Defined in file_Utilsies_Timing.h

Struct Documentation

```
struct Utilities::TimingHelper  
    Struct to store a time measurement.
```

Public Members

```
std::chrono::time_point<std::chrono::high_resolution_clock> start  
std::string name
```

Class Matrix3f8

- Defined in file_SPlisHSPlasH_Utilsies_AVX_math.h

Class Documentation

```
class Matrix3f8
```

Public Functions

```
Matrix3f8()  
Matrix3f8(const Vector3f8 &m1, const Vector3f8 &m2, const Vector3f8 &m3)  
void setZero()  
Scalarf8 &operator()(int i, int j)  
void setCol(int i, const Vector3f8 &v)  
void setCol(int i, const Scalarf8 &x, const Scalarf8 &y, const Scalarf8 &z)  
Matrix3f8 operator*(const Scalarf8 &b) const  
Vector3f8 operator*(const Vector3f8 &b) const  
Matrix3f8 operator*(const Matrix3f8 &b) const  
Matrix3f8 &operator+=(const Matrix3f8 &a)  
Matrix3f8 transpose() const  
Scalarf8 determinant() const  
void store(std::vector<Matrix3r> &Mf) const  
Matrix3r reduce() const
```

Public Members

Scalarf8 **m**[3][3]

Class Quaternion8f

- Defined in file_SPlisHSPlasH_Utils_AVX_math.h

Class Documentation

class Quaternion8f

Public Functions

```

Quaternion8f()
Quaternion8f (Scalarf8 x, Scalarf8 y, Scalarf8 z, Scalarf8 w)
Quaternion8f (Vector3f8 &v)
Scalarf8 &operator[] (int i)
Scalarf8 operator[] (int i) const
Scalarf8 &x ()
Scalarf8 &y ()
Scalarf8 &z ()
Scalarf8 &w ()
Scalarf8 x () const
Scalarf8 y () const
Scalarf8 z () const
Scalarf8 w () const
const Quaternion8f operator* (const Quaternion8f &a) const
void toRotationMatrix (Matrix3f8 &R)
void toRotationMatrix (Vector3f8 &R1, Vector3f8 &R2, Vector3f8 &R3)
void store (std::vector<Quaternionr> &qf) const
void set (const std::vector<Quaternionr> &qf)

```

Public Members

Scalarmf8 **q**[4]

Class **Scalarmf8**

- Defined in file_SPlisHSPlasH_Utils_AVX_math.h

Class Documentation

```
class Scalarmf8
```

Public Functions

```
Scalarmf8()
Scalarmf8(float f)
Scalarmf8(Real f0, Real f1, Real f2, Real f3, Real f4, Real f5, Real f6, Real f7)
Scalarmf8(float const *p)
Scalarmf8(__m256 const &x)
void setZero()
Scalarmf8 &operator=(__m256 const &x)
Scalarmf8 sqrt() const
Scalarmf8 rsqrt() const
Scalarmf8 &load(float const *p)
void store(float *p) const
float reduce() const
```

Public Members

__m256 **v**

Class **AdhesionKernel**

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::AdhesionKernel
```

Adhesion kernel used for the surface tension method of Akinci et al. [ATT13].

References:

- [AAT13] Nadir Akinci, Gizem Akinci, and Matthias Teschner. Versatile surface tension and adhesion for sph fluids. ACM Trans. Graph., 32(6):182:1-182:8, November 2013. URL: <http://doi.acm.org/10.1145/2508363.2508395>

Public Static Functions

```
Real getRadius ()
```

```
void setRadius (Real val)
```

```
Real W (const Real r)
```

$W(r,h) = (0.007/h^3.25)(-4r^2/h + 6r - 2h)^{0.25}$ if $h/2 < r \leq h$

```
Real W (const Vector3r &r)
```

```
Real W_zero ()
```

Protected Static Attributes

```
Real m_radius
```

```
Real m_k
```

```
Real m_W_zero
```

Class AnimationField

- Defined in file_SPlisHSPlasH_AnimationField.h

Class Documentation

```
class SPH::AnimationField
```

Public Functions

```
AnimationField (const std::string &particleFieldName, const Vector3r &pos, const Matrix3r &rotation, const Vector3r &scale, const std::string expression[3], const unsigned int type = 0)
```

```
~AnimationField ()
```

```
void setStartTime (Real val)
```

```
void setEndTime (Real val)
```

```
void step ()
```

```
void reset ()
```

Protected Functions

```
FORCE_INLINE bool inBox (const Vector3r &x, const Vector3r &xBox, const Matrix3r &rotBox)
FORCE_INLINE bool inCylinder (const Vector3r &x, const Vector3r &xCyl, const Matrix3r &rotCyl)
FORCE_INLINE bool inSphere (const Vector3r &x, const Vector3r &pos, const Matrix3r &rotSphere)
FORCE_INLINE bool inShape (const int type, const Vector3r &x, const Vector3r &pos, const
```

Protected Attributes

```
std::string m_particleFieldName
Vector3r m_x
Matrix3r m_rotation
Vector3r m_scale
std::string m_expression[3]
unsigned int m_type
Real m_startTime
Real m_endTime
```

Class AnimationFieldSystem

- Defined in file_SPlisHSPlasH_AnimationFieldSystem.h

Class Documentation

```
class SPH::AnimationFieldSystem
```

Public Functions

```
AnimationFieldSystem()
~AnimationFieldSystem()

void addAnimationField (const std::string &particleFieldName, const Vector3r &pos, const
                      Matrix3r &rotation, const Vector3r &scale, const std::string expres-
                      sion[3], const unsigned int type)

unsigned int numAnimationFields () const

std::vector<AnimationField*> &getAnimationFields ()

void step ()

void reset ()
```

Protected Attributes

```
std::vector<AnimationField*> m_fields
```

Class BinaryFileReader

- Defined in file_Utilities_BinaryFileReaderWriter.h

Class Documentation

```
class SPH::BinaryFileReader
```

Public Functions

```
bool openFile(const std::string &fileName)
void closeFile()
void readBuffer(char *buffer, size_t size)
template<typename T>
void read(T &v)
void read(std::string &str)
template<typename T>
void readMatrix(T &m)
```

Public Members

```
std::ifstream m_file
```

Class BinaryFileWriter

- Defined in file_Utilities_BinaryFileReaderWriter.h

Class Documentation

```
class SPH::BinaryFileWriter
```

Public Functions

```
bool openFile(const std::string &fileName)
void closeFile()
void writeBuffer(const char *buffer, size_t size)
template<typename T>
void write(const T &v)
void write(const std::string &str)
```

```
template<typename T>
void writeMatrix(const T &m)
```

Public Members

```
std::ofstream m_file
```

Class BlockJacobiPreconditioner3D

- Defined in file_SPlisHSPlasH_Utilsies_MatrixFreeSolver.h

Class Documentation

```
class SPH::BlockJacobiPreconditioner3D
Matrix-free 3x3 block Jacobi preconditioner
```

Public Types

```
enum [anonymous]
Values:
    enumerator ColsAtCompileTime
    enumerator MaxColsAtCompileTime
typedef SystemMatrixType::StorageIndex StorageIndex
typedef void (*DiagonalMatrixElementFct)(const unsigned int, Matrix3r&, void*)
```

Public Functions

```
BlockJacobiPreconditioner3D()
void init(const unsigned int dim, DiagonalMatrixElementFct fct, void *userData)
Eigen::Index rows() const
Eigen::Index cols() const
Eigen::ComputationInfo info()
template<typename MatType>
BlockJacobiPreconditioner3D &analyzePattern(const MatType&)

template<typename MatType>
BlockJacobiPreconditioner3D &factorize(const MatType &mat)

template<typename MatType>
BlockJacobiPreconditioner3D &compute(const MatType &mat)

template<typename Rhs, typename Dest>
void _solve_impl(const Rhs &b, Dest &x) const

template<typename Rhs>
const Eigen::Solve<BlockJacobiPreconditioner3D, Rhs> solve(const Eigen::MatrixBase<Rhs> &b) const
```

Protected Attributes

```
unsigned int m_dim
DiagonalMatrixElementFct m_diagonalElementFct
    diagonal matrix element callback
void *m(userData
std::vector<Matrix3r> m_invDiag
```

Class BoundaryModel

- Defined in file_SPlisHSPlasH_BoundaryModel.h

Inheritance Relationships

Derived Types

- public SPH::BoundaryModel_Akinci2012 (*Class BoundaryModel_Akinci2012*)
- public SPH::BoundaryModel_Bender2019 (*Class BoundaryModel_Bender2019*)
- public SPH::BoundaryModel_Koschier2017 (*Class BoundaryModel_Koschier2017*)

Class Documentation

class SPH::BoundaryModel

The boundary model stores the information required for boundary handling.

Subclassed by *SPH::BoundaryModel_Akinci2012*, *SPH::BoundaryModel_Bender2019*, *SPH::BoundaryModel_Koschier2017*

Public Functions

```
BoundaryModel()
~BoundaryModel()
void reset()
void performNeighborhoodSearchSort()
void saveState (BinaryFileWriter &binWriter)
void loadState (Binary.FileReader &binReader)
RigidBodyObject *getRigidBodyObject()
FORCE_INLINE void addForce (const Vector3r &pos, const Vector3r &f)
FORCE_INLINE void getPointVelocity (const Vector3r &x, Vector3r &res)
void getForceAndTorque (Vector3r &force, Vector3r &torque)
void clearForceAndTorque()
```

Protected Attributes

```
RigidBodyObject *m_rigidBody  
std::vector<Vector3r> m_forcePerThread  
std::vector<Vector3r> m_torquePerThread
```

Class BoundaryModel_Akinci2012

- Defined in file_SPlisHSPlasH_BoundaryModel_Akinci2012.h

Inheritance Relationships

Base Type

- public SPH::BoundaryModel (*Class BoundaryModel*)

Class Documentation

```
class SPH::BoundaryModel_Akinci2012 : public SPH::BoundaryModel
```

The boundary model stores the information required for boundary handling using the approach of Akinci et al. 2012 [AIA+12].

References:

- [AIA+12] Nadir Akinci, Markus Ihmsen, Gizem Akinci, Barbara Solenthaler, and Matthias Teschner. Versatile rigid-fluid coupling for incompressible SPH. ACM Trans. Graph., 31(4):62:1-62:8, July 2012. URL: <http://doi.acm.org/10.1145/2185520.2185558>

Public Functions

```
BoundaryModel_Akinci2012()  
~BoundaryModel_Akinci2012()  
unsigned int numberOfParticles() const  
unsigned int getPointSetIndex() const  
bool isSorted() const  
void computeBoundaryVolume()  
void resize(const unsigned int numBoundaryParticles)  
void reset()  
void performNeighborhoodSearchSort()  
void saveState (BinaryFileWriter &binWriter)  
void loadState (BinaryFileReader &binReader)  
void initModel (RigidBodyObject *rbo, const unsigned int numBoundaryParticles, Vector3r  
*boundaryParticles)  
FORCE_INLINE Vector3r & getPosition0 (const unsigned int i)
```

```

FORCE_INLINE const Vector3r & getPosition0 (const unsigned int i) const
FORCE_INLINE void setPosition0 (const unsigned int i, const Vector3r &pos)
FORCE_INLINE Vector3r & getPosition (const unsigned int i)
FORCE_INLINE const Vector3r & getPosition (const unsigned int i) const
FORCE_INLINE void setPosition (const unsigned int i, const Vector3r &pos)
FORCE_INLINE Vector3r & getVelocity (const unsigned int i)
FORCE_INLINE const Vector3r & getVelocity (const unsigned int i) const
FORCE_INLINE void setVelocity (const unsigned int i, const Vector3r &vel)
FORCE_INLINE const Real & getVolume (const unsigned int i) const
FORCE_INLINE Real & getVolume (const unsigned int i)
FORCE_INLINE void setVolume (const unsigned int i, const Real &val)

```

Protected Attributes

```

bool m_sorted
unsigned int m_pointSetIndex
std::vector<Vector3r> m_x0
std::vector<Vector3r> m_x
std::vector<Vector3r> m_v
std::vector<Real> m_V

```

Class BoundaryModel_Bender2019

- Defined in file_SPlisHSPlasH_BoundaryModel_Bender2019.h

Inheritance Relationships

Base Type

- public SPH::BoundaryModel (*Class BoundaryModel*)

Class Documentation

```
class SPH::BoundaryModel_Bender2019 : public SPH::BoundaryModel
```

The boundary model stores the information required for boundary handling using the approach of Bender et al. 2019 [BWK19].

References:

- [BWK19] Jan Bender, Tassilo Kugelstadt, Marcel Weiler, and Dan Koschier. Volume maps: an implicit boundary representation for SPH. In Proceedings of ACM SIGGRAPH Conference on Motion, Interaction and Games, MIG '19. ACM, 2019. URL: <https://dl.acm.org/doi/10.1145/3359566.3360077>

Public Functions

```
BoundaryModel_Bender2019()
~BoundaryModel_Bender2019()
void initModel (RigidBodyObject *rbo)
void reset ()
Discregrid::DiscreteGrid *getMap ()
void setMap (Discregrid::DiscreteGrid *map)
Real getMaxDist () const
void setMaxDist (Real val)
Real getMaxVel () const
void setMaxVel (Real val)

FORCE_INLINE const Real & getBoundaryVolume (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE Real & getBoundaryVolume (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setBoundaryVolume (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, const Real val)
FORCE_INLINE Vector3r & getBoundaryXj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE const Vector3r & getBoundaryXj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setBoundaryXj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, const Vector3r & val)
```

Protected Attributes

```
Discregrid::DiscreteGrid *m_map
std::vector<std::vector<Real>> m_boundaryVolume
std::vector<std::vector<Vector3r>> m_boundaryXj
Real m_maxDist
Real m_maxVel
```

Class BoundaryModel_Koschier2017

- Defined in file_SPlisHSPlasH_BoundaryModel_Koschier2017.h

Inheritance Relationships

Base Type

- public SPH::BoundaryModel (*Class BoundaryModel*)

Class Documentation

```
class SPH::BoundaryModel_Koschier2017 : public SPH::BoundaryModel
```

The boundary model stores the information required for boundary handling using the approach of Koschier and Bender 2017 [KB17].

References:

- [KB17] Dan Koschier and Jan Bender. Density maps for improved SPH boundary handling. In ACM SIGGRAPH/Eurographics Symposium on Computer Animation, 1-10. July 2017. URL: <http://dx.doi.org/10.1145/3099564.3099565>

Public Functions

```
BoundaryModel_Koschier2017()
~BoundaryModel_Koschier2017()
void initModel (RigidBodyObject *rbo)
void reset ()
Discregrid::DiscreteGrid *getMap ()
void setMap (Discregrid::DiscreteGrid *map)
Real getMaxDist () const
void setMaxDist (Real val)
Real getMaxVel () const
void setMaxVel (Real val)
FORCE_INLINE const Real & getBoundaryDensity (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE Real & getBoundaryDensity (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setBoundaryDensity (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, Real val)
FORCE_INLINE Vector3r & getBoundaryDensityGradient (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE const Vector3r & getBoundaryDensityGradient (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setBoundaryDensityGradient (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, Vector3r val)
FORCE_INLINE Vector3r & getBoundaryXj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE const Vector3r & getBoundaryXj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setBoundaryXj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, Vector3r val)
```

Protected Attributes

```
Discregrid::DiscreteGrid *m_map
```

```
std::vector<std::vector<Real>> m_boundaryDensity
```

```
std::vector<std::vector<Vector3r>> m_boundaryDensityGradient
```

```
std::vector<std::vector<Vector3r>> m_boundaryXj
```

```
Real m_maxDist
```

```
Real m_maxVel
```

Class CohesionKernel

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::CohesionKernel
```

Cohesion kernel used for the surface tension method of Akinci et al. [ATT13].

References:

- [AAT13] Nadir Akinci, Gizem Akinci, and Matthias Teschner. Versatile surface tension and adhesion for sph fluids. ACM Trans. Graph., 32(6):182:1-182:8, November 2013. URL: <http://doi.acm.org/10.1145/2508363.2508395>

Public Static Functions

Real **getRadius** ()

void setRadius (*Real* val)

Real **W** (**const Real** r)

$W(r,h) = (32/(\pi h^9))(h-r)^3 \cdot r^3 \text{ if } h/2 < r \leq h$ $(32/(\pi h^9))(2 \cdot (h-r)^3 \cdot r^3 - h^6/64) \text{ if } 0 < r \leq h/2$

Real **W** (**const Vector3r** &r)

Real **W_zero** ()

Protected Static Attributes

Real **m_radius**

Real **m_k**

Real **m_c**

Real **m_W_zero**

Class CubicKernel

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::CubicKernel
```

Cubic spline kernel.

Public Static Functions

```
Real getRadius ()  
void setRadius (Real val)  
Real W (const Real r)  
Real W (const Vector3r &r)  
Vector3r gradW (const Vector3r &r)  
Real W_zero ()
```

Protected Static Attributes

```
Real m_radius  
Real m_k  
Real m_l  
Real m_W_zero
```

Class CubicKernel2D

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::CubicKernel2D  
Cubic spline kernel (2D).
```

Public Static Functions

```
Real getRadius ()  
void setRadius (Real val)  
Real W (const Real r)  
Real W (const Vector3r &r)  
Vector3r gradW (const Vector3r &r)  
Real W_zero ()
```

Protected Static Attributes

Real `m_radius`
Real `m_k`
Real `m_l`
Real `m_W_zero`

Class DebugTools

- Defined in file_SPlisHSPlasH_Utilsities_DebugTools.h

Inheritance Relationships

Base Type

- public ParameterObject

Class Documentation

```
class SPH::DebugTools : public ParameterObject
```

Public Functions

```
DebugTools()
~DebugTools()
void init()
void cleanup()
void step()
void reset()
void performNeighborhoodSearchSort()
void emittedParticles (FluidModel *model, const unsigned int startIndex)
```

Public Static Attributes

```
int DETERMINE_THREAD_IDS = -1
int DETERMINE_NUM_NEIGHBORS = -1
int DETERMINE_VELOCITY_CHANGES = -1
```

Protected Functions

```
void initParameters ()
void determineThreadIds ()
void determineNumNeighbors ()
void determineVelocityChanges ()
```

Protected Attributes

```
bool m_determineThreadIds
std::vector<std::vector<unsigned int>> m_threadIds
bool m_determineNumNeighbors
std::vector<std::vector<unsigned int>> m_numNeighbors
bool m_determineVelocityChanges
std::vector<std::vector<Vector3r>> m_vOld
std::vector<std::vector<Vector3r>> m_velocityChanges
```

Class DragBase

- Defined in file _SPlisHSPlasH_Drag_DragBase.h

Inheritance Relationships

Base Type

- public SPH::NonPressureForceBase (*Class NonPressureForceBase*)

Derived Types

- public SPH::DragForce_Gissler2017 (*Class DragForce_Gissler2017*)
- public SPH::DragForce_Macklin2014 (*Class DragForce_Macklin2014*)

Class Documentation

class SPH::**DragBase** : **public** SPH::*NonPressureForceBase*
Base class for all drag force methods.

Subclassed by *SPH::DragForce_Gissler2017*, *SPH::DragForce_Macklin2014*

Public Functions

```
DragBase (FluidModel *model)  
~DragBase (void)
```

Public Static Attributes

```
int DRAG_COEFFICIENT = -1
```

Protected Functions

```
void initParameters ()
```

Protected Attributes

```
Real m_dragCoefficient
```

Class DragForce_Gissler2017

- Defined in file_SPlisHSPlasH_Drag_DragForce_Gissler2017.h

Inheritance Relationships

Base Type

- public SPH::DragBase (*Class DragBase*)

Class Documentation

```
class SPH::DragForce_Gissler2017 : public SPH::DragBase
```

This class implements the drag force computation introduced by Gissler et al. [GPB+17].

References:

- [GPB+17] Christoph Gissler, Stefan Band, Andreas Peer, Markus Ihmsen, and Matthias Teschner. Approximate air-fluid interactions for SPH. In Virtual Reality Interactions and Physical Simulations, 1-10. April 2017. URL: <http://dx.doi.org/10.2312/vrphys.20171081>

Public Functions

```
DragForce_Gissler2017 (FluidModel *model)  
~DragForce_Gissler2017 (void)  
void step ()  
void reset ()
```

Protected Attributes

```
const Real rho_a = static_cast<Real>(1.2041)
const Real sigma = static_cast<Real>(0.0724)
const Real mu_1 = static_cast<Real>(0.00102)
const Real C_F = static_cast<Real>(1.0 / 3.0)
const Real C_k = static_cast<Real>(8.0)
const Real C_d = static_cast<Real>(5.0)
const Real C_b = static_cast<Real>(0.5)
const Real mu_a = static_cast<Real>(0.00001845)
```

Class DragForce_Macklin2014

- Defined in file_SPlisHSPlasH_Drag_DragForce_Macklin2014.h

Inheritance Relationships

Base Type

- public SPH::DragBase (*Class DragBase*)

Class Documentation

class SPH::**DragForce_Macklin2014** : **public** SPH::*DragBase*

This class implements the drag force computation introduced by Macklin et al. [MMCK14].

References:

- [MMCK14] Miles Macklin, Matthias Müller, Nuttapong Chentanez, and Tae-Yong Kim. Unified Particle Physics for Real-Time Applications. ACM Trans. Graph., 33(4):1-12, 2014. URL: <http://doi.acm.org/10.1145/2601097.2601152>

Public Functions

```
DragForce_Macklin2014 (FluidModel *model)
~DragForce_Macklin2014 (void)
void step ()
void reset ()
```

Class Elasticity_Becker2009

- Defined in file_SPlisHSPlasH_Elasticity_Elasticity_Becker2009.h

Inheritance Relationships

Base Type

- public SPH::ElasticityBase (*Class ElasticityBase*)

Class Documentation

```
class SPH::Elasticity_Becker2009 : public SPH::ElasticityBase
```

This class implements the corotated SPH method for deformable solids introduced by Becker et al. [BIT09].

References:

- [BIT09] Markus Becker, Markus Ihmsen, and Matthias Teschner. Corotated SPH for deformable solids. In Proceedings of Eurographics Conference on Natural Phenomena, 27-34. 2009. URL: <http://dx.doi.org/10.2312/EG/DL/conf/EG2009/nph/027-034>

Public Functions

```
Elasticity_Becker2009 (FluidModel *model)  
~Elasticity_Becker2009 (void)  
void step ()  
void reset ()  
void performNeighborhoodSearchSort ()  
void saveState (BinaryFileWriter &binWriter)  
void loadState (BinaryFileReader &binReader)
```

Public Static Attributes

```
int ALPHA = -1
```

Protected Functions

```
void initValues ()  
void computeRotations ()  
void computeStress ()  
void computeForces ()  
void initParameters ()  
FORCE_INLINE void symMatTimesVec (const Vector6r &M, const Vector3r &v, Vector3r &res)
```

Protected Attributes

```
std::vector<unsigned int> m_current_to_initial_index
std::vector<unsigned int> m_initial_to_current_index
std::vector<std::vector<unsigned int>> m_initialNeighbors
std::vector<Real> m_restVolumes
std::vector<Matrix3r> m_rotations
std::vector<Vector6r> m_stress
std::vector<Matrix3r> m_F
Real m_alpha
```

Class Elasticity_Peer2018

- Defined in file_SPlisHSPlasH_Elasticity_Elasticity_Peer2018.h

Inheritance Relationships

Base Type

- public SPH::ElasticityBase (*Class ElasticityBase*)

Class Documentation

class SPH::Elasticity_Peer2018 : **public** SPH::ElasticityBase

This class implements the implicit SPH formulation for incompressible linearly elastic solids introduced by Peer et al. [PGBT17].

References:

- [PGBT17] Andreas Peer, Christoph Gissler, Stefan Band, and Matthias Teschner. An implicit SPH formulation for incompressible linearly elastic solids. Computer Graphics Forum, 2017. URL: <http://dx.doi.org/10.1111/cgf.13317>

Public Functions

```
Elasticity_Peer2018 (FluidModel *model)
~Elasticity_Peer2018 (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
void saveState (BinaryFileWriter &binWriter)
void loadState (Binary.FileReader &binReader)
```

Public Static Functions

```
void matrixVecProd(const Real *vec, Real *result, void *userData)
```

Public Static Attributes

```
int ITERATIONS = -1  
int MAX_ITERATIONS = -1  
int MAX_ERROR = -1  
int ALPHA = -1
```

Protected Types

```
typedef Eigen::ConjugateGradient<MatrixReplacement, Eigen::Lower | Eigen::Upper, Eigen::IdentityPreconditioner> Solver
```

Protected Functions

```
void initValues()  
void computeMatrixL()  
void computeRotations()  
void computeRHS(VectorXr &rhs)  
void initParameters()  
FORCE_INLINE void symMatTimesVec (const Vector6r &M, const Vector3r &v, Vector3r &res)
```

Protected Attributes

```
std::vector<unsigned int> m_current_to_initial_index  
std::vector<unsigned int> m_initial_to_current_index  
std::vector<std::vector<unsigned int>> m_initialNeighbors  
std::vector<Real> m_restVolumes  
std::vector<Matrix3r> m_rotations  
std::vector<Vector6r> m_stress  
std::vector<Matrix3r> m_L  
std::vector<Matrix3r> m_RL  
std::vector<Matrix3r> m_F  
unsigned int m_iterations  
unsigned int m_maxIter  
Real m_maxError  
Real m_alpha  
Solver m_solver
```

Class ElasticityBase

- Defined in file_SPlisHSPlasH_Elasticity_ElasticityBase.h

Inheritance Relationships

Base Type

- public SPH::NonPressureForceBase (*Class NonPressureForceBase*)

Derived Types

- public SPH::Elasticity_Becker2009 (*Class Elasticity_Becker2009*)
- public SPH::Elasticity_Peer2018 (*Class Elasticity_Peer2018*)

Class Documentation

```
class SPH::ElasticityBase : public SPH::NonPressureForceBase
    Base class for all elasticity methods.
```

Subclassed by *SPH::Elasticity_Becker2009*, *SPH::Elasticity_Peer2018*

Public Functions

```
ElasticityBase (FluidModel *model)
~ElasticityBase (void)
```

Public Static Attributes

```
int YOUNGS_MODULUS = -1
int POISSON_RATIO = -1
```

Protected Functions

```
void initParameters()
```

Protected Attributes

```
Real m_youngsModulus
Real m_poissonRatio
```

Class Emitter

- Defined in file_SPlisHSPlasH_Emitter.h

Class Documentation

```
class SPH::Emitter
```

Public Functions

```
Emitter(FluidModel *model, const unsigned int width, const unsigned int height, const Vector3r  
        &pos, const Matrix3r &rotation, const Real velocity, const unsigned int type = 0)  
~Emitter()  
void emitParticles(std::vector<unsigned int> &reusedParticles, unsigned int &indexReuse, un-  
signed int &numEmittedParticles)  
void emitParticlesCircle(std::vector<unsigned int> &reusedParticles, unsigned int &in-  
dexReuse, unsigned int &numEmittedParticles)  
Real getNextEmitTime() const  
void setNextEmitTime(Real val)  
void setStartTime(Real val)  
void setEndTime(Real val)  
void step(std::vector<unsigned int> &reusedParticles, unsigned int &indexReuse, unsigned int &nu-  
mEmittedParticles)  
void reset()  
void saveState(BinaryFileWriter &binWriter)  
void loadState(BinaryFileReader &binReader)  
const Vector3r &getPosition() const  
void setPosition(const Vector3r &x)  
const Matrix3r &getRotation() const  
void setRotation(const Matrix3r &r)  
const Real getVelocity() const  
void setVelocity(const Real v)
```

Public Static Functions

```
Vector3r getSize(const Real width, const Real height, const int type)
```

Protected Functions

```
FORCE_INLINE bool inBox (const Vector3r &x, const Vector3r &xBox, const Matrix3r &rotBox)
FORCE_INLINE bool inCylinder (const Vector3r &x, const Vector3r &xCyl, const Matrix3r &rotCyl)
```

Protected Attributes

```
FluidModel *m_model
unsigned int m_width
unsigned int m_height
Vector3r m_x
Matrix3r m_rotation
Real m_velocity
unsigned int m_type
Real m_nextEmitTime
Real m_emitStartTime
Real m_emitEndTime
unsigned int m_emitCounter
```

Class EmitterSystem

- Defined in file_SPlisHSPlasH_EmitterSystem.h

Class Documentation

```
class SPH::EmitterSystem
```

Public Functions

```
EmitterSystem(FluidModel *model)
~EmitterSystem()
void enableReuseParticles(const Vector3r &boxMin = Vector3r(-1, -1, -1), const Vector3r
                           &boxMax = Vector3r(1, 1, 1))
void disableReuseParticles()
void addEmitter(const unsigned int width, const unsigned int height, const Vector3r &pos,
                const Matrix3r &rotation, const Real velocity, const unsigned int type)
unsigned int numEmitters() const
std::vector<Emitter*> &getEmitters()
unsigned int numReusedParticles() const
unsigned int numEmittedParticles() const
void step()
```

```
void reset ()  
void saveState (BinaryFileWriter &binWriter)  
void loadState (BinaryFileReader &binReader)
```

Protected Functions

```
void reuseParticles ()
```

Protected Attributes

```
FluidModel *m_model  
bool m_reuseParticles  
Vector3r m_boxMin  
Vector3r m_boxMax  
unsigned int m_numberOfEmittedParticles  
unsigned int m_numReusedParticles  
std::vector<unsigned int> m_reusedParticles  
std::vector<Emitter*> m_emitters
```

Protected Static Attributes

```
const unsigned int m_maxParticlesToReusePerStep = 50000
```

Class FluidModel

- Defined in file_SPlisHSPlasH_FluidModel.h

Inheritance Relationships

Base Type

- public ParameterObject

Class Documentation

```
class SPH::FluidModel : public ParameterObject  
The fluid model stores the particle and simulation information.
```

Public Functions

```

FluidModel()
FluidModel(const FluidModel&) = delete
FluidModel &operator=(const FluidModel&) = delete
~FluidModel()
void init()
std::string getId() const
FORCE_INLINE Real getDensity0 () const
void setDensity0 (const Real v)
unsigned int getPointSetIndex() const
void addField(const FieldDescription &field)
const std::vector<FieldDescription> &getFields()
const FieldDescription &getField(const unsigned int i)
const FieldDescription &getField(const std::string &name)
const unsigned int numberOfFields()
void removeFieldByName (const std::string &fieldName)
void setNumActiveParticles (const unsigned int num)
unsigned int numberOfParticles () const
EmitterSystem *getEmitterSystem()
void reset()
void performNeighborhoodSearchSort()
void initModel (const std::string &id, const unsigned int nFluidParticles, Vector3r *fluidParticles,
                  Vector3r *fluidVelocities, const unsigned int nMaxEmitterParticles)
const unsigned int numParticles() const
unsigned int numActiveParticles() const
unsigned int getNumActiveParticles0() const
void setNumActiveParticles0 (unsigned int val)
void emittedParticles (const unsigned int startIndex)
int getSurfaceTensionMethod() const
void setSurfaceTensionMethod (const int val)
int getViscosityMethod() const
void setViscosityMethod (const int val)
int getVorticityMethod() const
void setVorticityMethod (const int val)
int getDragMethod() const
void setDragMethod (const int val)

```

```
int getElasticityMethod() const
void setElasticityMethod(const int val)
SurfaceTensionBase *getSurfaceTensionBase()
ViscosityBase *getViscosityBase()
VorticityBase *getVorticityBase()
DragBase *getDragBase()
ElasticityBase *getElasticityBase()

void setDragMethodChangedCallback(std::function<void>
    > const &callBackFct
)
void setSurfaceMethodChangedCallback(std::function<void>
    > const &callBackFct
)
void setViscosityMethodChangedCallback(std::function<void>
    > const &callBackFct
)
void setVorticityMethodChangedCallback(std::function<void>
    > const &callBackFct
)
void setElasticityMethodChangedCallback(std::function<void>
    > const &callBackFct
)

void computeSurfaceTension()
void computeViscosity()
void computeVorticity()
void computeDragForce()
void computeElasticity()
void saveState(BinaryFileWriter &binWriter)
void loadState(BinaryFileReader &binReader)
FORCE_INLINE Vector3r & getPosition0 (const unsigned int i)
FORCE_INLINE const Vector3r & getPosition0 (const unsigned int i) const
FORCE_INLINE void setPosition0 (const unsigned int i, const Vector3r &pos)
FORCE_INLINE Vector3r & getPosition (const unsigned int i)
FORCE_INLINE const Vector3r & getPosition (const unsigned int i) const
FORCE_INLINE void setPosition (const unsigned int i, const Vector3r &pos)
FORCE_INLINE Vector3r & getVelocity (const unsigned int i)
FORCE_INLINE const Vector3r & getVelocity (const unsigned int i) const
FORCE_INLINE void setVelocity (const unsigned int i, const Vector3r &vel)
FORCE_INLINE Vector3r & getVelocity0 (const unsigned int i)
FORCE_INLINE const Vector3r & getVelocity0 (const unsigned int i) const
FORCE_INLINE void setVelocity0 (const unsigned int i, const Vector3r &vel)
FORCE_INLINE Vector3r & getAcceleration (const unsigned int i)
FORCE_INLINE const Vector3r & getAcceleration (const unsigned int i) const
```

```

FORCE_INLINE void setAcceleration (const unsigned int i, const Vector3r &accel)
FORCE_INLINE const Real getMass (const unsigned int i) const
FORCE_INLINE Real & getMass (const unsigned int i)
FORCE_INLINE void setMass (const unsigned int i, const Real mass)
FORCE_INLINE const Real & getDensity (const unsigned int i) const
FORCE_INLINE Real & getDensity (const unsigned int i)
FORCE_INLINE void setDensity (const unsigned int i, const Real &val)
FORCE_INLINE unsigned int & getParticleId (const unsigned int i)
FORCE_INLINE const unsigned int & getParticleId (const unsigned int i) const
FORCE_INLINE const ParticleState & getParticleState (const unsigned int i) const
FORCE_INLINE ParticleState & getParticleState (const unsigned int i)
FORCE_INLINE void setParticleState (const unsigned int i, const ParticleState &val)
FORCE_INLINE const Real getVolume (const unsigned int i) const
FORCE_INLINE Real & getVolume (const unsigned int i)

```

Public Static Attributes

```

int NUM_PARTICLES = -1
int NUM_REUSE_PARTICLES = -1
int DENSITY0 = -1
int DRAG_METHOD = -1
int SURFACE_TENSION_METHOD = -1
int VISCOSITY_METHOD = -1
int VORTICITY_METHOD = -1
int ELASTICITY_METHOD = -1
int ENUM_DRAG_NONE = -1
int ENUM_DRAG_MACKLIN2014 = -1
int ENUM_DRAG_GISSLER2017 = -1
int ENUM_SURFACE TENSION_NONE = -1
int ENUM_SURFACE TENSION_BECKER2007 = -1
int ENUM_SURFACE TENSION_AKINCI2013 = -1
int ENUM_SURFACE TENSION_HE2014 = -1
int ENUM_VISCOSITY_NONE = -1
int ENUM_VISCOSITY_STANDARD = -1
int ENUM_VISCOSITY_XSPH = -1
int ENUM_VISCOSITY_BENDER2017 = -1
int ENUM_VISCOSITY_PEER2015 = -1

```

```
int ENUM_VISCOSITY_PEER2016 = -1
int ENUM_VISCOSITY_TAKAHASHI2015 = -1
int ENUM_VISCOSITY_WEILER2018 = -1
int ENUM_VORTICITY_NONE = -1
int ENUM_VORTICITY_MICROPOLAR = -1
int ENUM_VORTICITY_VC = -1
int ENUM_ELASTICITY_NONE = -1
int ENUM_ELASTICITY_BECKER2009 = -1
int ENUM_ELASTICITY_PEER2018 = -1
```

Protected Functions

```
void initParameters ()
void initMasses ()
void resizeFluidParticles (const unsigned int newSize)
    Resize the arrays containing the particle data.
void releaseFluidParticles ()
    Release the arrays containing the particle data.
```

Protected Attributes

```
std::string m_id
EmitterSystem *m_emitterSystem
std::vector<Real> m_masses
std::vector<Vector3r> m_a
std::vector<Vector3r> m_v0
std::vector<Vector3r> m_x0
std::vector<Vector3r> m_x
std::vector<Vector3r> m_v
std::vector<Real> m_density
std::vector<unsigned int> m_particleId
std::vector<ParticleState> m_particleState
Real m_V
SurfaceTensionMethods m_surfaceTensionMethod
SurfaceTensionBase *m_surfaceTension
ViscosityMethods m_viscosityMethod
ViscosityBase *m_viscosity
VorticityMethods m_vorticityMethod
```

```

VorticityBase *m_vorticity
DragMethods m_dragMethod
DragBase *m_drag
ElasticityMethods m_elasticityMethod
ElasticityBase *m_elasticity
std::vector<FieldDescription> m_fields
std::function<void ()> m_dragMethodChanged
std::function<void ()> m_surfaceTensionMethodChanged
std::function<void ()> m_viscosityMethodChanged
std::function<void ()> m_vorticityMethodChanged
std::function<void ()> m_elasticityMethodChanged

Real m_density0
unsigned int m_pointSetIndex
unsigned int m_numActiveParticles
unsigned int m_numActiveParticles0

```

Class GaussQuadrature

- Defined in file_SPlisHSPlasH_Utilsities_GaussQuadrature.h

Class Documentation

```
class SPH::GaussQuadrature
```

Public Types

```

using Integrand = std::function<double (Eigen::Vector3d const&)>
using Domain = Eigen::AlignedBox3d

```

Public Static Functions

```

double integrate (Integrand integrand, Domain const &domain, unsigned int p)
void exportSamples (unsigned int p)

```

Class JacobiPreconditioner1D

- Defined in file_SPlisHSPlasH_Utilsies_MatrixFreeSolver.h

Class Documentation

```
class SPH::JacobiPreconditioner1D
Matrix-free Jacobi preconditioner
```

Public Types

```
enum [anonymous]
Values:
enumerator ColsAtCompileTime
enumerator MaxColsAtCompileTime
typedef SystemMatrixType::StorageIndex StorageIndex
typedef void (*DiagonalMatrixElementFct)(const unsigned int, Real&, void*)
```

Public Functions

```
JacobiPreconditioner1D()
void init(const unsigned int dim, DiagonalMatrixElementFct fct, void *userData)
Eigen::Index rows() const
Eigen::Index cols() const
Eigen::ComputationInfo info()
template<typename MatType>
JacobiPreconditioner1D &analyzePattern(const MatType&)

template<typename MatType>
JacobiPreconditioner1D &factorize(const MatType &mat)

template<typename MatType>
JacobiPreconditioner1D &compute(const MatType &mat)

template<typename Rhs, typename Dest>
void _solve_impl(const Rhs &b, Dest &x) const

template<typename Rhs>
const Eigen::Solve<JacobiPreconditioner1D, Rhs> solve(const Eigen::MatrixBase<Rhs> &b)
const
```

Protected Attributes

```
unsigned int m_dim
DiagonalMatrixElementFct m_diagonalElementFct
    diagonal matrix element callback
void *m(userData
VectorXr m_invDiag
```

Class JacobiPreconditioner3D

- Defined in file_SPlisHSPlasH_Utils_MatrixFreeSolver.h

Class Documentation

```
class SPH::JacobiPreconditioner3D
Matrix-free Jacobi preconditioner
```

Public Types

```
enum [anonymous]
Values:
enumerator ColsAtCompileTime
enumerator MaxColsAtCompileTime
typedef SystemMatrixType::StorageIndex StorageIndex
typedef void (*DiagonalMatrixElementFct)(const unsigned int, Vector3r&, void*)
```

Public Functions

```
JacobiPreconditioner3D()
void init(const unsigned int dim, DiagonalMatrixElementFct fct, void *userData)
Eigen::Index rows() const
Eigen::Index cols() const
Eigen::ComputationInfo info()
template<typename MatType>
JacobiPreconditioner3D &analyzePattern(const MatType&)
template<typename MatType>
JacobiPreconditioner3D &factorize(const MatType &mat)
template<typename MatType>
JacobiPreconditioner3D &compute(const MatType &mat)
template<typename Rhs, typename Dest>
void _solve_impl(const Rhs &b, Dest &x) const
template<typename Rhs>
```

```
const Eigen::Solve<JacobiPreconditioner3D, Rhs> solve(const Eigen::MatrixBase<Rhs> &b)
    const
```

Protected Attributes

```
unsigned int m_dim
DiagonalMatrixElementFct m_diagonalElementFct
    diagonal matrix element callback
void *m(userData
VectorXf m_invDiag
```

Class MathFunctions

- Defined in file_SPlisHSPlasH_Utilsies_MathFunctions.h

Class Documentation

```
class SPH::MathFunctions
```

Public Static Functions

```
void extractRotation (const Matrix3r &A, Quaternionr &q, const unsigned int maxIter)
    Implementation of the paper: Matthias Müller, Jan Bender, Nuttapong Chentanez and Miles Macklin, “A Robust Method to Extract the Rotational Part of Deformations”, ACM SIGGRAPH Motion in Games, 2016
void pseudoInverse (const Matrix3r &a, Matrix3r &res)
void svdWithInversionHandling (const Matrix3r &A, Vector3r &sigma, Matrix3r &U, Matrix3r &VT)
    Perform a singular value decomposition of matrix A: A = U * sigma * V^T. This function returns two proper rotation matrices U and V^T which do not contain a reflection. Reflections are corrected by the inversion handling proposed by Irving et al. 2004.
void eigenDecomposition (const Matrix3r &A, Matrix3r &eigenVecs, Vector3r &eigenVals)
void jacobiRotate (Matrix3r &A, Matrix3r &R, int p, int q)
void getOrthogonalVectors (const Vector3r &vec, Vector3r &x, Vector3r &y)
    Returns two orthogonal vectors to vec which are also orthogonal to each other.
```

Class MatrixReplacement

- Defined in file_SPlisHSPlasH_Utilsies_MatrixFreeSolver.h

Inheritance Relationships

Base Type

- public Eigen::EigenBase< MatrixReplacement >

Class Documentation

```
class SPH::MatrixReplacement : public Eigen::EigenBase<MatrixReplacement>
    Replacement of the matrix in the linear system which is required for a matrix-free solver.
```

Public Types

```
enum [anonymous]
    Values:
        enumerator ColsAtCompileTime
        enumerator MaxColsAtCompileTime
        enumerator IsRowMajor

typedef Real Scalar
typedef Real RealScalar
typedef int StorageIndex
typedef void (*MatrixVecProdFct)(const Real*, Real*, void*)
```

Public Functions

```
Index rows() const
Index cols() const
template<typename Rhs>
Eigen::Product<MatrixReplacement, Rhs, Eigen::AliasFreeProduct> operator*(const
    Eigen::MatrixBase<Rhs>
    &x) const

MatrixReplacement (const unsigned int dim, MatrixVecProdFct fct, void *userData)
void *getUserData()

MatrixVecProdFct getMatrixVecProdFct()
```

Protected Attributes

```
unsigned int m_dim
void *m(userData
MatrixVecProdFct m_matrixVecProdFct
matrix vector product callback
```

Class MicropolarModel_Bender2017

- Defined in file_SPlisHSPlasH_Vorticity_MicropolarModel_Bender2017.h

Inheritance Relationships

Base Type

- public SPH::VorticityBase (*Class VorticityBase*)

Class Documentation

```
class SPH::MicropolarModel_Bender2017 : public SPH::VorticityBase
```

This class implements the micropolar material model introduced by Bender et al. [BKKW17].

References:

- [BKKW17] Jan Bender, Dan Koschier, Tassilo Kugelstadt, and Marcel Weiler. A micropolar material model for turbulent SPH fluids. In ACM SIGGRAPH / Eurographics Symposium on Computer Animation, SCA '17. ACM, 2017. URL: <http://doi.acm.org/10.1145/3099564.3099578>

Public Functions

```
MicropolarModel_Bender2017 (FluidModel *model)
~MicropolarModel_Bender2017 (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
FORCE_INLINE const Vector3r & getAngularAcceleration (const unsigned int i) const
FORCE_INLINE Vector3r & getAngularAcceleration (const unsigned int i)
FORCE_INLINE void setAngularAcceleration (const unsigned int i, const Vector3r &val)
FORCE_INLINE const Vector3r & getAngularVelocity (const unsigned int i) const
FORCE_INLINE Vector3r & getAngularVelocity (const unsigned int i)
FORCE_INLINE void setAngularVelocity (const unsigned int i, const Vector3r &val)
```

Public Static Attributes

```
int VISCOSITY_OMEGA = -1
int INERTIA_INVERSE = -1
```

Protected Functions

```
void initParameters()
```

Protected Attributes

```
std::vector<Vector3r> m-angularAcceleration
std::vector<Vector3r> m_omega
Real m_viscosityOmega
Real m_inertiaInverse
```

Class NonPressureForceBase

- Defined in file_SPlisHSPlasH_NonPressureForceBase.h

Inheritance Relationships

Base Type

- public ParameterObject

Derived Types

- public SPH::DragBase (*Class DragBase*)
- public SPH::ElasticityBase (*Class ElasticityBase*)
- public SPH::SurfaceTensionBase (*Class SurfaceTensionBase*)
- public SPH::ViscosityBase (*Class ViscosityBase*)
- public SPH::VorticityBase (*Class VorticityBase*)

Class Documentation

```
class SPH::NonPressureForceBase : public ParameterObject
Base class for all non-pressure force methods.

Subclassed by SPH::DragBase, SPH::ElasticityBase, SPH::SurfaceTensionBase, SPH::ViscosityBase, SPH::VorticityBase
```

Public Functions

```
NonPressureForceBase (FluidModel *model)
NonPressureForceBase (const NonPressureForceBase&) = delete
NonPressureForceBase &operator= (const NonPressureForceBase&) = delete
~NonPressureForceBase (void)
void step () = 0
void reset ()
void performNeighborhoodSearchSort ()
void emittedParticles (const unsigned int startIndex)
void saveState (BinaryFileWriter &binWriter)
void loadState (Binary.FileReader &binReader)
FluidModel *getModel ()
void init ()
```

Protected Attributes

```
FluidModel *m_model
```

Class PoissonDiskSampling

- Defined in file_SPlisHSPlasH_Utilsities_PoissonDiskSampling.h

Nested Relationships

Nested Types

- Struct PoissonDiskSampling::CellPosHasher*
- Struct PoissonDiskSampling::HashEntry*
- Struct PoissonDiskSampling::InitialPointInfo*

Class Documentation

```
class SPH::PoissonDiskSampling
```

This class implements a Poisson disk sampling for the surface of 3D models.

Public Functions

PoissonDiskSampling()

```
void sampleMesh (const unsigned int numVertices, const Vector3r *vertices, const unsigned int numFaces, const unsigned int *faces, const Real minRadius, const unsigned int numTrials, unsigned int distanceNorm, std::vector<Vector3r> &samples)
```

Performs the poisson sampling with the respective parameters. Compare http://graphics.cs.umass.edu/pubs/sa_2010.pdf

Parameters

- mesh: mesh data of sampled body
- vertices: vertex data of sampled data
- sampledVertices: sampled vertices that will be returned
- minRadius: minimal distance of sampled vertices
- numTestpointsPerFace: # of generated test points per face of body
- distanceNorm: 0: euclidean norm, 1: approx geodesic distance
- numTrials: # of iterations used to find samples

Public Static Functions

FORCE_INLINE int floor (const Real v)

struct HashEntry

Struct to store the hash entry (spatial hashing)

Public Functions

HashEntry()

Public Members

std::vector<unsigned int> **samples**

unsigned int **startIndex**

struct InitialPointInfo

Struct to store the information of the initial points.

Public Members

CellPos **cP**

Vector3r **pos**

unsigned int **ID**

Class Poly6Kernel

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::Poly6Kernel
    Poly6 kernel.
```

Public Static Functions

```
Real getRadius()
void setRadius (Real val)

Real W (const Real r)
W(r,h) = (315/(64 pi h^9))(h^2-|r|^2)^3 = (315/(64 pi h^9))(h^2-r*r)^3

Real W (const Vector3r &r)

Vector3r gradW (const Vector3r &r)
grad(W(r,h)) = r(-945/(32 pi h^9))(h^2-|r|^2)^2 = r(-945/(32 pi h^9))(h^2-r*r)^2

Real laplacianW (const Vector3r &r)
laplacian(W(r,h)) = (-945/(32 pi h^9))(h^2-|r|^2)(-7|r|^2+3h^2) = (-945/(32 pi h^9))(h^2-r*r)(3 h^2-7 r*r)

Real W_zero()
```

Protected Static Attributes

```
Real m_radius
Real m_k
Real m_l
Real m_m
Real m_W_zero
```

Template Class PrecomputedKernel

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
template<typename KernelType, unsigned int resolution = 10000u>
class SPH::PrecomputedKernel
    Precomputed kernel which is based on a lookup table as described by Bender and Koschier [BK15,BK17].
```

The lookup tables can be used in combination with any kernel.

References:

- [BK15] Jan Bender and Dan Koschier. Divergence-free smoothed particle hydrodynamics. In ACM SIGGRAPH / Eurographics Symposium on Computer Animation, SCA '15, 147-155. New York, NY, USA, 2015. ACM. URL: <http://doi.acm.org/10.1145/2786784.2786796>
- [BK17] Jan Bender and Dan Koschier. Divergence-free SPH for incompressible and viscous fluids. IEEE Transactions on Visualization and Computer Graphics, 23(3):1193-1206, 2017. URL: <http://dx.doi.org/10.1109/TVCG.2016.2578335>

Public Static Functions

```
Real getRadius ()
void setRadius (Real val)
Real W (const Vector3r &r)
Real W (const Real r)
Vector3r gradW (const Vector3r &r)
Real W_zero ()
```

Protected Static Attributes

```
Real m_W[resolution]
Real m_gradW[resolution + 1]
Real m_radius
Real m_radius2
Real m_invStepSize
Real m_W_zero
```

Class RegularSampling2D

- Defined in file_SPlisHSPlasH_Utils_RandomSampling2D.h

Class Documentation

```
class SPH::RegularSampling2D
```

This class implements a per-triangle regular sampling for the surface of 3D models.

Public Functions

```
RegularSampling2D ()
```

Public Static Functions

```
void sampleMesh(const Matrix3r &rotation, const Vector3r &translation, const unsigned
               numVertices, const Vector3r *vertices, const unsigned int numFaces, const
               unsigned int *faces, const Real maxDistance, std::vector<Vector3r> &samples)
```

Performs the poisson sampling with the respective parameters. Compare http://graphics.cs.umass.edu/pubs/sa_2010.pdf

Parameters

- rotation: rotation of the mesh
- translation: translation of the mesh
- numVertices: number of mesh vertices
- vertices: vertex data of sampled data
- numFaces: number of faces in the mesh
- faces: face data of sampled mesh
- maxDistance: maximal distance of sampled vertices
- samples: vector to store the samples

Class RegularTriangleSampling

- Defined in file_SPlisHSPlasH_UtilsRegularTriangleSampling.h

Class Documentation

```
class SPH::RegularTriangleSampling
```

This class implements a per-triangle regular sampling for the surface of 3D models.

Public Functions

```
RegularTriangleSampling()
```

Public Static Functions

```
void sampleMesh(const unsigned int numVertices, const Vector3r *vertices, const un-
                signed int numFaces, const unsigned int *faces, const Real maxDistance,
                std::vector<Vector3r> &samples)
```

Performs the poisson sampling with the respective parameters. Compare http://graphics.cs.umass.edu/pubs/sa_2010.pdf

Parameters

- numVertices: number of mesh vertices
- vertices: vertex data of sampled data
- numFaces: number of faces in the mesh
- faces: face data of sampled mesh
- maxDistance: maximal distance of sampled vertices

- samples: vector to store the samples

Class RigidBodyObject

- Defined in file_SPlisHSPlasH_RigidBodyObject.h

Inheritance Relationships

Derived Type

- public SPH::StaticRigidBody (*Class StaticRigidBody*)

Class Documentation

class SPH::RigidBodyObject

Base class for rigid body objects.

Subclassed by *SPH::StaticRigidBody*

Public Functions

```

~RigidBodyObject()

bool isDynamic() const = 0

Real const getMass() const = 0

Vector3r const &getPosition() const = 0

void setPosition(const Vector3r &x) = 0

Vector3r getWorldSpacePosition() const = 0

Vector3r const &getVelocity() const = 0

void setVelocity(const Vector3r &v) = 0

Matrix3r const &getRotation() const = 0

void setRotation(const Matrix3r &r) = 0

Matrix3r getWorldSpaceRotation() const = 0

Vector3r const &getAngularVelocity() const = 0

void setAngularVelocity(const Vector3r &v) = 0

void addForce(const Vector3r &f) = 0

void addTorque(const Vector3r &t) = 0

const std::vector<Vector3r> &getVertices() const = 0

const std::vector<Vector3r> &getVertexNormals() const = 0

const std::vector<unsigned int> &getFaces() const = 0

```

Class SimpleQuadrature

- Defined in file_SPlisHSPlasH_Utilsies_SimpleQuadrature.h

Class Documentation

```
class SPH::SimpleQuadrature
```

Public Types

```
using Integrand = std::function<double (Eigen::Vector3d const&) >
using Domain = Eigen::AlignedBox3d
```

Public Static Functions

```
void determineSamplePointsInSphere (const double radius, unsigned int p)
void determineSamplePointsInCircle (const double radius, unsigned int p)
double integrate (Integrand integrand)
```

Public Static Attributes

```
std::vector<Eigen::Vector3d> m_samplePoints
double m_volume = 0.0
```

Class Simulation

- Defined in file_SPlisHSPlasH_Simulation.h

Inheritance Relationships

Base Type

- public ParameterObject

Class Documentation

```
class SPH::Simulation : public ParameterObject
```

Class to manage the current simulation time and the time step size. This class is a singleton.

Public Types

```
typedef PrecomputedKernel<CubicKernel, 10000> PrecomputedCubicKernel
```

Public Functions

```
Simulation()
Simulation(const Simulation&) = delete
Simulation &operator=(const Simulation&) = delete
~Simulation()

void init(const Real particleRadius, const bool sim2D)
void reset()

void addFluidModel(const std::string &id, const unsigned int nFluidParticles, Vector3r *fluidParticles, Vector3r *fluidVelocities, const unsigned int nMaxEmitterParticles)
FluidModel *getFluidModel(const unsigned int index)
FluidModel *getFluidModelFromPointSet(const unsigned int pointSetIndex)
const unsigned int numberOfFluidModels() const
void addBoundaryModel(BoundaryModel *bm)
BoundaryModel *getBoundaryModel(const unsigned int index)
BoundaryModel *getBoundaryModelFromPointSet(const unsigned int pointSetIndex)
const unsigned int numberOfBoundaryModels() const
void updateBoundaryVolume()
AnimationFieldSystem *getAnimationFieldSystem()
BoundaryHandlingMethods getBoundaryHandlingMethod() const
void setBoundaryHandlingMethod(BoundaryHandlingMethods val)
int getKernel() const
void setKernel(int val)
int getGradKernel() const
void setGradKernel(int val)
FORCE_INLINE Real W_zero() const
FORCE_INLINE Real W(const Vector3r &r) const
FORCE_INLINE Vector3r gradW(const Vector3r &r)
int getSimulationMethod() const
void setSimulationMethod(const int val)
void setSimulationMethodChangedCallback(std::function<void>
    > const &callBackFct
TimeStep *getTimeStep()
bool is2DSimulation()
```

```
bool zSortEnabled()
void setParticleRadius (Real val)
Real getParticleRadius () const
Real getSupportRadius () const
void updateTimeStepSize ()
    Update time step size depending on the chosen method.
void updateTimeStepSizeCFL ()
    Update time step size by CFL condition.
void performNeighborhoodSearch ()
    Perform the neighborhood search for all fluid particles.
void performNeighborhoodSearchSort ()
void computeNonPressureForces ()
void animateParticles ()
void emitParticles ()
void emittedParticles (FluidModel *model, const unsigned int startIndex)
NeighborhoodSearch *getNeighborhoodSearch ()
void saveState (BinaryFileWriter &binWriter)
void loadState (BinaryFileReader &binReader)
FORCE_INLINE unsigned int numberOfPointSets () const
FORCE_INLINE unsigned int numberOfNeighbors (const unsigned int pointSetIndex, const unsigned int)
FORCE_INLINE unsigned int getNeighbor (const unsigned int pointSetIndex, const unsigned int)
FORCE_INLINE const unsigned int * getNeighborList (const unsigned int pointSetIndex, const unsigned int)
```

Public Static Functions

```
Simulation *getCurrent ()
void setCurrent (Simulation *tm)
bool hasCurrent ()
```

Public Static Attributes

```
int SIM_2D = -1
int PARTICLE_RADIUS = -1
int GRAVITATION = -1
int CFL_METHOD = -1
int CFL_FACTOR = -1
int CFL_MIN_TIMESTEP_SIZE = -1
int CFL_MAX_TIMESTEP_SIZE = -1
int ENABLE_Z_SORT = -1
```

```
int KERNEL_METHOD = -1
int GRAD_KERNEL_METHOD = -1
int ENUM_KERNEL_CUBIC = -1
int ENUM_KERNEL_WENDLANDQUINTICC2 = -1
int ENUM_KERNEL_POLY6 = -1
int ENUM_KERNEL_SPIKY = -1
int ENUM_KERNEL_PRECOMPUTED_CUBIC = -1
int ENUM_KERNEL_CUBIC_2D = -1
int ENUM_KERNEL_WENDLANDQUINTICC2_2D = -1
int ENUM_GRADKERNEL_CUBIC = -1
int ENUM_GRADKERNEL_WENDLANDQUINTICC2 = -1
int ENUM_GRADKERNEL_POLY6 = -1
int ENUM_GRADKERNEL_SPIKY = -1
int ENUM_GRADKERNEL_PRECOMPUTED_CUBIC = -1
int ENUM_GRADKERNEL_CUBIC_2D = -1
int ENUM_GRADKERNEL_WENDLANDQUINTICC2_2D = -1
int SIMULATION_METHOD = -1
int ENUM_CFL_NONE = -1
int ENUM_CFL_STANDARD = -1
int ENUM_CFL_ITER = -1
int ENUM_SIMULATION_WCSPH = -1
int ENUM_SIMULATION_PCISPH = -1
int ENUM_SIMULATION_PBF = -1
int ENUM_SIMULATION_IISPH = -1
int ENUM_SIMULATION_DFSPH = -1
int ENUM_SIMULATION_PF = -1
int BOUNDARY_HANDLING_METHOD = -1
int ENUM_AKINCI2012 = -1
int ENUM_KOSCHIER2017 = -1
int ENUM_BENDER2019 = -1
```

Protected Functions

```
void initParameters()
```

Protected Attributes

```
std::vector<FluidModel*> m_fluidModels
std::vector<BoundaryModel*> m_boundaryModels
NeighborhoodSearch *m_neighborhoodSearch
AnimationFieldSystem *m_animationFieldSystem
int m_cflMethod
Real m_cflFactor
Real m_cflMinTimeStepSize
Real m_cflMaxTimeStepSize
int m_kernelMethod
int m_gradKernelMethod
Real m_W_zero
Real (*m_kernelFct)(const Vector3r&)
Vector3r (*m_gradKernelFct)(const Vector3r &r)
SimulationMethods m_simulationMethod
TimeStep *m_timeStep
Vector3r m_gravitation
Real m_particleRadius
Real m_supportRadius
bool m_sim2D
bool m_enableZSort
std::function<void ()> m_simulationMethodChanged
int m_boundaryHandlingMethod
```

Class **SimulationDataDFSPH**

- Defined in file _SPlisHSPlasH_DFSRH_SimulationDataDFSPH.h

Class Documentation

class SPH::SimulationDataDFSPH

Simulation data which is required by the method Divergence-free Smoothed Particle Hydrodynamics introduced by Bender and Koschier [BK15,BK17].

References:

- [BK15] Jan Bender and Dan Koschier. Divergence-free smoothed particle hydrodynamics. In ACM SIGGRAPH / Eurographics Symposium on Computer Animation, SCA '15, 147-155. New York, NY, USA, 2015. ACM. URL: <http://doi.acm.org/10.1145/2786784.2786796>
- [BK17] Jan Bender and Dan Koschier. Divergence-free SPH for incompressible and viscous fluids. IEEE Transactions on Visualization and Computer Graphics, 23(3):1193-1206, 2017. URL: <http://dx.doi.org/10.1109/TVCG.2016.2578335>

Public Functions

SimulationDataDFSPH()

~SimulationDataDFSPH()

void init()

Initialize the arrays containing the particle data.

void cleanup()

Release the arrays containing the particle data.

void reset()

Reset the particle data.

void performNeighborhoodSearchSort()

Important: First call m_model->*performNeighborhoodSearchSort()* to call the z_sort of the neighborhood search.

void emittedParticles (FluidModel *model, const unsigned int startIndex)

FORCE_INLINE const Real getFactor (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE Real & getFactor (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE void setFactor (const unsigned int fluidIndex, const unsigned int i, const

FORCE_INLINE const Real getKappa (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE Real & getKappa (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE void setKappa (const unsigned int fluidIndex, const unsigned int i, const

FORCE_INLINE const Real getKappaV (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE Real & getKappaV (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE void setKappaV (const unsigned int fluidIndex, const unsigned int i, const

FORCE_INLINE const Real getDensityAdv (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE Real & getDensityAdv (const unsigned int fluidIndex, const unsigned int i)

FORCE_INLINE void setDensityAdv (const unsigned int fluidIndex, const unsigned int i, const

FORCE_INLINE const Real getVelocityAdv (const unsigned int fluidIndex, const unsigned int i)

Protected Attributes

```
std::vector<std::vector<Real>> m_factor
    factor  $\alpha_i$ 

std::vector<std::vector<Real>> m_kappa
    stores  $\kappa$  value of last time step for a warm start of the pressure solver

std::vector<std::vector<Real>> m_kappaV
    stores  $\kappa^v$  value of last time step for a warm start of the divergence solver

std::vector<std::vector<Real>> m_density_adv
    advected density
```

Class SimulationDataIISPH

- Defined in file_SPlisHSPlasH_IISPH_SimulationDataIISPH.h

Class Documentation

```
class SPH::SimulationDataIISPH
```

Simulation data which is required by the method Implicit Incompressible SPH introduced by Ihmsen et al. [ICS+14].

References:

- [ICS+14] Markus Ihmsen, Jens Cornelis, Barbara Solenthaler, Christopher Horvath, and Matthias Teschner. Implicit incompressible SPH. IEEE Transactions on Visualization and Computer Graphics, 20(3):426-435, March 2014. URL: <http://dx.doi.org/10.1109/TVCG.2013.105>

Public Functions

```
SimulationDataIISPH()
~SimulationDataIISPH()

void init()
    Initialize the arrays containing the particle data.

void cleanup()
    Release the arrays containing the particle data.

void reset()
    Reset the particle data.

void performNeighborhoodSearchSort()
    Important: First call m_model->performNeighborhoodSearchSort() to call the z_sort of the neighborhood search.

void emittedParticles (FluidModel *model, const unsigned int startIndex)
FORCE_INLINE const Real getAii (const unsigned int fluidIndex, const unsigned int i) const
FORCE_INLINE Real & getAii (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setAii (const unsigned int fluidIndex, const unsigned int i, const Real & value) const
FORCE_INLINE Vector3r & getDii (const unsigned int fluidIndex, const unsigned int i)
```

```

FORCE_INLINE const Vector3r & getDii (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setDii (const unsigned int fluidIndex, const unsigned int i, const Vector3r & v)
FORCE_INLINE Vector3r & getDij_pj (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE const Vector3r & getDij_pj (const unsigned int fluidIndex, const unsigned int i, const Real density)
FORCE_INLINE void setDij_pj (const unsigned int fluidIndex, const unsigned int i, const Real density, const Vector3r & v)
FORCE_INLINE const Real getDensityAdv (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Real & getDensityAdv (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setDensityAdv (const unsigned int fluidIndex, const unsigned int i, const Real density)
FORCE_INLINE const Real getPressure (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Real & getPressure (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setPressure (const unsigned int fluidIndex, const unsigned int i, const Real pressure)
FORCE_INLINE const Real getLastPressure (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Real & getLastPressure (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setLastPressure (const unsigned int fluidIndex, const unsigned int i, const Real pressure)
FORCE_INLINE Vector3r & getPressureAccel (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE const Vector3r & getPressureAccel (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setPressureAccel (const unsigned int fluidIndex, const unsigned int i, const Vector3r & v)

```

Protected Attributes

```

std::vector<std::vector<Real>> m_aии
std::vector<std::vector<Vector3r>> m_dии
std::vector<std::vector<Vector3r>> m_dij_pj
std::vector<std::vector<Real>> m_density_adv
std::vector<std::vector<Real>> m_pressure
std::vector<std::vector<Real>> m_lastPressure
std::vector<std::vector<Vector3r>> m_pressureAccel

```

Class SimulationDataPBF

- Defined in file_SPlisHSPlasH_PBF_SimulationDataPBF.h

Class Documentation

```
class SPH::SimulationDataPBF
```

Simulation data which is required by the method Position-Based Fluids introduced by Macklin and Mueller [MM13,BMO+14,BMM15].

References:

- [MM13] Miles Macklin and Matthias Müller. Position based fluids. ACM Trans. Graph., 32(4):104:1-104:12, July 2013. URL: <http://doi.acm.org/10.1145/2461912.2461984>
- [BMO+14] Jan Bender, Matthias Müller, Miguel A. Otaduy, Matthias Teschner, and Miles Macklin. A survey on position-based simulation methods in computer graphics. Computer Graphics Forum, 33(6):228-251, 2014. URL: <http://dx.doi.org/10.1111/cgf.12346>
- [BMM15] Jan Bender, Matthias Müller, and Miles Macklin. Position-based simulation methods in computer graphics. In EUROGRAPHICS 2015 Tutorials. Eurographics Association, 2015. URL: <http://dx.doi.org/10.2312/egt.20151045>

Public Functions

```
SimulationDataPBF()
```

```
~SimulationDataPBF()
```

```
void init()
```

Initialize the arrays containing the particle data.

```
void cleanup()
```

Release the arrays containing the particle data.

```
void reset()
```

Reset the particle data.

```
void performNeighborhoodSearchSort()
```

Important: First call m_model->*performNeighborhoodSearchSort()* to call the z_sort of the neighborhood search.

```
void emittedParticles (FluidModel *model, const unsigned int startIndex)
```

```
FORCE_INLINE const Real & getLambda (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE Real & getLambda (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE void setLambda (const unsigned int fluidIndex, const unsigned int i, const
```

```
FORCE_INLINE Vector3r & getDeltaX (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE const Vector3r & getDeltaX (const unsigned int fluidIndex, const unsigned
```

```
FORCE_INLINE void setDeltaX (const unsigned int fluidIndex, const unsigned int i, const
```

```
FORCE_INLINE Vector3r & getLastPosition (const unsigned int fluidIndex, const unsigned
```

```
FORCE_INLINE const Vector3r & getLastPosition (const unsigned int fluidIndex, const un
```

```
FORCE_INLINE void setLastPosition (const unsigned int fluidIndex, const unsigned int i,
```

```
FORCE_INLINE Vector3r & getOldPosition (const unsigned int fluidIndex, const unsigned
```

```
FORCE_INLINE const Vector3r & getOldPosition (const unsigned int fluidIndex, const uns
```

```
FORCE_INLINE void setOldPosition (const unsigned int fluidIndex, const unsigned int i,
```

Protected Attributes

```
std::vector<std::vector<Real>> m_lambda
std::vector<std::vector<Vector3r>> m_deltaX
std::vector<std::vector<Vector3r>> m_oldX
std::vector<std::vector<Vector3r>> m_lastX
```

Class SimulationDataPCISPH

- Defined in file_SPlisHSPlasH_PCISPH_SimulationDataPCISPH.h

Class Documentation

class SPH::SimulationDataPCISPH

Simulation data which is required by the method Predictive-corrective Incompressible SPH introduced by Solenthaler and Pajarola [SP09].

References:

- [SP09] B. Solenthaler and R. Pajarola. Predictive-corrective incompressible SPH. ACM Trans. Graph., 28(3):40:1-40:6, July 2009. URL: <http://doi.acm.org/10.1145/1531326.1531346>

Public Functions

```
SimulationDataPCISPH()
~SimulationDataPCISPH()

void init()
    Initialize the arrays containing the particle data.

void cleanup()
    Release the arrays containing the particle data.

void reset()
    Reset the particle data.

void performNeighborhoodSearchSort()
    Important: First call m_model->performNeighborhoodSearchSort() to call the z_sort of the neighborhood search.

Real getPCISPH_ScalingFactor(const unsigned int fluidIndex)

void emittedParticles(FluidModel *model, const unsigned int startIndex)
FORCE_INLINE Vector3r & getLastPosition (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE const Vector3r & getLastPosition (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setLastPosition (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Vector3r & getLastVelocity (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE const Vector3r & getLastVelocity (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setLastVelocity (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE const Real getDensityAdv (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE Real & getDensityAdv (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setDensityAdv (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, Real density)
FORCE_INLINE const Real getPressure (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE Real & getPressure (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setPressure (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, Real pressure)
FORCE_INLINE Vector3r & getPressureAccel (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE const Vector3r & getPressureAccel (const unsigned int fluidIndex, const unsigned int i, const unsigned int j)
FORCE_INLINE void setPressureAccel (const unsigned int fluidIndex, const unsigned int i, const unsigned int j, Vector3r pressureAccel)
```

Protected Attributes

```
std::vector<Real> m_pcisph_factor
std::vector<std::vector<Vector3r>> m_lastX
std::vector<std::vector<Vector3r>> m_lastV
std::vector<std::vector<Real>> m_densityAdv
std::vector<std::vector<Real>> m_pressure
std::vector<std::vector<Vector3r>> m_pressureAccel
```

Class SimulationDataPF

- Defined in file_SPlisHSPlasH_PF_SimulationDataPF.h

Class Documentation

```
class SPH::SimulationDataPF
```

Simulation data which is required by the method Projective Fluids introduced by Weiler, Koschier and Bender [WKB16].

References:

- [WKB16] Marcel Weiler, Dan Koschier, and Jan Bender. Projective fluids. In Proceedings of the 9th International Conference on Motion in Games, MIG '16, 79-84. New York, NY, USA, 2016. ACM. URL: <http://doi.acm.org/10.1145/2994258.2994282>

Public Functions

```
SimulationDataPF()
~SimulationDataPF()

void init()
    Initialize the arrays containing the particle data.

void cleanup()
    Release the arrays containing the particle data.

void reset()
    Reset the particle data.
```

```

void performNeighborhoodSearchSort ()
Important: First call m_model->performNeighborhoodSearchSort() to call the z_sort of the neighborhood search.

void emittedParticles (FluidModel *model, const unsigned int startIndex)
FORCE_INLINE const Vector3r getOldPosition (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Vector3r & getOldPosition (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setOldPosition (const unsigned int fluidIndex, const unsigned int i, const Vector3r & v)
FORCE_INLINE const unsigned int getNumFluidNeighbors (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE unsigned int & getNumFluidNeighbors (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setNumFluidNeighbors (const unsigned int fluidIndex, const unsigned int i, const unsigned int n)
FORCE_INLINE const Vector3r & getS (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Vector3r & getS (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setS (const unsigned int fluidIndex, const unsigned int i, const Vector3r & v)
FORCE_INLINE const Vector3r & getDiag (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE Vector3r & getDiag (const unsigned int fluidIndex, const unsigned int i)
FORCE_INLINE void setDiag (const unsigned int fluidIndex, const unsigned int i, const Vector3r & v)
FORCE_INLINE const unsigned int & getParticleOffset (const unsigned int fluidIndex) const

```

Protected Attributes

```

std::vector<std::vector<Vector3r>> m_old_position
    particle position from last timestep
std::vector<std::vector<unsigned int>> m_num_fluid_neighbors
    number of neighbors that are fluid particles
std::vector<std::vector<Vector3r>> m_s
    positions predicted from momentum
std::vector<std::vector<Vector3r>> m_mat_diag
    diagonal of system matrix, used by preconditioner
std::vector<unsigned int> m_particleOffset

```

Class SimulationDataWCSPH

- Defined in file_SPlisHSPlasH_WCSPH_SimulationDataWCSPH.h

Class Documentation

```
class SPH::SimulationDataWCSPH
```

Simulation data which is required by the method Weakly Compressible SPH for Free Surface Flows introduced by Becker and Teschner [BT07].

References:

- [BT07] Markus Becker and Matthias Teschner. Weakly compressible SPH for free surface flows. In ACM SIGGRAPH/Eurographics Symposium on Computer Animation, SCA '07, 209-217. Aire-la-Ville, Switzerland, Switzerland, 2007. Eurographics Association. URL: <http://dl.acm.org/citation.cfm?id=1272690.1272719>

Public Functions

```
SimulationDataWCSPH()
```

```
~SimulationDataWCSPH()
```

```
void init()
```

Initialize the arrays containing the particle data.

```
void cleanup()
```

Release the arrays containing the particle data.

```
void reset()
```

Reset the particle data.

```
void performNeighborhoodSearchSort()
```

Important: First call `m_model->performNeighborhoodSearchSort()` to call the z_sort of the neighborhood search.

```
void emittedParticles (FluidModel *model, const unsigned int startIndex)
```

```
FORCE_INLINE const Real getPressure (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE Real & getPressure (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE void setPressure (const unsigned int fluidIndex, const unsigned int i, const
```

```
FORCE_INLINE Vector3r & getPressureAccel (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE const Vector3r & getPressureAccel (const unsigned int fluidIndex, const unsigned int i)
```

```
FORCE_INLINE void setPressureAccel (const unsigned int fluidIndex, const unsigned int i, const
```

```
FORCE_INLINE void setPressureAccel (const unsigned int fluidIndex, const unsigned int i, const
```

Protected Attributes

```
std::vector<std::vector<Real>> m_pressure
```

```
std::vector<std::vector<Vector3r>> m_pressureAccel
```

Class SpikyKernel

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::SpikyKernel
    Spiky kernel.
```

Public Static Functions

```
Real getRadius ()
void setRadius (Real val)
Real W (const Real r)
     $W(r,h) = 15/(\pi \cdot h^6) \cdot (h-r)^3$ 
Real W (const Vector3r &r)
Vector3r gradW (const Vector3r &r)
    grad(W(r,h)) = -r(45/(\pi \cdot h^6) \cdot (h-r)^2)
Real W_zero ()
```

Protected Static Attributes

```
Real m_radius
Real m_k
Real m_l
Real m_W_zero
```

Class StaticRigidBody

- Defined in file_SPlisHSPlasH_StaticRigidBody.h

Inheritance Relationships

Base Type

- public SPH::RigidBodyObject (*Class RigidBodyObject*)

Class Documentation

```
class SPH::StaticRigidBody : public SPH::RigidBodyObject
```

This class stores the information of a static rigid body which is not part of a rigid body simulation.

Public Functions

```
StaticRigidBody()
bool isDynamic() const
Real const getMass() const
Vector3r const &getPosition() const
void setPosition(const Vector3r &x)
Vector3r getWorldSpacePosition() const
Vector3r const &getVelocity() const
void setVelocity(const Vector3r &v)
Matrix3r const &getRotation() const
void setRotation(const Matrix3r &r)
Matrix3r getWorldSpaceRotation() const
Vector3r const &getAngularVelocity() const
void setAngularVelocity(const Vector3r &v)
void addForce(const Vector3r &f)
void addTorque(const Vector3r &t)
const std::vector<Vector3r> &getVertices() const
const std::vector<Vector3r> &getVertexNormals() const
const std::vector<unsigned int> &getFaces() const
void setWorldSpacePosition(const Vector3r &x)
void setWorldSpaceRotation(const Matrix3r &r)
TriangleMesh &getGeometry()
```

Protected Attributes

```
Vector3r m_x
Vector3r m_x_world
Vector3r m_zero
Matrix3r m_R
Matrix3r m_R_world
TriangleMesh m_geometry
```

Class SurfaceTension_Akinci2013

- Defined in file_SPlisHSPlasH_SurfaceTension_SurfaceTension_Akinci2013.h

Inheritance Relationships

Base Type

- public SPH::SurfaceTensionBase (*Class SurfaceTensionBase*)

Class Documentation

```
class SPH::SurfaceTension_Akinci2013 : public SPH::SurfaceTensionBase
```

This class implements the surface tension method introduced by Akinci et al. [ATT13].

References:

- [AAT13] Nadir Akinci, Gizem Akinci, and Matthias Teschner. Versatile surface tension and adhesion for sph fluids. ACM Trans. Graph., 32(6):182:1-182:8, November 2013. URL: <http://doi.acm.org/10.1145/2508363.2508395>

Public Functions

```
SurfaceTension_Akinci2013 (FluidModel *model)
~SurfaceTension_Akinci2013 (void)
void step ()
void reset ()
void computeNormals ()
void performNeighborhoodSearchSort ()
FORCE_INLINE Vector3r & getNormal (const unsigned int i)
FORCE_INLINE const Vector3r & getNormal (const unsigned int i) const
FORCE_INLINE void setNormal (const unsigned int i, const Vector3r &val)
```

Protected Attributes

```
std::vector<Vector3r> m_normals
```

Class SurfaceTension_Becker2007

- Defined in file_SPlisHSPlasH_SurfaceTension_SurfaceTension_Becker2007.h

Inheritance Relationships

Base Type

- public SPH::SurfaceTensionBase (*Class SurfaceTensionBase*)

Class Documentation

```
class SPH::SurfaceTension_Becker2007 : public SPH::SurfaceTensionBase
```

This class implements the surface tension method introduced by Becker and Teschner [BT07].

References:

- [BT07] Markus Becker and Matthias Teschner. Weakly compressible SPH for free surface flows. In ACM SIGGRAPH/Eurographics Symposium on Computer Animation, SCA '07, 209-217. Aire-la-Ville, Switzerland, Switzerland, 2007. Eurographics Association. URL: <http://dl.acm.org/citation.cfm?id=1272690.1272719>

Public Functions

```
SurfaceTension_Becker2007 (FluidModel *model)  
~SurfaceTension_Becker2007 (void)  
void step ()  
void reset ()
```

Class SurfaceTension_He2014

- Defined in file_SPlisHSPlasH_SurfaceTension_SurfaceTension_He2014.h

Inheritance Relationships

Base Type

- public SPH::SurfaceTensionBase (*Class SurfaceTensionBase*)

Class Documentation

```
class SPH::SurfaceTension_He2014 : public SPH::SurfaceTensionBase
```

This class implements the surface tension method introduced by He et al. [HWZ+14].

References:

- [HWZ+14] Xiaowei He, Huamin Wang, Fengjun Zhang, Hongan Wang, Guoping Wang, and Kun Zhou. Robust simulation of sparsely sampled thin features in SPH-based free surface flows. ACM Trans. Graph., 34(1):7:1-7:9, December 2014. URL: <http://doi.acm.org/10.1145/2682630>

Public Functions

```
SurfaceTension_He2014 (FluidModel *model)
~SurfaceTension_He2014 (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
FORCE_INLINE const Real getColor (const unsigned int i) const
FORCE_INLINE Real & getColor (const unsigned int i)
FORCE_INLINE void setColor (const unsigned int i, const Real p)
FORCE_INLINE const Real getGradC2 (const unsigned int i) const
FORCE_INLINE Real & getGradC2 (const unsigned int i)
FORCE_INLINE void setGradC2 (const unsigned int i, const Real p)
```

Protected Attributes

```
std::vector<Real> m_color
std::vector<Real> m_gradC2
```

Class SurfaceTension_ZorillaRitter2020

- Defined in file_SPlisHSPlasH_SurfaceTension_SurfaceTension_ZorillaRitter2020.h

Inheritance Relationships

Base Type

- public SPH::SurfaceTensionBase (*Class SurfaceTensionBase*)

Class Documentation

```
class SPH::SurfaceTension_ZorillaRitter2020 : public SPH::SurfaceTensionBase
```

This class implements the surface tension method introduced by Zorilla, Ritter, Sappl, Rauch, Harders: extended version 2020: <https://doi.org/10.3390/computers9020023> and original version 2019: <https://diglib.eg.org/handle/10.2312/cgvc20191260>

Public Functions

```
SurfaceTension_ZorillaRitter2020 (FluidModel *model)
```

```
~SurfaceTension_ZorillaRitter2020 (void)
```

```
void performNeighborhoodSearchSort () override
```

Public Static Functions

```
bool classifySurfaceParticle (double com, int non, double d_offset = 0.0)
```

Linear classifier. Divides into surface or non-surface particle. The function is equivalent to the network classifier. Also, inspect lines 344 to 348 in the cpp file for how to compute the required input.

Return true if surface, false otherwise

Parameters

- com: normalized center of mass / number of neighbors
- non: number of neighbors
- d_offset: constant parameter d

Class SurfaceTensionBase

- Defined in file _SPlisHSPlasH_SurfaceTension_SurfaceTensionBase.h

Inheritance Relationships

Base Type

- public SPH::NonPressureForceBase (*Class NonPressureForceBase*)

Derived Types

- public SPH::SurfaceTension_Akinci2013 (*Class SurfaceTension_Akinci2013*)
- public SPH::SurfaceTension_Becker2007 (*Class SurfaceTension_Becker2007*)
- public SPH::SurfaceTension_He2014 (*Class SurfaceTension_He2014*)
- public SPH::SurfaceTension_ZorillaRitter2020 (*Class SurfaceTension_ZorillaRitter2020*)

Class Documentation

```
class SPH::SurfaceTensionBase : public SPH::NonPressureForceBase
    Base class for all surface tension methods.

    Subclassed by SPH::SurfaceTension_Akinci2013, SPH::SurfaceTension_Becker2007,
    SPH::SurfaceTension_He2014, SPH::SurfaceTension_ZorillaRitter2020
```

Public Functions

```
SurfaceTensionBase (FluidModel *model)
~SurfaceTensionBase (void)
```

Public Static Attributes

```
int SURFACE_TENSION = -1
int SURFACE_TENSION_BOUNDARY = -1
```

Protected Functions

```
void initParameters ()
```

Protected Attributes

```
Real m_surfaceTension
Real m_surfaceTensionBoundary
```

Class TimeIntegration

- Defined in file_SPlisHSPlasH_PBF_TimeIntegration.h

Class Documentation

```
class SPH::TimeIntegration
    Class for the position-based fluids time integration.
```

Public Static Functions

```
void semiImplicitEuler (const Real h, const Real mass, Vector3r &position, Vector3r &velocity, const Vector3r &acceleration)
    Perform an integration step for a particle using the semi-implicit Euler (symplectic Euler) method:
```

$$\begin{aligned}\mathbf{v}(t + h) &= \mathbf{v}(t) + \mathbf{a}(t)h \\ \mathbf{x}(t + h) &= \mathbf{x}(t) + \mathbf{v}(t + h)h\end{aligned}$$

Parameters

- h: time step size

- **mass**: mass of the particle
- **position**: position of the particle
- **velocity**: velocity of the particle
- **acceleration**: acceleration of the particle

```
void velocityUpdateFirstOrder(const Real h, const Real mass, const Vector3r &position,  
                                const Vector3r &oldPosition, Vector3r &velocity)
```

Perform a velocity update (first order) for the linear velocity:

$$\mathbf{v}(t + h) = \frac{1}{h}(\mathbf{p}(t + h) - \mathbf{p}(t))$$

Parameters

- **h**: time step size
- **mass**: mass of the particle
- **position**: new position $\mathbf{p}(t + h)$ of the particle
- **oldPosition**: position $\mathbf{p}(t)$ of the particle before the time step
- **velocity**: resulting velocity of the particle

```
void velocityUpdateSecondOrder(const Real h, const Real mass, const Vector3r &position,  
                                const Vector3r &oldPosition, const Vector3r &positionOfLastStep, Vector3r &velocity)
```

Class TimeManager

- Defined in file_SPlisHSPlasH_TimeManager.h

Class Documentation

```
class SPH::TimeManager
```

Class to manage the current simulation time and the time step size. This class is a singleton.

Public Functions

```
TimeManager()  
~TimeManager()  
Real getTime()  
void setTime(Real t)  
Real getTimeStepSize()  
void setTimeStepSize(Real tss)  
void saveState(BinaryFileWriter &binWriter)
```

```
void loadState (BinaryFileReader &binReader)
```

Public Static Functions

```
TimeManager *getCurrent ()
void setCurrent (TimeManager *tm)
bool hasCurrent ()
```

Class TimeStep

- Defined in file_SPlisHSPlasH_TimeStep.h

Inheritance Relationships

Base Type

- public ParameterObject

Derived Types

- public SPH::TimeStepDFSPH (*Class TimeStepDFSPH*)
- public SPH::TimeStepIISPH (*Class TimeStepIISPH*)
- public SPH::TimeStepPBF (*Class TimeStepPBF*)
- public SPH::TimeStepPCISPH (*Class TimeStepPCISPH*)
- public SPH::TimeStepPF (*Class TimeStepPF*)
- public SPH::TimeStepWCSPH (*Class TimeStepWCSPH*)

Class Documentation

```
class SPH::TimeStep : public ParameterObject
```

Base class for the simulation methods.

Subclassed by *SPH::TimeStepDFSPH*, *SPH::TimeStepIISPH*, *SPH::TimeStepPBF*, *SPH::TimeStepPCISPH*, *SPH::TimeStepPF*, *SPH::TimeStepWCSPH*

Public Functions

```
TimeStep ()
~TimeStep (void)
void computeDensities (const unsigned int fluidModelIndex)
    Determine densities of all fluid particles.
void step () = 0
void reset ()
```

```
void init ()
void resize () = 0
void emittedParticles (FluidModel *model, const unsigned int startIndex)
void saveState (BinaryFileWriter &binWriter)
void loadState (BinaryFileReader &binReader)
```

Public Static Attributes

```
int SOLVER_ITERATIONS = -1
int MIN_ITERATIONS = -1
int MAX_ITERATIONS = -1
int MAX_ERROR = -1
```

Protected Functions

```
void clearAccelerations (const unsigned int fluidModelIndex)
    Clear accelerations and add gravitation.
void initParameters ()
void approximateNormal (Discregrid::DiscreteGrid *map, const Eigen::Vector3d &x, Vector3r
    &n, const unsigned int dim)
void computeVolumeAndBoundaryX (const unsigned int fluidModelIndex, const unsigned int i,
    const Vector3r &xi)
void computeVolumeAndBoundaryX ()
void computeDensityAndGradient (const unsigned int fluidModelIndex, const unsigned int i,
    const Vector3r &xi)
void computeDensityAndGradient ()
```

Protected Attributes

```
unsigned int m_iterations
Real m_maxError
unsigned int m_minIterations
unsigned int m_maxIterations
```

Class TimeStepDFSPH

- Defined in file _SPlisHSPlasH_DFSPh_TimeStepDFSPH.h

Inheritance Relationships

Base Type

- public SPH::TimeStep (*Class TimeStep*)

Class Documentation

class SPH::**TimeStepDFSPH** : **public** SPH::*TimeStep*

This class implements the Divergence-free Smoothed Particle Hydrodynamics approach introduced by Bender and Koschier [BK15,BK17,KBST19].

References:

- [BK15] Jan Bender and Dan Koschier. Divergence-free smoothed particle hydrodynamics. In ACM SIGGRAPH / Eurographics Symposium on Computer Animation, SCA '15, 147-155. New York, NY, USA, 2015. ACM. URL: <http://doi.acm.org/10.1145/2786784.2786796>
- [BK17] Jan Bender and Dan Koschier. Divergence-free SPH for incompressible and viscous fluids. IEEE Transactions on Visualization and Computer Graphics, 23(3):1193-1206, 2017. URL: <http://dx.doi.org/10.1109/TVCG.2016.2578335>
- [KBST19] Dan Koschier, Jan Bender, Barbara Solenthaler, and Matthias Teschner. Smoothed particle hydrodynamics for physically-based simulation of fluids and solids. In Eurographics 2019 - Tutorials. Eurographics Association, 2019. URL: <https://interactivecomputergraphics.github.io/SPH-Tutorial>

Public Functions

```
TimeStepDFSPH()
~TimeStepDFSPH (void)
void step()
void reset()
void resize()
```

Public Static Attributes

```
int SOLVER_ITERATIONS_V = -1
int MAX_ITERATIONS_V = -1
int MAX_ERROR_V = -1
int USE_DIVERGENCE_SOLVER = -1
```

Protected Functions

```
void computeDFSPHFactor (const unsigned int fluidModelIndex)
void pressureSolve ()
void pressureSolveIteration (const unsigned int fluidModelIndex, Real &avg_density_err)
void divergenceSolve ()
void divergenceSolveIteration (const unsigned int fluidModelIndex, Real &avg_density_err)
void computeDensityAdv (const unsigned int fluidModelIndex, const unsigned int index, const
int numParticles, const Real h, const Real density0)
void computeDensityChange (const unsigned int fluidModelIndex, const unsigned int index,
const Real h)
void warmstartDivergenceSolve (const unsigned int fluidModelIndex)
void warmstartPressureSolve (const unsigned int fluidModelIndex)
void performNeighborhoodSearch ()
    Perform the neighborhood search for all fluid particles.
void emittedParticles (FluidModel *model, const unsigned int startIndex)
void initParameters ()
```

Protected Attributes

```
SimulationDataDFSPH m_simulationData
unsigned int m_counter
const Real m_eps = static_cast<Real>(1.0e-5)
bool m_enableDivergenceSolver
unsigned int m_iterationsV
Real m_maxErrorV
unsigned int m_maxIterationsV
```

Class TimeStepIISPH

- Defined in file_SPlisHSPlasH_IISPH_TimeStepIISPH.h

Inheritance Relationships

Base Type

- public SPH::TimeStep (*Class TimeStep*)

Class Documentation

```
class SPH::TimeStepIISPH : public SPH::TimeStep
```

This class implements the Implicit Incompressible SPH approach introduced by Ihmsen et al. [ICS+14].

References:

- [ICS+14] Markus Ihmsen, Jens Cornelis, Barbara Solenthaler, Christopher Horvath, and Matthias Teschner. Implicit incompressible SPH. IEEE Transactions on Visualization and Computer Graphics, 20(3):426-435, March 2014. URL: <http://dx.doi.org/10.1109/TVCG.2013.105>

Public Functions

```
TimeStepIISPH()
~TimeStepIISPH(void)
void step()
void reset()
void resize()
const SimulationDataIISPH &getSimulationData()
```

Protected Functions

```
void predictAdvection(const unsigned int fluidModelIndex)
void pressureSolve()
void pressureSolveIteration(const unsigned int fluidModelIndex, Real &avg_density_err)
void integration(const unsigned int fluidModelIndex)
void computePressureAccels(const unsigned int fluidModelIndex)
    Determine the pressure accelerations when the pressure is already known.
void performNeighborhoodSearch()
    Perform the neighborhood search for all fluid particles.
void emittedParticles(FluidModel *model, const unsigned int startIndex)
```

Protected Attributes

```
SimulationDataIISPH m_simulationData
```

```
unsigned int m_counter
```

Class TimeStepPBF

- Defined in file_SPlisHSPlasH_PBF_TimeStepPBF.h

Inheritance Relationships

Base Type

- public SPH::TimeStep (*Class TimeStep*)

Class Documentation

```
class SPH::TimeStepPBF : public SPH::TimeStep
```

This class implements the position-based fluids approach introduced by Macklin and Müller [MM13,BMO+14,BMM15].

References:

- [MM13] Miles Macklin and Matthias Müller. Position based fluids. ACM Trans. Graph., 32(4):104:1-104:12, July 2013. URL: <http://doi.acm.org/10.1145/2461912.2461984>
- [BMO+14] Jan Bender, Matthias Müller, Miguel A. Otaduy, Matthias Teschner, and Miles Macklin. A survey on position-based simulation methods in computer graphics. Computer Graphics Forum, 33(6):228-251, 2014. URL: <http://dx.doi.org/10.1111/cgf.12346>
- [BMM15] Jan Bender, Matthias Müller, and Miles Macklin. Position-based simulation methods in computer graphics. In EUROGRAPHICS 2015 Tutorials. Eurographics Association, 2015. URL: <http://dx.doi.org/10.2312/egt.20151045>

Public Functions

TimeStepPBF ()

Initialize the simulation data required for this method.

~TimeStepPBF (void)

void step ()

Perform a simulation step.

void reset ()

Reset the simulation method.

void resize ()

Public Static Attributes

```
int VELOCITY_UPDATE_METHOD = -1
```

```
int ENUM_PBF_FIRST_ORDER = -1
```

```
int ENUM_PBF_SECOND_ORDER = -1
```

Protected Functions

```
void pressureSolve()  
    Perform a position-based correction step for the following density constraint: $C(\mathbf{x}) = \left( \frac{\rho_i}{\rho_0} - 1 \right) = 0$   
void pressureSolveIteration(const unsigned int fluidModelIndex, Real &avg_density_err)  
void performNeighborhoodSearch()  
    Perform the neighborhood search for all fluid particles.  
void emittedParticles(FluidModel *model, const unsigned int startIndex)  
void initParameters()
```

Protected Attributes

```
SimulationDataPBF m_simulationData  
unsigned int m_counter  
int m_velocityUpdateMethod
```

Class TimeStepPCISPH

- Defined in file_SPlisHSPlasH_PCISPH_TimeStepPCISPH.h

Inheritance Relationships

Base Type

- public SPH::TimeStep (*Class TimeStep*)

Class Documentation

```
class SPH::TimeStepPCISPH : public SPH::TimeStep
```

This class implements the Predictive-corrective Incompressible SPH approach introduced by Solenthaler and Pajarola [SP09].

References:

- [SP09] B. Solenthaler and R. Pajarola. Predictive-corrective incompressible SPH. ACM Trans. Graph., 28(3):40:1-40:6, July 2009. URL: <http://doi.acm.org/10.1145/1531326.1531346>

Public Functions

```
TimeStepPCISPH()  
~TimeStepPCISPH(void)  
void step()  
void reset()  
void resize()
```

Protected Functions

```
void pressureSolve()  
void pressureSolveIteration (const unsigned int fluidModelIndex, Real &avg_density_err)  
void performNeighborhoodSearch()  
    Perform the neighborhood search for all fluid particles.  
void emittedParticles (FluidModel *model, const unsigned int startIndex)
```

Protected Attributes

```
SimulationDataPCISPH m_simulationData  
unsigned int m_counter
```

Class TimeStepPF

- Defined in file_SPlisHSPlasH_PF_TimeStepPF.h

Inheritance Relationships

Base Type

- public SPH::TimeStep (*Class TimeStep*)

Class Documentation

```
class SPH::TimeStepPF : public SPH::TimeStep
```

This class implements the Projective Fluids approach introduced by Weiler, Koschier and Bender [WKB16].

References:

- [WKB16] Marcel Weiler, Dan Koschier, and Jan Bender. Projective fluids. In Proceedings of the 9th International Conference on Motion in Games, MIG '16, 79-84. New York, NY, USA, 2016. ACM. URL: <http://doi.acm.org/10.1145/2994258.2994282>

Public Functions

```
TimeStepPF ()  
~TimeStepPF (void)  
void step () override  
void reset () override  
void resize () override
```

Public Static Functions

```
void matrixVecProd(const Real *vec, Real *result, void *userData)
```

Public Static Attributes

```
int STIFFNESS = -1
```

Protected Types

```
using VectorXr = Eigen::Matrix<Real, -1, 1>
using VectorXrMap = Eigen::Map<VectorXr>
using Solver = Eigen::ConjugateGradient<MatrixReplacement, Eigen::Lower | Eigen::Upper, JacobiPreconditioner3D>
```

Protected Functions

```
void preparePreconditioner()
void initialGuessForPositions(const unsigned int fluidModelIndex)
void solvePDConstraints()
void updatePositionsAndVelocity(const VectorXr &x)
void addAccelerationToVelocity()
void matrixFreeRHS(const VectorXr &x, VectorXr &result)
    compute the right hand side of the system in a matrix-free fashion and store the result in result
void performNeighborhoodSearch()
    Perform the neighborhood search for all fluid particles.
void emittedParticles(FluidModel *model, const unsigned int startIndex) override
void initParameters() override
```

Protected Attributes

```
SimulationDataPF m_simulationData
Solver m_solver
Real m_stiffness
unsigned int m_counter
unsigned int m_numActiveParticlesTotal
```

Protected Static Functions

```
FORCE_INLINE void diagonalMatrixElement (const unsigned int row, Vector3r &result, voi
```

Class TimeStepWCSPH

- Defined in file_SPlisHSPlasH_WCSPH_TimeStepWCSPH.h

Inheritance Relationships

Base Type

- public SPH::TimeStep (*Class TimeStep*)

Class Documentation

```
class SPH::TimeStepWCSPH : public SPH::TimeStep
```

This class implements the Weakly Compressible SPH for Free Surface Flows approach introduced by Becker and Teschner [BT07].

References:

- [BT07] Markus Becker and Matthias Teschner. Weakly compressible SPH for free surface flows. In ACM SIGGRAPH/Eurographics Symposium on Computer Animation, SCA '07, 209-217. Aire-la-Ville, Switzerland, Switzerland, 2007. Eurographics Association. URL: <http://dl.acm.org/citation.cfm?id=1272690.1272719>

Public Functions

```
TimeStepWCSPH()
~TimeStepWCSPH(void)
void step()
void reset()
void resize()
```

Public Static Attributes

```
int STIFFNESS = -1
int EXPONENT = -1
```

Protected Functions

```
void computePressureAccels (const unsigned int fluidModelIndex)
    Determine the pressure accelerations when the pressure is already known.

void performNeighborhoodSearch ()
    Perform the neighborhood search for all fluid particles.

void emittedParticles (FluidModel *model, const unsigned int startIndex)
void initParameters ()
```

Protected Attributes

```
Real m_stiffness
Real m_exponent
SimulationDataWCSPH m_simulationData
unsigned int m_counter
```

Class TriangleMesh

- Defined in file_SPlisHSPlasH_TriangleMesh.h

Class Documentation

class SPH::TriangleMesh

Data structure for a triangle mesh with normals and vertex normals.

Public Types

```
typedef std::vector<unsigned int> Faces
typedef std::vector<Vector3r> Normals
typedef std::vector<Vector3r> Vertices
```

Public Functions

```
TriangleMesh ()
~TriangleMesh ()
void release ()
void initMesh (const unsigned int nPoints, const unsigned int nFaces)
void addFace (const unsigned int *const indices)
    Add a new face.
void addFace (const int *const indices)
    Add a new face.
void addVertex (const Vector3r &vertex)
    Add new vertex.
```

```
const Faces &getFaces () const
Faces &getFaces ()

const Normals &getFaceNormals () const
Normals &getFaceNormals ()

const Normals &getVertexNormals () const
Normals &getVertexNormals ()

const Vertices &getVertices () const
Vertices &getVertices ()

unsigned int numVertices () const
unsigned int numFaces () const
void updateNormals ()
void updateVertexNormals ()
```

Protected Attributes

```
Vertices m_x
Faces m_indices
Normals m_normals
Normals m_vertexNormals
```

Class Viscosity_Bender2017

- Defined in file_SPlisHSPlasH_Viscosity_Viscosity_Bender2017.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_Bender2017 : public SPH::ViscosityBase
```

This class implements the implicit simulation method for viscous fluids introduced by Bender and Koschier [BK17].

References:

- [BK17] Jan Bender and Dan Koschier. Divergence-free SPH for incompressible and viscous fluids. IEEE Transactions on Visualization and Computer Graphics, 23(3):1193-1206, 2017. URL: <http://dx.doi.org/10.1109/TVCG.2016.2578335>

Public Functions

```

Viscosity_Bender2017 (FluidModel *model)
~Viscosity_Bender2017 (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
void computeTargetStrainRate ()
void computeViscosityFactor ()

FORCE_INLINE void viscoGradientMultTransposeRightOpt (const Eigen::Matrix< Real, 6, 3 >
    Matrix product

FORCE_INLINE const Vector6r & getTargetStrainRate (const unsigned int i) const
FORCE_INLINE Vector6r & getTargetStrainRate (const unsigned int i)
FORCE_INLINE void setTargetStrainRate (const unsigned int i, const Vector6r &val)
FORCE_INLINE const Matrix6r & getViscosityFactor (const unsigned int i) const
FORCE_INLINE Matrix6r & getViscosityFactor (const unsigned int i)
FORCE_INLINE void setViscosityFactor (const unsigned int i, const Matrix6r &val)
FORCE_INLINE const Vector6r & getViscosityLambda (const unsigned int i) const
FORCE_INLINE Vector6r & getViscosityLambda (const unsigned int i)
FORCE_INLINE void setViscosityLambda (const unsigned int i, const Vector6r &val)

```

Public Static Attributes

```

int ITERATIONS = -1
int MAX_ITERATIONS = -1
int MAX_ERROR = -1

```

Protected Functions

```
void initParameters ()
```

Protected Attributes

```

std::vector<Vector6r> m_targetStrainRate
std::vector<Matrix6r> m_viscosityFactor
std::vector<Vector6r> m_viscosityLambda
unsigned int m_iterations
unsigned int m_maxIter
Real m_maxError

```

Class Viscosity_Peer2015

- Defined in file_SPlisHSPlasH_Viscosity_Viscosity_Peer2015.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_Peer2015 : public SPH::ViscosityBase
```

This class implements the implicit simulation method for viscous fluids introduced by Peer et al. [PICT15].

References:

- [PICT15] A. Peer, M. Ihmsen, J. Cornelis, and M. Teschner. An Implicit Viscosity Formulation for SPH Fluids. ACM Trans. Graph., 34(4):1-10, 2015. URL: <http://doi.acm.org/10.1145/2766925>

Public Functions

```
Viscosity_Peer2015 (FluidModel *model)  
~Viscosity_Peer2015 (void)  
void step ()  
void reset ()  
void performNeighborhoodSearchSort ()  
FORCE_INLINE const Matrix3r & getTargetNablaV (const unsigned int i) const  
FORCE_INLINE Matrix3r & getTargetNablaV (const unsigned int i)  
FORCE_INLINE void setTargetNablaV (const unsigned int i, const Matrix3r &val)
```

Public Static Functions

```
void matrixVecProd (const Real *vec, Real *result, void *userData)  
FORCE_INLINE void diagonalMatrixElement (const unsigned int row, Real &result, void *u
```

Public Static Attributes

```
int ITERATIONS = -1  
int MAX_ITERATIONS = -1  
int MAX_ERROR = -1
```

Protected Types

```
typedef Eigen::ConjugateGradient<MatrixReplacement, Eigen::Lower | Eigen::Upper, JacobiPreconditionerID> Solver
```

Protected Functions

```
void initParameters ()
void computeDensities ()
```

Protected Attributes

```
std::vector<Real> m_density
std::vector<Matrix3r> m_targetNablaV
Solver m_solver
unsigned int m_iterations
unsigned int m_maxIter
Real m_maxError
```

Class Viscosity_Peer2016

- Defined in file _SPlisHSPlasH_Viscosity_Viscosity_Peer2016.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_Peer2016 : public SPH::ViscosityBase
```

This class implements the implicit simulation method for viscous fluids introduced by Peer and Teschner [PGBT17].

References:

- [PGBT17] Andreas Peer, Christoph Gissler, Stefan Band, and Matthias Teschner. An implicit SPH formulation for incompressible linearly elastic solids. Computer Graphics Forum, 2017. URL: <http://dx.doi.org/10.1111/cgf.13317>

Public Functions

```
Viscosity_Peer2016 (FluidModel *model)
~Viscosity_Peer2016 (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
FORCE_INLINE const Matrix3r & getTargetNablaV (const unsigned int i) const
FORCE_INLINE Matrix3r & getTargetNablaV (const unsigned int i)
FORCE_INLINE void setTargetNablaV (const unsigned int i, const Matrix3r &val)
FORCE_INLINE const Vector3r & getOmega (const unsigned int i) const
FORCE_INLINE Vector3r & getOmega (const unsigned int i)
FORCE_INLINE void setOmega (const unsigned int i, const Vector3r &val)
```

Public Static Functions

```
void matrixVecProdV (const Real *vec, Real *result, void *userData)
FORCE_INLINE void diagonalMatrixElementV (const unsigned int row, Real &result, void *)
void matrixVecProdOmega (const Real *vec, Real *result, void *userData)
FORCE_INLINE void diagonalMatrixElementOmega (const unsigned int row, Real &result, vo
```

Public Static Attributes

```
int ITERATIONS_V = -1
int ITERATIONS_OMEGA = -1
int MAX_ITERATIONS_V = -1
int MAX_ERROR_V = -1
int MAX_ITERATIONS_OMEGA = -1
int MAX_ERROR_OMEGA = -1
```

Protected Types

```
typedef Eigen::ConjugateGradient<MatrixReplacement, Eigen::Lower | Eigen::Upper, JacobiPreconditionerID> Solver
```

Protected Functions

```
void initParameters()  
void computeDensities()
```

Protected Attributes

```
std::vector<Real> m_density  
std::vector<Matrix3r> m_targetNablaV  
std::vector<Vector3r> m_omega  
Solver m_solverV  
Solver m_solverOmega  
unsigned int m_iterationsV  
unsigned int m_iterationsOmega  
unsigned int m_maxIterV  
Real m_maxErrorV  
unsigned int m_maxIterOmega  
Real m_maxErrorOmega
```

Class Viscosity_Standard

- Defined in file_SPlisHSPlasH_Viscosity_Viscosity_Standard.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_Standard : public SPH::ViscosityBase
```

This class implements the standard method for viscosity descibed e.g. by Ihmsen et al. [IOS+14]. The method evaluates the term $\nu \nabla^2 v$ and uses an approximation of the kernel Laplacian to improve the stability. This approximation is given in [IOS+14].

References:

- [IOS+14] Markus Ihmsen, Jens Orthmann, Barbara Solenthaler, Andreas Kolb, and Matthias Teschner. SPH Fluids in Computer Graphics. In Sylvain Lefebvre and Michela Spagnuolo, editors, Eurographics 2014 - State of the Art Reports. The Eurographics Association, 2014. URL: <http://dx.doi.org/10.2312/egst.20141034>

Public Functions

```
Viscosity_Standard(FluidModel *model)  
~Viscosity_Standard(void)  
void step()  
void reset()
```

Public Static Attributes

```
int VISCOSITY_COEFFICIENT_BOUNDARY = -1
```

Protected Functions

```
void initParameters()
```

Protected Attributes

```
Real m_boundaryViscosity
```

Class Viscosity_Takahashi2015

- Defined in file_SPlisHSPlasH_Viscosity_Viscosity_Takahashi2015.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_Takahashi2015 : public SPH::ViscosityBase
```

This class implements a variant of the implicit simulation method for viscous fluids introduced by Takahashi et al. [TDF+15]. In the original work of Takahashi et al. the second-ring neighbors are required to create the matrix of the linear system. In contrast we use a meshless conjugate gradient solver which performs the required matrix-vector multiplication in two sequential loops. In this way only the one-ring neighbors are required in each loop which increases the performance significantly. Thanks to Anreas Peer who helped us with the implementation.

References:

- [TDF+15] T. Takahashi, Y. Dobashi, I. Fujishiro, T. Nishita, and M.C. Lin. Implicit Formulation for SPH-based Viscous Fluids. Computer Graphics Forum, 34(2):493-502, 2015. URL: <http://dx.doi.org/10.1111/cgf.12578>

Public Functions

```
Viscosity_Takahashi2015 (FluidModel *model)
~Viscosity_Takahashi2015 (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
FORCE_INLINE const Matrix3r & getViscousStress (const unsigned int i) const
FORCE_INLINE Matrix3r & getViscousStress (const unsigned int i)
FORCE_INLINE void setViscousStress (const unsigned int i, const Matrix3r &val)
FORCE_INLINE const Vector3r & getAccel (const unsigned int i) const
FORCE_INLINE Vector3r & getAccel (const unsigned int i)
FORCE_INLINE void setAccel (const unsigned int i, const Vector3r &val)
```

Public Static Functions

```
void matrixVecProd (const Real *vec, Real *result, void *userData)
FORCE_INLINE void diagonalMatrixElement (const unsigned int row, Real &result, void *u)
```

Public Static Attributes

```
int ITERATIONS = -1
int MAX_ITERATIONS = -1
int MAX_ERROR = -1
```

Protected Types

```
typedef Eigen::ConjugateGradient<MatrixReplacement, Eigen::Lower | Eigen::Upper, Eigen::IdentityPreconditioner> Solver
```

Protected Functions

```
void initParameters ()
```

Protected Attributes

```
std::vector<Vector3r> m_accel
std::vector<Matrix3r> m_viscousStress
Solver m_solver
unsigned int m_iterations
unsigned int m_maxIter
Real m_maxError
```

Protected Static Functions

```
void computeViscosityAcceleration(Viscosity_Takahashi2015 *visco, const Real *v)
```

Class Viscosity_Weiler2018

- Defined in file_SPlisHSPlasH_Viscosity_Viscosity_Weiler2018.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_Weiler2018 : public SPH::ViscosityBase
```

This class implements the implicit Laplace viscosity method introduced by Weiler et al. 2018 [WKBB18].

References:

- [WKBB18] Marcel Weiler, Dan Koschier, Magnus Brand, and Jan Bender. A physically consistent implicit viscosity solver for SPH fluids. Computer Graphics Forum (Eurographics), 2018. URL: <https://doi.org/10.1111/cgf.13349>

Public Functions

```
Viscosity_Weiler2018(FluidModel *model)  
~Viscosity_Weiler2018(void)  
void step()  
void reset()  
void performNeighborhoodSearchSort()  
FORCE_INLINE const Vector3r & getVDiff(const unsigned int i) const  
FORCE_INLINE Vector3r & getVDiff(const unsigned int i)  
FORCE_INLINE void setVDiff(const unsigned int i, const Vector3r &val)
```

Public Static Functions

```
void matrixVecProd(const Real *vec, Real *result, void *userData)
```

Public Static Attributes

```
int ITERATIONS = -1
int MAX_ITERATIONS = -1
int MAX_ERROR = -1
int VISCOSITY_COEFFICIENT_BOUNDARY = -1
```

Protected Types

```
typedef Eigen::ConjugateGradient<MatrixReplacement, Eigen::Lower | Eigen::Upper, BlockJacobiPreconditioner3D> Solver
```

Protected Functions

```
void initParameters()
```

Protected Attributes

```
Real m_boundaryViscosity
unsigned int m_maxIter
Real m_maxError
unsigned int m_iterations
std::vector<Vector3r> m_vDiff
Real m_tangentialDistanceFactor
Solver m_solver
```

Protected Static Functions

```
FORCE_INLINE void diagonalMatrixElement (const unsigned int row, Matrix3r &result, void)
```

Class Viscosity_XSPH

- Defined in file _SPlisHSPlasH_Viscosity_Viscosity_XSPH.h

Inheritance Relationships

Base Type

- public SPH::ViscosityBase (*Class ViscosityBase*)

Class Documentation

```
class SPH::Viscosity_XSPH : public SPH::ViscosityBase
```

This class implements the XSPH method described by Schechter and Bridson [SB12].

References:

- [SB12] Hagit Schechter and Robert Bridson. Ghost sph for animating water. ACM Trans. Graph., 31(4):61:1-61:8, July 2012. URL: <http://doi.acm.org/10.1145/2185520.2185557>

Public Functions

```
Viscosity_XSPH (FluidModel *model)
```

```
~Viscosity_XSPH (void)
```

```
void step ()
```

```
void reset ()
```

Public Static Attributes

```
int VISCOSITY_COEFFICIENT_BOUNDARY = -1
```

Protected Functions

```
void initParameters ()
```

Protected Attributes

```
Real m_boundaryViscosity
```

Class ViscosityBase

- Defined in file_SPlisHSPlasH_Viscosity_ViscosityBase.h

Inheritance Relationships

Base Type

- public SPH::NonPressureForceBase (*Class NonPressureForceBase*)

Derived Types

- public SPH::Viscosity_Bender2017 (*Class Viscosity_Bender2017*)
- public SPH::Viscosity_Peer2015 (*Class Viscosity_Peer2015*)
- public SPH::Viscosity_Peer2016 (*Class Viscosity_Peer2016*)
- public SPH::Viscosity_Standard (*Class Viscosity_Standard*)
- public SPH::Viscosity_Takahashi2015 (*Class Viscosity_Takahashi2015*)
- public SPH::Viscosity_Weiler2018 (*Class Viscosity_Weiler2018*)
- public SPH::Viscosity_XSPH (*Class Viscosity_XSPH*)

Class Documentation

class SPH::ViscosityBase : **public** SPH::NonPressureForceBase
Base class for all viscosity methods.

Subclassed by SPH::Viscosity_Bender2017, SPH::Viscosity_Peer2015, SPH::Viscosity_Peer2016, SPH::Viscosity_Standard, SPH::Viscosity_Takahashi2015, SPH::Viscosity_Weiler2018, SPH::Viscosity_XSPH

Public Functions

ViscosityBase (*FluidModel* *model)
~ViscosityBase (void)

Public Static Attributes

int **VISCOSITY_COEFFICIENT** = -1

Protected Functions

void **initParameters** ()

Protected Attributes

Real **m_viscosity**

Class VorticityBase

- Defined in file_SPlisHSPlasH_Vorticity_VorticityBase.h

Inheritance Relationships

Base Type

- public SPH::NonPressureForceBase (*Class NonPressureForceBase*)

Derived Types

- public SPH::MicropolarModel_Bender2017 (*Class MicropolarModel_Bender2017*)
- public SPH::VorticityConfinement (*Class VorticityConfinement*)

Class Documentation

class SPH::VorticityBase : **public** SPH::NonPressureForceBase
Base class for all vorticity methods.

Subclassed by *SPH::MicropolarModel_Bender2017, SPH::VorticityConfinement*

Public Functions

```
VorticityBase(FluidModel *model)  
~VorticityBase(void)
```

Public Static Attributes

```
int VORTICITY_COEFFICIENT = -1
```

Protected Functions

```
void initParameters()
```

Protected Attributes

Real m_vorticityCoeff

Class VorticityConfinement

- Defined in file_SPlisHSPlasH_Vorticity_VorticityConfinement.h

Inheritance Relationships

Base Type

- public SPH::VorticityBase (*Class VorticityBase*)

Class Documentation

class SPH::**VorticityConfinement** : **public** SPH::*VorticityBase*

This class implements the vorticity confinement method introduced by Macklin and Mueller [MM13].

References:

- [MM13] Miles Macklin and Matthias Müller. Position based fluids. ACM Trans. Graph., 32(4):104:1-104:12, July 2013. URL: <http://doi.acm.org/10.1145/2461912.2461984>

Public Functions

```
VorticityConfinement (FluidModel *model)
~VorticityConfinement (void)
void step ()
void reset ()
void performNeighborhoodSearchSort ()
FORCE_INLINE const Vector3r & getAngularVelocity (const unsigned int i) const
FORCE_INLINE Vector3r & getAngularVelocity (const unsigned int i)
FORCE_INLINE void setAngularVelocity (const unsigned int i, const Vector3r &val)
```

Protected Attributes

```
std::vector<Vector3r> m_omega
std::vector<Real> m_normOmega
```

Class WendlandQuinticC2Kernel

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

class SPH::**WendlandQuinticC2Kernel**
quintic Wendland C2 kernel.

Public Static Functions

```
Real getRadius ()  
void setRadius (Real val)  
Real W (const Real r)  
Real W (const Vector3r &r)  
Vector3r gradW (const Vector3r &r)  
Real W_zero ()
```

Protected Static Attributes

```
Real m_radius  
Real m_k  
Real m_l  
Real m_W_zero
```

Class WendlandQuinticC2Kernel2D

- Defined in file_SPlisHSPlasH_SPHKernels.h

Class Documentation

```
class SPH::WendlandQuinticC2Kernel2D  
Wendland Quintic C2 spline kernel (2D).
```

Public Static Functions

```
Real getRadius ()  
void setRadius (Real val)  
Real W (const Real r)  
Real W (const Vector3r &r)  
Vector3r gradW (const Vector3r &r)  
Real W_zero ()
```

Protected Static Attributes

Real `m_radius`
Real `m_k`
Real `m_l`
Real `m_W_zero`

Class ConsoleSink

- Defined in file_Utilities_LOGGER.h

Inheritance Relationships

Base Type

- public Utilities::LogSink (*Class LogSink*)

Class Documentation

```
class Utilities::ConsoleSink : public Utilities::LogSink
```

Public Functions

```
ConsoleSink (const LogLevel minLevel)
void write (const LogLevel level, const std::string &str)
```

Class Counting

- Defined in file_Utilities_Counting.h

Class Documentation

```
class Utilities::Counting
```

Public Static Functions

```
void reset ()
FORCE_INLINE void increaseCounter (const std::string &name, const Real increaseBy)
FORCE_INLINE void printAverageCounts ()
FORCE_INLINE void printCounterSums ()
```

Public Static Attributes

```
std::unordered_map<std::string, AverageCount> m_averageCounts
```

Class FileSink

- Defined in file_UtilsLogger.h

Inheritance Relationships

Base Type

- public Utilities::LogSink (*Class LogSink*)

Class Documentation

```
class Utilities::FileSink : public Utilities::LogSink
```

Public Functions

```
FileSink (const LogLevel minLevel, const std::string &fileName)  
~FileSink()  
void write (const LogLevel level, const std::string &str)
```

Protected Attributes

```
std::ofstream m_file
```

Class FileSystem

- Defined in file_UtilsFileSystem.h

Class Documentation

```
class Utilities::FileSystem  
This class implements different file system functions.
```

Public Static Functions

```

std::string getFilePath (const std::string &path)
std::string getFileName (const std::string &path)
std::string getFileNameWithExt (const std::string &path)
std::string getFileExt (const std::string &path)
bool isRelativePath (const std::string &path)
int makeDir (const std::string &path)
int makeDirs (const std::string &path)
    Make all subdirectories.

std::string normalizePath (const std::string &path)
bool fileExists (const std::string &fileName)
std::string getProgramPath ()

bool copyFile (const std::string &source, const std::string &dest)
bool isFile (const std::string &path)
bool isDirectory (const std::string &path)
bool getFilesInDirectory (const std::string &path, std::vector<std::string> &res)
std::string getFileMD5 (const std::string &filename)
    Compute the MD5 hash of a file.

bool writeMD5File (const std::string &fileName, const std::string &md5File)
    Write the MD5 hash of a file to the md5File.

bool checkMD5 (const std::string &md5Hash, const std::string &md5File)
    Compare an MD5 hash with the hash stored in an MD5 file.

```

Class IDFactory

- Defined in file_Utility_Timing.h

Class Documentation

```
class Utilities::IDFactory
    Factory for unique ids.
```

Public Static Functions

```
int getId ()
```

Class Logger

- Defined in file_Utilities_LOGGER.h

Class Documentation

```
class Utilities::Logger
```

Public Functions

```
Logger()
~Logger()
void addSink (std::unique_ptr<LogSink> sink)
void write (const LogLevel level, const std::string &str)
void activate (const bool b)
```

Protected Attributes

```
std::vector<std::unique_ptr<LogSink>> m_sinks
bool m_active
```

Class LogSink

- Defined in file_Utilities_LOGGER.h

Inheritance Relationships

Derived Types

- public Utilities::ConsoleSink (*Class ConsoleSink*)
- public Utilities::FileSink (*Class FileSink*)

Class Documentation

```
class Utilities::LogSink
Subclassed by Utilities::ConsoleSink, Utilities::FileSink
```

Public Functions

```
LogSink (const LogLevel minLevel)
~LogSink ()
void write (const LogLevel level, const std::string &str) = 0
```

Protected Attributes

LogLevel **m_minLevel**

Class LogStream

- Defined in file_Utilities_LOGGER.h

Class Documentation

```
class Utilities::LogStream
```

Public Functions

```
LogStream (Logger *logger, const LogLevel level)
template<typename T>
LogStream &operator<< (T const &value)
~LogStream ()
```

Protected Attributes

LogLevel **m_level**
Logger ***m_logger**
std::ostringstream **m_buffer**

Class OBJLoader

- Defined in file_Utilities_OBJLoader.h

Class Documentation

```
class Utilities::OBJLoader
Read for OBJ files.
```

Public Types

```
using Vec3f = std::array<float, 3>
using Vec2f = std::array<float, 2>
```

Public Static Functions

```
void loadObj(const std::string &filename, std::vector<Vec3f> *x, std::vector<MeshFaceIndices>
             *faces, std::vector<Vec3f> *normals, std::vector<Vec2f> *texcoords, const Vec3f
             &scale)
```

This function loads an OBJ file. Only triangulated meshes are supported.

Class PartioReaderWriter

- Defined in file_Utilities_PartioReaderWriter.h

Class Documentation

```
class Utilities::PartioReaderWriter
```

Class for reading and writing partio files.

Public Static Functions

```
bool readParticles(const std::string &fileName, const Vector3r &translation, const
                   Matrix3r &rotation, const Real scale, std::vector<Vector3r> &pos,
                   std::vector<Vector3r> &vel)
bool readParticles(const std::string &fileName, const Vector3r &translation, const Matrix3r
                   &rotation, const Real scale, std::vector<Vector3r> &positions,
                   std::vector<Vector3r> &velocities, Real &particleRadius)
bool readParticles(const std::string &fileName, const Vector3r &translation, const Matrix3r
                   &rotation, const Real scale, std::vector<Vector3r> &pos)
void writeParticles(const std::string &fileName, const unsigned int numParticles, const Vector3r
                    *particlePositions, const Vector3r *particleVelocities, const Real
                    particleRadius)
```

Class SceneLoader

- Defined in file_SPlisHSPlasH_Utils_SceneLoader.h

Nested Relationships

Nested Types

- *Struct SceneLoader::AnimationFieldData*
- *Struct SceneLoader::BoundaryData*
- *Struct SceneLoader::Box*
- *Struct SceneLoader::EmitterData*
- *Struct SceneLoader::FluidBlock*
- *Struct SceneLoader::FluidData*
- *Struct SceneLoader::MaterialData*
- *Struct SceneLoader::Scene*

Class Documentation

```
class Utilities::SceneLoader
    Importer of SPlisHSPlasH scene files.
```

Public Functions

```
void readScene (const char *fileName, Scene &scene)
template<typename T>
bool readValue (const nlohmann::json &j, T &v)
template<typename T, int size>
bool readVector (const nlohmann::json &j, Eigen::Matrix<T, size, 1, Eigen::DontAlign> &vec)
template<typename T>
bool readValue (const std::string &section, const std::string &key, T &v)
template<typename T, int size>
bool readVector (const std::string &section, const std::string &key, Eigen::Matrix<T, size, 1,
                Eigen::DontAlign> &vec)
void readMaterialParameterObject (const std::string &key, GenParam::ParameterObject
                                    *paramObj)
void readParameterObject (const std::string &key, GenParam::ParameterObject *paramObj)
template<>
bool readValue (const nlohmann::json &j, bool &v)
template<>
bool readValue (const nlohmann::json &j, bool &v)
```

Protected Functions

```
void readParameterObject (nlohmann::json &config, GenParam::ParameterObject *paramObj)
```

Protected Attributes

```
nlohmann::json m_jsonData  
struct AnimationFieldData  
    Struct to store an animation field object.
```

Public Members

```
std::string particleFieldName  
std::string expression[3]  
unsigned int shapeType  
Vector3r x  
Matrix3r rotation  
Vector3r scale  
Real startTime  
Real endTime  
struct BoundaryData  
    Struct to store a boundary object.
```

Public Members

```
std::string samplesFile  
std::string meshFile  
Vector3r translation  
Matrix3r rotation  
Vector3r scale  
Real density  
bool dynamic  
bool isWall  
Eigen::Matrix<float, 4, 1, Eigen::DontAlign> color  
void *rigidBody  
std::string mapFile  
bool mapInvert  
Real mapThickness  
Eigen::Matrix<unsigned int, 3, 1, Eigen::DontAlign> mapResolution  
unsigned int samplingMode
```

```
struct Box
    Struct for an AABB.
```

Public Members

Vector3r **m_minX**

Vector3r **m_maxX**

```
struct EmitterData
    Struct to store an emitter object.
```

Public Members

`std::string id`

`unsigned int width`

`unsigned int height`

Vector3r **x**

Real **velocity**

Matrix3r **rotation**

Real **emitStartTime**

Real **emitEndTime**

`unsigned int type`

```
struct FluidBlock
    Struct to store a fluid block.
```

Public Members

`std::string id`

Box **box**

`unsigned char mode`

Vector3r **initialVelocity**

```
struct FluidData
    Struct to store a fluid object.
```

Public Members

`std::string id`

`std::string samplesFile`

Vector3r **translation**

Matrix3r **rotation**

Vector3r **scale**

Vector3r **initialVelocity**

```
unsigned char mode
bool invert
std::array<unsigned int, 3> resolutionSDF

struct MaterialData
    Struct to store particle coloring information.
```

Public Members

```
std::string id
std::string colorField
unsigned int colorMapType
Real minVal
Real maxVal
unsigned int maxEmitterParticles
bool emitterReuseParticles
Vector3r emitterBoxMin
Vector3r emitterBoxMax

struct Scene
    Struct to store scene information.
```

Public Members

```
std::vector<BoundaryData*> boundaryModels
std::vector<FluidData*> fluidModels
std::vector<FluidBlock*> fluidBlocks
std::vector<EmitterData*> emitters
std::vector<AnimationFieldData*> animatedFields
std::vector<MaterialData*> materials
Real particleRadius
bool sim2D
Real timeStepSize
Vector3r camPosition
Vector3r camLookat
```

Class SDFFunctions

- Defined in file_SPlisHSPlasH_Utilsities_SDFFunctions.h

Class Documentation

```
class Utilities::SDFFunctions
    Functions for generating and querying an SDF.
```

Public Static Functions

```
Discregrid::CubicLagrangeDiscreteGrid *generateSDF (const unsigned int numVertices, const
                                                 Vector3r *vertices, const unsigned int numFaces,
                                                 const unsigned int *faces,
                                                 const AlignedBox3r &bbox, const
                                                 std::array<unsigned int, 3> &resolution,
                                                 const bool invert = false)
```

Generate SDF from mesh.

```
AlignedBox3r computeBoundingBox (const unsigned int numVertices, const Vector3r *vertices)
    Compute the bounding box of a mesh.
```

```
double distance (Discregrid::CubicLagrangeDiscreteGrid *sdf, const Vector3r &x, const Real
                  thickness, Vector3r &normal, Vector3r &nextSurfacePoint)
```

Determine distance of a point x to the surface represented by the SDF and corresponding surface normal and next point on the surface.

```
double distance (Discregrid::CubicLagrangeDiscreteGrid *sdf, const Vector3r &x, const Real
                  thickness)
```

Determine distance of a point x to the surface represented by the SDF.

Class StringTools

- Defined in file_Utilsities_StringTools.h

Class Documentation

```
class Utilities::StringTools
    Tools to handle std::string objects.
```

Public Static Functions

```
void tokenize (const std::string &str, std::vector<std::string> &tokens, const std::string &delim-
iters = " ")
```

Class SystemInfo

- Defined in file_Utility_SystemInfo.h

Class Documentation

```
class Utilities::SystemInfo
```

Public Static Functions

```
std::string getHostName()
```

Class Timing

- Defined in file_Utility_Timing.h

Class Documentation

```
class Utilities::Timing
```

Class for time measurements.

Public Static Functions

```
void reset()  
FORCE_INLINE void startTiming (const std::string &name=std::string(""))  
FORCE_INLINE double stopTiming (bool print=true)  
FORCE_INLINE double stopTiming (bool print, int &id)  
FORCE_INLINE void printAverageTimes ()  
FORCE_INLINE void printTimeSums ()
```

Public Static Attributes

```
bool m_dontPrintTimes  
unsigned int m_startCounter  
unsigned int m_stopCounter  
std::stack<TimingHelper> m_timingStack  
std::unordered_map<int, AverageTime> m_averageTimes
```

Class VolumeSampling

- Defined in file_SPlisHSPlasH_Utilsies_VolumeSampling.h

Class Documentation

```
class Utilities::VolumeSampling
```

This class implements a volume sampling of 3D models.

Public Static Functions

```
void sampleMesh(const unsigned int numVertices, const Vector3r *vertices, const unsigned int numFaces, const unsigned int *faces, const Real radius, const AlignedBox3r *region, const std::array<unsigned int, 3> &resolution, const bool invert, const unsigned int sampleMode, std::vector<Vector3r> &samples)
```

Performs the volume sampling with the respective parameters.

Parameters

- numVertices*: number of vertices
- vertices*: vertex data
- numFaces*: number of faces
- faces*: index list of faces
- radius*: radius of sampled particles
- region*: defines a subregion of the mesh to be sampled (nullptr if not used)
- resolution*: resolution of the used SDF
- invert*: defines if the mesh should be inverted and the outside is sampled
- sampleMode*: 0=regular, 1=almost dense, 2=dense
- samples*: sampled vertices that will be returned

Class WindingNumbers

- Defined in file_SPlisHSPlasH_Utilsies_WindingNumbers.h

Class Documentation

```
class Utilities::WindingNumbers
```

Public Static Functions

Real **computeGeneralizedWindingNumber** (**const Vector3r &p**, **const Vector3r &a**, **const Vector3r &b**, **const Vector3r &c**)

Determine the winding number for a point p and a triangle abc.

Real **computeGeneralizedWindingNumber** (**const Vector3r &p**, **const SPH::TriangleMesh &mesh**)

Determine the winding number of a point p in a triangle mesh.

Class Vector3f8

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Class Documentation

```
class Vector3f8
```

Public Functions

```
Vector3f8()
```

```
Vector3f8(const bool)
```

```
Vector3f8(const Scalarf8 &x, const Scalarf8 &y, const Scalarf8 &z)
```

```
Vector3f8(const Scalarf8 &x)
```

```
Vector3f8(const Vector3f &x)
```

```
Vector3f8(const Vector3f &v0, const Vector3f &v1, const Vector3f &v2, const Vector3f &v3, const Vector3f &v4, const Vector3f &v5, const Vector3f &v6, const Vector3f &v7)
```

```
Vector3f8(Vector3f const *x)
```

```
void setZero()
```

```
Scalarf8 &operator[](int i)
```

```
const Scalarf8 &operator[](int i) const
```

```
Scalarf8 &x()
```

```
Scalarf8 &y()
```

```
Scalarf8 &z()
```

```
const Scalarf8 &x() const
```

```
const Scalarf8 &y() const
```

```
const Scalarf8 &z() const
```

```
Scalarf8 dot(const Vector3f8 &a) const
```

```
Scalarf8 operator*(const Vector3f8 &a) const
```

```
void cross(const Vector3f8 &a, const Vector3f8 &b)
```

```
const Vector3f8 operator%(const Vector3f8 &a) const
```

```
Vector3f8 &operator*=(const Scalarf8 &s)
```

```

const Vector3f8 operator/ (const Scalarf8 &s) const
Vector3f8 &operator/= (const Scalarf8 &s)
Vector3f8 &operator-= (const Vector3f8 &a)
const Vector3f8 operator- () const
Scalarf8 squaredNorm () const
Scalarf8 norm () const
void normalize ()
void store (std::vector<Vector3r> &Vf) const
void store (Vector3r *Vf) const

```

Public Members

Scalarf8 v[3]

Public Static Functions

Vector3f8 blend (Scalarf8 const &c, Vector3f8 const &a, Vector3f8 const &b)

16.3.3 Enums

Enum BoundaryHandlingMethods

- Defined in file_SPlisHSPlasH_Simulation.h

Enum Documentation

```

enum SPH::BoundaryHandlingMethods
  Values:
    enumerator Akinci2012
    enumerator Koschier2017
    enumerator Bender2019
    enumerator NumSimulationMethods

```

Enum DragMethods

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::DragMethods
Values:
enumerator None
enumerator Macklin2014
enumerator Gissler2017
enumerator NumDragMethods
```

Enum ElasticityMethods

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::ElasticityMethods
Values:
enumerator None
enumerator Becker2009
enumerator Peer2018
enumerator NumElasticityMethods
```

Enum FieldType

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::FieldType
Values:
enumerator Scalar
enumerator Vector3
enumerator Vector6
enumerator Matrix3
enumerator Matrix6
enumerator UInt
```

Enum ParticleState

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::ParticleState
Values:
enumerator Active
enumerator AnimatedByEmitter
enumerator AnimatedByVM
```

Enum SimulationMethods

- Defined in file_SPlisHSPlasH_Simulation.h

Enum Documentation

```
enum SPH::SimulationMethods
Values:
enumerator WCSPH
enumerator PCISPH
enumerator PBF
enumerator IISPH
enumerator DFSPH
enumerator PF
enumerator NumSimulationMethods
```

Enum SurfaceSamplingMode

- Defined in file_SPlisHSPlasH_Utilsities_SurfaceSampling.h

Enum Documentation

```
enum SPH::SurfaceSamplingMode
Values:
enumerator PoissonDisk
enumerator RegularTriangle
enumerator Regular2D
```

Enum SurfaceTensionMethods

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::SurfaceTensionMethods
Values:
enumerator None
enumerator Becker2007
enumerator Akinci2013
enumerator He2014
enumerator NumSurfaceTensionMethods
```

Enum ViscosityMethods

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::ViscosityMethods
Values:
enumerator None
enumerator Standard
enumerator XSPH
enumerator Bender2017
enumerator Peer2015
enumerator Peer2016
enumerator Takahashi2015
enumerator Weiler2018
enumerator NumViscosityMethods
```

Enum VorticityMethods

- Defined in file_SPlisHSPlasH_FluidModel.h

Enum Documentation

```
enum SPH::VorticityMethods
Values:
enumerator None
enumerator Micropolar
enumerator VorticityConfinement
enumerator NumVorticityMethods
```

Enum LogLevel

- Defined in file_Utilities_LOGGER.h

Enum Documentation

```
enum Utilities::LogLevel
Values:
enumerator DEBUG
enumerator INFO
enumerator WARN
enumerator ERR
```

16.3.4 Functions

Function abs

- Defined in file_SPlisHSPlasH_Utils_AVX_math.h

Function Documentation

Scalarf8 **abs** (*Scalarf8 const &a*)

Function blend

- Defined in file_SPlisHSPlasH_Utils_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “blend” with arguments (Scalarf8 const&, Scalarf8 const&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

- Scalarf8 blend(Scalarf8 **const** &c, Scalarf8 **const** &a, Scalarf8 **const** &b)
- Vector3f8 blend(Scalarf8 **const** &c, Vector3f8 **const** &a, Vector3f8 **const** &b)

Template Function **constant8f**

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

```
template<int i0, int i1, int i2, int i3, int i4, int i5, int i6, int i7>
__m256 constant8f()
```

Function **convert_one**

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

*Scalurf8 convert_one (const unsigned int *idx, const Real *x, const unsigned char count = 8u)*

Function **convert_zero**(const unsigned int *, const Real *, const unsigned char)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “convert_zero” with arguments (const unsigned int *, const Real *, const unsigned char) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

- Scalurf8 convert_zero(**const** Real x, **const** **unsigned char** count = 8u)
- Scalurf8 convert_zero(**const** **unsigned int** *idx, **const** Real *x, **const** **unsigned char** ↵count = 8u)

Function convert_zero(const Real, const unsigned char)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “convert_zero” with arguments (const Real, const unsigned char) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

```
- Scalarf8 convert_zero(const Real x, const unsigned char count = 8u)
- Scalarf8 convert_zero(const unsigned int *idx, const Real *x, const unsigned char
  ↪count = 8u)
```

Function convertVec_zero(const unsigned int *, const Real *, const unsigned char)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “convertVec_zero” with arguments (const unsigned int *, const Real *, const unsigned char) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

```
- Vector3f8 convertVec_zero(const unsigned int *idx, const Real *v, const unsigned
  ↪char count = 8u)
- Vector3f8 convertVec_zero(const unsigned int *idx, const Vector3r *v, const
  ↪unsigned char count = 8u)
```

Function convertVec_zero(const unsigned int *, const Vector3r *, const unsigned char)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “convertVec_zero” with arguments (const unsigned int *, const Vector3r *, const unsigned char) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

```
- Vector3f8 convertVec_zero(const unsigned int *idx, const Real *v, const unsigned
  ↪char count = 8u)
- Vector3f8 convertVec_zero(const unsigned int *idx, const Vector3r *v, const
  ↪unsigned char count = 8u)
```

Function dyadicProduct

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

```
void dyadicProduct (const Vector3f8 &a, const Vector3f8 &b, Matrix3f8 &res)
```

Function getTime

- Defined in file_SPlisHSPlasH_AnimationField.cpp

Function Documentation

```
Real SPH::TimeManager::getTime ()
```

Function max

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

```
Scalarf8 max (Scalarf8 const &a, Scalarf8 const &b)
```

Function operator!=

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

```
Scalarf8 operator!= (Scalarf8 const &a, Scalarf8 const &b)
```

Function operator*(Scalarf8 const&, Scalarf8 const&)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator*” with arguments (*Scalarf8 const&*, *Scalarf8 const&*) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- *Matrix3f8 operator*(const Matrix3f8 &b) const*
- *Matrix3f8 operator*(const Scalarf8 &b) const*
- *Scalarf8 operator*(Scalarf8 const &a, Scalarf8 const &b)*
- *Scalarf8 operator*(const Vector3f8 &a) const*

```

- Vector3f8 operator*(Vector3f8 const &a, const Scalarf8 &s)
- Vector3f8 operator*(const Vector3f8 &b) const
- const Quaternion8f operator*(const Quaternion8f &a) const
- template<typename Rhs> Eigen::Product<MatrixReplacement, Rhs, const
  →Eigen::AliasFreeProduct> operator*(const Eigen::MatrixBase<Rhs> &x) const

```

Function operator*(Vector3f8 const&, const Scalarf8&)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator*” with arguments (Vector3f8 const&, const Scalarf8&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

```

- Matrix3f8 operator*(const Matrix3f8 &b) const
- Matrix3f8 operator*(const Scalarf8 &b) const
- Scalarf8 operator*(Scalarf8 const &a, Scalarf8 const &b)
- Scalarf8 operator*(const Vector3f8 &a) const
- Vector3f8 operator*(Vector3f8 const &a, const Scalarf8 &s)
- Vector3f8 operator*(const Vector3f8 &b) const
- const Quaternion8f operator*(const Quaternion8f &a) const
- template<typename Rhs> Eigen::Product<MatrixReplacement, Rhs, const
  →Eigen::AliasFreeProduct> operator*(const Eigen::MatrixBase<Rhs> &x) const

```

Function operator* =

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator* =” with arguments (Scalarf8&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

```

- Scalarf8 &operator*=(Scalarf8 &a, Scalarf8 const &b)
- Vector3f8 &operator*=(const Scalarf8 &s)

```

Function operator+(Scalarf8 const&, Scalarf8 const&)

- Defined in file_SPlisHSPlasH_Utilsies_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator+” with arguments (Scalarf8 const&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- Scalarf8 **operator+**(Scalarf8 **const** &a, Scalarf8 **const** &b)
- Vector3f8 **operator+**(Vector3f8 **const** &a, Vector3f8 **const** &b)

Function operator+(Vector3f8 const&, Vector3f8 const&)

- Defined in file_SPlisHSPlasH_Utilsies_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator+” with arguments (Vector3f8 const&, Vector3f8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- Scalarf8 **operator+**(Scalarf8 **const** &a, Scalarf8 **const** &b)
- Vector3f8 **operator+**(Vector3f8 **const** &a, Vector3f8 **const** &b)

Function operator+=(Scalarf8&, Scalarf8 const&)

- Defined in file_SPlisHSPlasH_Utilsies_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator+=” with arguments (Scalarf8&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- Matrix3f8 &**operator+=**(**const** Matrix3f8 &a)
- Scalarf8 &**operator+=**(Scalarf8 &a, Scalarf8 **const** &b)
- Vector3f8 &**operator+=**(Vector3f8 &a, Vector3f8 **const** &b)

Function operator+=(Vector3f8&, Vector3f8 const&)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator+=” with arguments (Vector3f8&, Vector3f8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

- Matrix3f8 &**operator**+=(**const** Matrix3f8 &a)
- Scalarf8 &**operator**+=(Scalarf8 &a, Scalarf8 **const** &b)
- Vector3f8 &**operator**+=(Vector3f8 &a, Vector3f8 **const** &b)

Function operator-(Scalarf8&)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator-” with arguments (Scalarf8&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

- Scalarf8 **operator**-(Scalarf8 &a)
- Scalarf8 **operator**-(Scalarf8 **const** &a, Scalarf8 **const** &b)
- Vector3f8 **operator**-(Vector3f8 **const** &a, Vector3f8 **const** &b)
- **const** Vector3f8 **operator**-() **const**

Function operator-(Scalarf8 const&, Scalarf8 const&)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator-” with arguments (Scalarf8 const&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

- Scalarf8 **operator**-(Scalarf8 &a)
- Scalarf8 **operator**-(Scalarf8 **const** &a, Scalarf8 **const** &b)
- Vector3f8 **operator**-(Vector3f8 **const** &a, Vector3f8 **const** &b)
- **const** Vector3f8 **operator**-() **const**

Function operator-(Vector3f8 const&, Vector3f8 const&)

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator-” with arguments (Vector3f8 const&, Vector3f8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- Scalarf8 **operator-**(Scalarf8 &a)
- Scalarf8 **operator-**(Scalarf8 **const** &a, Scalarf8 **const** &b)
- Vector3f8 **operator-**(Vector3f8 **const** &a, Vector3f8 **const** &b)
- **const** Vector3f8 **operator-**() **const**

Function operator=

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator=” with arguments (Scalarf8&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- Scalarf8 &**operator**=(Scalarf8 &a, Scalarf8 **const** &b)
- Vector3f8 &**operator**=(**const** Vector3f8 &a)

Function operator/

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator/” with arguments (Scalarf8 const&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxygenoutput/xml. Potential matches:

- Scalarf8 **operator**/(Scalarf8 **const** &a, Scalarf8 **const** &b)
- **const** Vector3f8 **operator**/(**const** Scalarf8 &s) **const**

Function operator/=

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Warning: doxygenfunction: Unable to resolve multiple matches for function “operator/=” with arguments (Scalarf8&, Scalarf8 const&) in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml. Potential matches:

- Scalarf8 &**operator**/=(Scalarf8 &a, Scalarf8 **const** &b)
- Vector3f8 &**operator**/=(**const** Scalarf8 &s)

Function operator<

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Scalarf8 **operator**< (Scalarf8 **const** &a, Scalarf8 **const** &b)

Function operator<=

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Scalarf8 **operator**<= (Scalarf8 **const** &a, Scalarf8 **const** &b)

Function operator==

- Defined in file_SPlisHSPlasH_Utilsities_AVX_math.h

Function Documentation

Scalarf8 **operator**== (Scalarf8 **const** &a, Scalarf8 **const** &b)

Function operator>

- Defined in file_SPlisHSPlasH_Utilsies_AVX_math.h

Function Documentation

`Scalarf8 operator> (Scalarf8 const &a, Scalarf8 const &b)`

Function operator>=

- Defined in file_SPlisHSPlasH_Utilsies_AVX_math.h

Function Documentation

`Scalarf8 operator>= (Scalarf8 const &a, Scalarf8 const &b)`

16.3.5 Variables

Variable haltonVec323

- Defined in file_SPlisHSPlasH_SurfaceTension_SurfaceTension_ZorillaRitter2020_haltonVec323.h

Variable Documentation

`std::vector<float> haltonVec323`

Variable SPH::gaussian_abscissae_1

- Defined in file_SPlisHSPlasH_Utilsies_GaussQuadrature.cpp

Variable Documentation

`double const SPH::gaussian_abscissae_1[101][51]`

Variable SPH::gaussian_n_1

- Defined in file_SPlisHSPlasH_Utilsies_GaussQuadrature.cpp

Variable Documentation

unsigned int **const** SPH::**gaussian_n_1**[101]

Variable SPH::gaussian_weights_1

- Defined in file_SPlisHSPlasH_Utilsities_GaussQuadrature.cpp

Variable Documentation

double **const** SPH::**gaussian_weights_1**[101][51]

Variable Utilities::logger

- Defined in file_Utilsities_LOGGER.h

Variable Documentation

Utilities::*Logger* Utilities::**logger**

16.3.6 Defines

Define _USE_MATH_DEFINES

- Defined in file_SPlisHSPlasH_Drag_DragForce_Gissler2017.cpp

Define Documentation

_USE_MATH_DEFINES

Define _USE_MATH_DEFINES

- Defined in file_SPlisHSPlasH_SPHKernels.h

Define Documentation

_USE_MATH_DEFINES

Define _USE_MATH_DEFINES

- Defined in file_SPlisHSPlasH_Utilsities_PoissonDiskSampling.cpp

Define Documentation

_USE_MATH_DEFINES

Define _USE_MATH_DEFINES

- Defined in file_SPlisHSPlasH_Utilsities_WindingNumbers.cpp

Define Documentation

_USE_MATH_DEFINES

Define compute_Vj

- Defined in file_SPlisHSPlasH_FluidModel.h

Define Documentation

compute_Vj (fm_neighbor)

Define compute_Vj_gradW

- Defined in file_SPlisHSPlasH_FluidModel.h

Define Documentation

compute_Vj_gradW ()

Define compute_Vj_gradW_samephase

- Defined in file_SPlisHSPlasH_FluidModel.h

Define Documentation

compute_Vj_gradW_samephase ()

Define compute_xj

- Defined in file_SPlisHSPlasH_FluidModel.h

Define Documentation

compute_xj (*fm_neighbor, pid*)

Define forall_boundary_neighbors

- Defined in file_SPlisHSPlasH_Simulation.h

Define Documentation

forall_boundary_neighbors (*code*)

Loop over the boundary neighbors of all fluid phases. Simulation *sim and unsigned int fluidModelIndex must be defined.

Define forall_density_maps

- Defined in file_SPlisHSPlasH_Simulation.h

Define Documentation

forall_density_maps (*code*)

Loop over the boundary density maps. Simulation *sim, unsigned int nBoundaries and unsigned int fluidModelIndex must be defined.

Define forall_fluid_neighbors

- Defined in file_SPlisHSPlasH_Simulation.h

Define Documentation

forall_fluid_neighbors (*code*)

Loop over the fluid neighbors of all fluid phases. Simulation *sim and unsigned int fluidModelIndex must be defined.

Define `forall_fluid_neighbors_in_same_phase`

- Defined in file_SPlisHSPlasH_Simulation.h

Define Documentation

forall_fluid_neighbors_in_same_phase (*code*)

Loop over the fluid neighbors of the same fluid phase. Simulation *sim*, unsigned int *fluidModelIndex* and *Fluid-Model* model must be defined.

Define `forall_volume_maps`

- Defined in file_SPlisHSPlasH_Simulation.h

Define Documentation

forall_volume_maps (*code*)

Loop over the boundary volume maps. Simulation **sim*, unsigned int *nBoundaries* and unsigned int *fluidModelIndex* must be defined.

Define `FORCE_INLINE`

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

FORCE_INLINE

Define `INCREASE_COUNTER`

- Defined in file_Utility_Counting.h

Define Documentation

INCREASE_COUNTER (*counterName*, *increaseBy*)

Define `INIT_COUNTING`

- Defined in file_Utility_Counting.h

Define Documentation

`INIT_COUNTING`

Define INIT_LOGGING

- Defined in file_Utilities_LOGGER.h

Define Documentation

`INIT_LOGGING`

Define INIT_TIMING

- Defined in file_Utilities_TIMING.h

Define Documentation

`INIT_TIMING`

Define LOG_DEBUG

- Defined in file_Utilities_LOGGER.h

Define Documentation

`LOG_DEBUG`

Define LOG_ERR

- Defined in file_Utilities_LOGGER.h

Define Documentation

`LOG_ERR`

Define LOG_INFO

- Defined in file_Utilities_LOGGER.h

Define Documentation

LOG_INFO

Define LOG_WARN

- Defined in file_Utilities_LOGGER.h

Define Documentation

LOG_WARN

Define PD_USE_DIAGONAL_PRECONDITIONER

- Defined in file_SPlisHSPlasH_PF_TimeStepPF.h

Define Documentation

PD_USE_DIAGONAL_PRECONDITIONER

Define REAL_MAX

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

REAL_MAX

Define REAL_MIN

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

REAL_MIN

Define RealParameter

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

RealParameter

Define RealParameterType

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

RealParameterType

Define RealVectorParameter

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

RealVectorParameter

Define RealVectorParameterType

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

RealVectorParameterType

Define REPORT_MEMORY_LEAKS

- Defined in file_SPlisHSPlasH_Common.h

Define Documentation

REPORT_MEMORY_LEAKS

Define S_ISDIR

- Defined in file_Utils_FileSystem.h

Define Documentation

S_ISDIR (*mode*)

Define S_ISREG

- Defined in file_Utils_FileSystem.h

Define Documentation

S_ISREG (*mode*)

Define START_TIMING

- Defined in file_Utils_Timing.h

Define Documentation

START_TIMING (*timerName*)

Define STOP_TIMING

- Defined in file_Utils_Timing.h

Define Documentation

STOP_TIMING

Define STOP_TIMING_AVG

- Defined in file_Utils_Timing.h

Define Documentation

STOP_TIMING_AVG

Define STOP_TIMING_AVG_PRINT

- Defined in file_Utils_Timing.h

Define Documentation**STOP_TIMING_AVG_PRINT****Define STOP_TIMING_PRINT**

- Defined in file_Utility_Timing.h

Define Documentation**STOP_TIMING_PRINT****Define USE_BLOCKDIAGONAL_PRECONDITIONER**

- Defined in file_SPlisHSPlasH_Viscosity_Viscosity_Weiler2018.h

Define Documentation**USE_BLOCKDIAGONAL_PRECONDITIONER****Define USE_WARMSTART**

- Defined in file_SPlisHSPlasH_DFSPH_TimeStepDFSPH.h

Define Documentation**USE_WARMSTART****Define USE_WARMSTART_V**

- Defined in file_SPlisHSPlasH_DFSPH_TimeStepDFSPH.h

Define Documentation**USE_WARMSTART_V****Define Vec3Block**

- Defined in file_SPlisHSPlasH_PF_TimeStepPF.cpp

Define Documentation

Warning: doxygen define: Cannot find define “Vec3Block” in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml

16.3.7 Typedefs

Typedef AlignedBox2r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using AlignedBox2r = Eigen::AlignedBox<Real, 2>
```

Typedef AlignedBox3r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using AlignedBox3r = Eigen::AlignedBox<Real, 3>
```

Typedef AngleAxisr

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using AngleAxisr = Eigen::AngleAxis<Real>
```

Typedef AtomicRealVec

- Defined in file_SPlisHSPlasH_PF_TimeStepPF.cpp

Typedef Documentation

Warning: doxygen typedef: Cannot find typedef “AtomicRealVec” in doxygen xml output for project “SPlisHSPlasH” from directory: ./doxyoutput/xml

Typedef Matrix2r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Matrix2r = Eigen::Matrix<Real, 2, 2, Eigen::DontAlign>
```

Typedef Matrix3f

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Matrix3f = Eigen::Matrix<float, 3, 3, Eigen::DontAlign>
```

Typedef Matrix3r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Matrix3r = Eigen::Matrix<Real, 3, 3, Eigen::DontAlign>
```

Typedef Matrix4r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Matrix4r = Eigen::Matrix<Real, 4, 4, Eigen::DontAlign>
```

Typedef Matrix5r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Matrix5r = Eigen::Matrix<Real, 5, 5, Eigen::DontAlign>
```

Typedef Matrix6r

- Defined in file_SPlisHSPlasH_Common.h

Typeface Documentation

```
using Matrix6r = Eigen::Matrix<Real, 6, 6, Eigen::DontAlign>
```

Typeface NeighborhoodSearch

- Defined in file_SPlisHSPlasH_NeighborhoodSearch.h

Typeface Documentation

```
typedef CompactNSearch::NeighborhoodSearch NeighborhoodSearch
```

Typeface Quaternionr

- Defined in file_SPlisHSPlasH_Common.h

Typeface Documentation

```
using Quaternionr = Eigen::Quaternion<Real, Eigen::DontAlign>
```

Typeface Real

- Defined in file_SPlisHSPlasH_Common.h

Typeface Documentation

```
typedef float Real
```

Typeface SystemMatrixType

- Defined in file_SPlisHSPlasH_Utils_MatrixFreeSolver.h

Typeface Documentation

```
using SystemMatrixType = Eigen::SparseMatrix<Real>
```

Typeface Vector2i

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector2i = Eigen::Matrix<int, 2, 1, Eigen::DontAlign>
```

Typedef Vector2r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector2r = Eigen::Matrix<Real, 2, 1, Eigen::DontAlign>
```

Typedef Vector3f

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector3f = Eigen::Matrix<float, 3, 1, Eigen::DontAlign>
```

Typedef Vector3r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector3r = Eigen::Matrix<Real, 3, 1, Eigen::DontAlign>
```

Typedef Vector4f

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector4f = Eigen::Matrix<float, 4, 1, Eigen::DontAlign>
```

Typedef Vector4r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector4r = Eigen::Matrix<Real, 4, 1, Eigen::DontAlign>
```

Typedef Vector5r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector5r = Eigen::Matrix<Real, 5, 1, Eigen::DontAlign>
```

Typedef Vector6r

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using Vector6r = Eigen::Matrix<Real, 6, 1, Eigen::DontAlign>
```

Typedef VectorXr

- Defined in file_SPlisHSPlasH_Common.h

Typedef Documentation

```
using SPH::TimeStepPF::VectorXr = Eigen::Matrix<Real, -1, 1>
```

CHAPTER
SEVENTEEN

REFERENCES

CHAPTER
EIGHTEEN

INDICES AND TABLES

- genindex
- search

BIBLIOGRAPHY

- [AAT13] Nadir Akinci, Gizem Akinci, and Matthias Teschner. Versatile surface tension and adhesion for sph fluids. *ACM Trans. Graph.*, 32(6):182:1–182:8, November 2013. URL: <http://doi.acm.org/10.1145/2508363.2508395>, doi:10.1145/2508363.2508395.
- [AIA+12] Nadir Akinci, Markus Ihmsen, Gizem Akinci, Barbara Solenthaler, and Matthias Teschner. Versatile rigid-fluid coupling for incompressible sph. *ACM Trans. Graph.*, 31(4):62:1–62:8, July 2012. URL: <http://doi.acm.org/10.1145/2185520.2185558>, doi:10.1145/2185520.2185558.
- [BIT09] Markus Becker, Markus Ihmsen, and Matthias Teschner. Corotated SPH for deformable solids. In *Proceedings of Eurographics Conference on Natural Phenomena*, 27–34. 2009. URL: <http://dx.doi.org/10.2312EG/DL/conf/EG2009/nph/027-034>, doi:10.2312EG/DL/conf/EG2009/nph/027-034.
- [BT07] Markus Becker and Matthias Teschner. Weakly compressible sph for free surface flows. In *ACM SIGGRAPH/Eurographics Symposium on Computer Animation*, SCA ‘07, 209–217. Aire-la-Ville, Switzerland, Switzerland, 2007. Eurographics Association. URL: <http://dl.acm.org/citation.cfm?id=1272690.1272719>.
- [BK15] Jan Bender and Dan Koschier. Divergence-free smoothed particle hydrodynamics. In *ACM SIGGRAPH / Eurographics Symposium on Computer Animation*, SCA ‘15, 147–155. New York, NY, USA, 2015. ACM. URL: <http://doi.acm.org/10.1145/2786784.2786796>, doi:10.1145/2786784.2786796.
- [BK17] Jan Bender and Dan Koschier. Divergence-free sph for incompressible and viscous fluids. *IEEE Transactions on Visualization and Computer Graphics*, 23(3):1193–1206, 2017. URL: <http://dx.doi.org/10.1109/TVC.2016.2578335>, doi:10.1109/TVC.2016.2578335.
- [BKKW17] Jan Bender, Dan Koschier, Tassilo Kugelstadt, and Marcel Weiler. A micropolar material model for turbulent sph fluids. In *ACM SIGGRAPH / Eurographics Symposium on Computer Animation*, SCA ‘17. ACM, 2017. URL: <http://doi.acm.org/10.1145/3099564.3099578>, doi:10.1145/3099564.3099578.
- [BWK19] Jan Bender, Tassilo Kugelstadt, Marcel Weiler, and Dan Koschier. Volume maps: an implicit boundary representation for sph. In *Proceedings of ACM SIGGRAPH Conference on Motion, Interaction and Games*, MIG ‘19. ACM, 2019. URL: <https://dl.acm.org/doi/10.1145/3359566.3360077>, doi:10.1145/3359566.3360077.
- [BMullerM15] Jan Bender, Matthias Müller, and Miles Macklin. Position-based simulation methods in computer graphics. In *EUROGRAPHICS 2015 Tutorials*. Eurographics Association, 2015. URL: <http://dx.doi.org/10.2312/egt.20151045>, doi:10.2312/egt.20151045.
- [BMullerO+14] Jan Bender, Matthias Müller, Miguel A. Otaduy, Matthias Teschner, and Miles Macklin. A survey on position-based simulation methods in computer graphics. *Computer Graphics Forum*, 33(6):228–251, 2014. URL: <http://dx.doi.org/10.1111/cgf.12346>, doi:10.1111/cgf.12346.
- [DCB14] Crispin Deul, Patrick Charrier, and Jan Bender. Position-based rigid body dynamics. *Computer Animation and Virtual Worlds*, 2014. URL: <http://dx.doi.org/10.1002/cav.1614>, doi:10.1002/cav.1614.

- [GBP+17] Christoph Gissler, Stefan Band, Andreas Peer, Markus Ihmsen, and Matthias Teschner. Approximate air-fluid interactions for sph. In *Virtual Reality Interactions and Physical Simulations*, 1–10. April 2017. URL: <http://dx.doi.org/10.2312/vrphys.20171081>, doi:10.2312/vrphys.20171081.
- [HWZ+14] Xiaowei He, Huamin Wang, Fengjun Zhang, Hongan Wang, Guoping Wang, and Kun Zhou. Robust simulation of sparsely sampled thin features in sph-based free surface flows. *ACM Trans. Graph.*, 34(1):7:1–7:9, December 2014. URL: <http://doi.acm.org/10.1145/2682630>, doi:10.1145/2682630.
- [ICS+14] Markus Ihmsen, Jens Cornelis, Barbara Solenthaler, Christopher Horvath, and Matthias Teschner. Implicit incompressible sph. *IEEE Transactions on Visualization and Computer Graphics*, 20(3):426–435, March 2014. URL: <http://dx.doi.org/10.1109/TVCG.2013.105>, doi:10.1109/TVCG.2013.105.
- [IOS+14] Markus Ihmsen, Jens Orthmann, Barbara Solenthaler, Andreas Kolb, and Matthias Teschner. SPH Fluids in Computer Graphics. In Sylvain Lefebvre and Michela Spagnuolo, editors, *Eurographics 2014 - State of the Art Reports*. The Eurographics Association, 2014. URL: <http://dx.doi.org/10.2312/egst.20141034>, doi:10.2312/egst.20141034.
- [KB17] Dan Koschier and Jan Bender. Density maps for improved sph boundary handling. In *ACM SIGGRAPH/Eurographics Symposium on Computer Animation*, 1–10. July 2017. URL: <http://dx.doi.org/10.1145/3099564.3099565>, doi:10.1145/3099564.3099565.
- [KBST19] Dan Koschier, Jan Bender, Barbara Solenthaler, and Matthias Teschner. Smoothed particle hydrodynamics for physically-based simulation of fluids and solids. In *Eurographics 2019 - Tutorials*. Eurographics Association, 2019. URL: <https://interactivecomputergraphics.github.io/SPH-Tutorial>, doi:10.2312/egt.20191035.
- [MMuller13] Miles Macklin and Matthias Müller. Position based fluids. *ACM Trans. Graph.*, 32(4):104:1–104:12, July 2013. URL: <http://doi.acm.org/10.1145/2461912.2461984>, doi:10.1145/2461912.2461984.
- [MMullerCK14] Miles Macklin, Matthias Müller, Nuttapon Chentanez, and Tae-Yong Kim. Unified Particle Physics for Real-Time Applications. *ACM Trans. Graph.*, 33(4):1–12, 2014. URL: <http://doi.acm.org/10.1145/2601097.2601152>, doi:10.1145/2601097.2601152.
- [PICT15] A. Peer, M. Ihmsen, J. Cornelis, and M. Teschner. An Implicit Viscosity Formulation for SPH Fluids. *ACM Trans. Graph.*, 34(4):1–10, 2015. URL: <http://doi.acm.org/10.1145/2766925>, doi:10.1145/2766925.
- [PGBT17] Andreas Peer, Christoph Gissler, Stefan Band, and Matthias Teschner. An implicit sph formulation for incompressible linearly elastic solids. *Computer Graphics Forum*, 2017. URL: <http://dx.doi.org/10.1111/cgf.13317>, doi:10.1111/cgf.13317.
- [PT16] Andreas Peer and Matthias Teschner. Prescribed velocity gradients for highly viscous SPH fluids with vorticity diffusion. *IEEE Transactions on Visualization and Computer Graphics*, pages 1–9, 2016. URL: <http://dx.doi.org/10.1109/tvcg.2016.2636144>, doi:10.1109/tvcg.2016.2636144.
- [SB12] Hagit Schechter and Robert Bridson. Ghost sph for animating water. *ACM Trans. Graph.*, 31(4):61:1–61:8, July 2012. URL: <http://doi.acm.org/10.1145/2185520.2185557>, doi:10.1145/2185520.2185557.
- [SP09] B. Solenthaler and R. Pajarola. Predictive-corrective incompressible sph. *ACM Trans. Graph.*, 28(3):40:1–40:6, July 2009. URL: <http://doi.acm.org/10.1145/1531326.1531346>, doi:10.1145/1531326.1531346.
- [TDF+15] T. Takahashi, Y. Dobashi, I. Fujishiro, T. Nishita, and M.C. Lin. Implicit Formulation for SPH-based Viscous Fluids. *Computer Graphics Forum*, 34(2):493–502, 2015. URL: <http://dx.doi.org/10.1111/cgf.12578>, doi:10.1111/cgf.12578.
- [WKB16] Marcel Weiler, Dan Koschier, and Jan Bender. Projective fluids. In *Proceedings of the 9th International Conference on Motion in Games*, MIG ‘16, 79–84. New York, NY, USA, 2016. ACM. URL: <http://doi.acm.org/10.1145/2994258.2994282>, doi:10.1145/2994258.2994282.

- [WKBB18] Marcel Weiler, Dan Koschier, Magnus Brand, and Jan Bender. A physically consistent implicit viscosity solver for sph fluids. *Computer Graphics Forum (Eurographics)*, 2018. URL: <https://doi.org/10.1111/cgf.13349>, doi:10.1111/cgf.13349.

INDEX

Symbols

_USE_MATH_DEFINES (*C macro*), 187, 188

A

abs (*C++ function*), 177
AlignedBox2r (*C++ type*), 196
AlignedBox3r (*C++ type*), 196
AngleAxisr (*C++ type*), 196

C

compute_Vj (*C macro*), 188
compute_Vj_gradW (*C macro*), 188
compute_Vj_gradW_samephase (*C macro*), 188
compute_xj (*C macro*), 189
constant8f (*C++ function*), 178
convert_one (*C++ function*), 178

D

dyadicProduct (*C++ function*), 180

E

Eigen::internal::generic_product_impl<MatrixReplacement, Rhs, SparseShape, DenseShape, GemvProduct> (*C++ struct*), 60
Eigen::internal::generic_product_impl<MatrixReplacement, Rhs, SparseShape, DenseShape, GemvProduct>::Scalar (*C++ type*), 61
Eigen::internal::generic_product_impl<MatrixReplacement, Rhs, SparseShape, DenseShape, GemvProduct>::scaleAndAddTo (*C++ function*), 61
Eigen::internal::traits<SPH::MatrixReplacement> (*C++ struct*), 61

F

forall_boundary_neighbors (*C macro*), 189
forall_density_maps (*C macro*), 189
forall_fluid_neighbors (*C macro*), 189
forall_fluid_neighbors_in_same_phase (*C macro*), 190
forall_volume_maps (*C macro*), 190

FORCE_INLINE (*C macro*), 190

H

haltonVec323 (*C++ member*), 186

I

INCREASE_COUNTER (*C macro*), 190
INIT_COUNTING (*C macro*), 191
INIT_LOGGING (*C macro*), 191
INIT_TIMING (*C macro*), 191

L

LOG_DEBUG (*C macro*), 191
LOG_ERR (*C macro*), 191
LOG_INFO (*C macro*), 192
LOG_WARN (*C macro*), 192

M

Matrix2r (*C++ type*), 197
Matrix3f (*C++ type*), 197
Matrix3f8 (*C++ class*), 70
Matrix3f8::determinant (*C++ function*), 70
Matrix3f8::m (*C++ member*), 71
Matrix3f8::Matrix3f8 (*C++ function*), 70
Matrix3f8::operator () (*C++ function*), 70
Matrix3f8::operator* (*C++ function*), 70
Matrix3f8::operator+= (*C++ function*), 70
Matrix3f8::reduce (*C++ function*), 70
Matrix3f8::setCol (*C++ function*), 70
Matrix3f8::setZero (*C++ function*), 70
Matrix3f8::store (*C++ function*), 70
Matrix3f8::transpose (*C++ function*), 70
Matrix3r (*C++ type*), 197
Matrix4r (*C++ type*), 197
Matrix5r (*C++ type*), 197
Matrix6r (*C++ type*), 198
max (*C++ function*), 180

N

NeighborhoodSearch (*C++ type*), 198

O

operator!= (*C++ function*), 180
operator== (*C++ function*), 185
operator> (*C++ function*), 186
operator>= (*C++ function*), 186
operator< (*C++ function*), 185
operator<= (*C++ function*), 185

P

PD_USE_DIAGONAL_PRECONDITIONER (*C macro*),
192

Q

Quaternion8f (*C++ class*), 71
Quaternion8f::operator* (*C++ function*), 71
Quaternion8f::operator[] (*C++ function*), 71
Quaternion8f::q (*C++ member*), 72
Quaternion8f::Quaternion8f (*C++ function*),
71
Quaternion8f::set (*C++ function*), 71
Quaternion8f::store (*C++ function*), 71
Quaternion8f::toRotationMatrix (*C++ func-
tion*), 71
Quaternion8f::w (*C++ function*), 71
Quaternion8f::x (*C++ function*), 71
Quaternion8f::y (*C++ function*), 71
Quaternion8f::z (*C++ function*), 71
Quaternionr (*C++ type*), 198

R

Real (*C++ type*), 198
REAL_MAX (*C macro*), 192
REAL_MIN (*C macro*), 192
RealParameter (*C macro*), 193
RealParameterType (*C macro*), 193
RealVectorParameter (*C macro*), 193
RealVectorParameterType (*C macro*), 193
REPORT_MEMORY_LEAKS (*C macro*), 193

S

S_ISDIR (*C macro*), 194
S_ISREG (*C macro*), 194
Scalarf8 (*C++ class*), 72
Scalarf8::load (*C++ function*), 72
Scalarf8::operator= (*C++ function*), 72
Scalarf8::reduce (*C++ function*), 72
Scalarf8::rsqrt (*C++ function*), 72
Scalarf8::Scarf8 (*C++ function*), 72
Scalarf8::setZero (*C++ function*), 72
Scalarf8::sqrt (*C++ function*), 72
Scalarf8::store (*C++ function*), 72
Scalarf8::v (*C++ member*), 72
SPH::AdhesionKernel (*C++ class*), 73

SPH::AdhesionKernel::getRadius (*C++ func-
tion*), 73
SPH::AdhesionKernel::m_k (*C++ member*), 73
SPH::AdhesionKernel::m_radius (*C++ mem-
ber*), 73
SPH::AdhesionKernel::m_W_zero (*C++ mem-
ber*), 73
SPH::AdhesionKernel::setRadius (*C++ func-
tion*), 73
SPH::AdhesionKernel::W (*C++ function*), 73
SPH::AdhesionKernel::W_zero (*C++ function*),
73
SPH::AnimationField (*C++ class*), 73
SPH::AnimationField::~AnimationField
(*C++ function*), 73
SPH::AnimationField::AnimationField
(*C++ function*), 73
SPH::AnimationField::m_endTime (*C++ mem-
ber*), 74
SPH::AnimationField::m_expression (*C++
member*), 74
SPH::AnimationField::m_particleFieldName
(*C++ member*), 74
SPH::AnimationField::m_rotation (*C++
member*), 74
SPH::AnimationField::m_scale (*C++ mem-
ber*), 74
SPH::AnimationField::mStartTime (*C++
member*), 74
SPH::AnimationField::m_type (*C++ member*),
74
SPH::AnimationField::m_x (*C++ member*), 74
SPH::AnimationField::reset (*C++ function*),
73
SPH::AnimationField::setEndTime (*C++
function*), 73
SPH::AnimationField::setStartTime (*C++
function*), 73
SPH::AnimationField::step (*C++ function*), 73
SPH::AnimationFieldSystem (*C++ class*), 74
SPH::AnimationFieldSystem::~AnimationFieldSystem
(*C++ function*), 74
SPH::AnimationFieldSystem::addAnimationField
(*C++ function*), 74
SPH::AnimationFieldSystem::AnimationFieldSystem
(*C++ function*), 74
SPH::AnimationFieldSystem::getAnimationFields
(*C++ function*), 74
SPH::AnimationFieldSystem::m_fields
(*C++ member*), 75
SPH::AnimationFieldSystem::numAnimationFields
(*C++ function*), 74
SPH::AnimationFieldSystem::reset (*C++
function*), 74

```

SPH::AnimationFieldSystem::step      (C++    SPH::BlockJacobiPreconditioner3D::m(userData
                                         function), 74                                (C++ member), 77
SPH::BinaryFileReader (C++ class), 75          SPH::BlockJacobiPreconditioner3D::rows
SPH::BinaryFileReader::closeFile   (C++    (C++ function), 76
                                         function), 75          SPH::BlockJacobiPreconditioner3D::solve
                                         (C++ member), 75          (C++ function), 76
SPH::BinaryFileReader::openFile    (C++    SPH::BlockJacobiPreconditioner3D::StorageIndex
                                         function), 75          (C++ type), 76
SPH::BinaryFileReader::read (C++ function), 75          SPH::BlockJacobiPreconditioner3D::[anonymous]
                                         75                                (C++ enum), 76
SPH::BinaryFileReader::readBuffer (C++    SPH::BlockJacobiPreconditioner3D::[anonymous] ::Cols
                                         function), 75          (C++ enumerator), 76
SPH::BinaryFileReader::readMatrix (C++    SPH::BlockJacobiPreconditioner3D::[anonymous] ::Max
                                         function), 75          (C++ enumerator), 76
SPH::BinaryStreamWriter (C++ class), 75          SPH::BoundaryHandlingMethods (C++ enum),
SPH::BinaryStreamWriter::closeFile (C++    173
                                         function), 75          SPH::BoundaryHandlingMethods::Akinci2012
                                         (C++ member), 75          (C++ enumerator), 173
SPH::BinaryStreamWriter::m_file (C++    SPH::BoundaryHandlingMethods::Bender2019
                                         member), 76          (C++ type), 173
SPH::BinaryStreamWriter::openFile  (C++    SPH::BoundaryHandlingMethods::Koschier2017
                                         function), 75          (C++ enumerator), 173
SPH::BinaryStreamWriter::write   (C++    SPH::BoundaryHandlingMethods::NumSimulationMethods
                                         function), 75          (C++ enumerator), 173
SPH::BinaryStreamWriter::writeBuffer (C++  SPH::BoundaryModel (C++ class), 77
                                         function), 75          SPH::BoundaryModel::~BoundaryModel (C++ type),
SPH::BinaryStreamWriter::writeMatrix (C++  SPH::BoundaryModel::BoundaryModel (C++ function),
                                         function), 75          77
SPH::BlockJacobiPreconditioner3D (C++    SPH::BoundaryModel::clearForceAndTorque
                                         class), 76          (C++ function), 77
SPH::BlockJacobiPreconditioner3D::_solve_Impl (C++  SPH::BoundaryModel::getForceAndTorque
                                         function), 76          (C++ function), 77
SPH::BlockJacobiPreconditioner3D::analyzePatter (C++  SPH::BoundaryModel::getRigidBodyObject
                                         function), 76          (C++ function), 77
SPH::BlockJacobiPreconditioner3D::BlockJacobiPreconditioner3D (C++  SPH::BoundaryModel::loadState (C++ function),
                                         function), 76          77
SPH::BlockJacobiPreconditioner3D::cols     (C++  SPH::BoundaryModel::m_forcePerThread
                                         function), 76          (C++ member), 78
SPH::BlockJacobiPreconditioner3D::compute  (C++  SPH::BoundaryModel::m_rigidBody (C++ type),
                                         function), 76          78
SPH::BlockJacobiPreconditioner3D::DiagonalMatrix (C++  SPH::BoundaryModel::m_torquePerThread
                                         type), 76          (C++ member), 78
SPH::BlockJacobiPreconditioner3D::factorize (C++  SPH::BoundaryModel::performNeighborhoodSearchSort
                                         function), 76          (C++ function), 77
SPH::BlockJacobiPreconditioner3D::info     (C++  SPH::BoundaryModel::reset (C++ function), 77
                                         function), 76          SPH::BoundaryModel::saveState (C++ function),
SPH::BlockJacobiPreconditioner3D::init     (C++  77
                                         function), 76          SPH::BoundaryModel::SPHILEBoundaryModel_Akinci2012 (C++ class),
SPH::BlockJacobiPreconditioner3D::m_diag  (C++  78
                                         member), 77          SPH::BoundaryModel_Akinci2012::~BoundaryModel_Akinci2012
                                         (C++ member), 77          (C++ function), 78
SPH::BlockJacobiPreconditioner3D::m_dim   SPH::BoundaryModel_Akinci2012::BoundaryModel_Akinci2012
                                         (C++ member), 77          (C++ function), 78
SPH::BlockJacobiPreconditioner3D::m_invD  SPH::BoundaryModel_Akinci2012::BoundaryModel_Akinci2012
                                         (C++ member), 77          (C++ function), 78

```

```
SPH::BoundaryModel_Akinci2012::computeBoschardBoundaryModel_Bender2019::m_maxVel  
    (C++ function), 78  
    (C++ member), 80  
SPH::BoundaryModel_Akinci2012::getPointsSPH::BoundaryModel_Bender2019::reset  
    (C++ function), 78  
    (C++ member), 80  
SPH::BoundaryModel_Akinci2012::initModelSPH::BoundaryModel_Bender2019::setMap  
    (C++ function), 78  
    (C++ member), 80  
SPH::BoundaryModel_Akinci2012::isSorted SPH::BoundaryModel_Bender2019::setMaxDist  
    (C++ function), 78  
    (C++ member), 80  
SPH::BoundaryModel_Akinci2012::loadStateSPH::BoundaryModel_Bender2019::setMaxVel  
    (C++ function), 78  
    (C++ member), 80  
SPH::BoundaryModel_Akinci2012::m_pointSetsSPH::BoundaryModel_Koschier2017 (C++  
    (C++ member), 79  
    class), 81  
SPH::BoundaryModel_Akinci2012::m_sorted SPH::BoundaryModel_Koschier2017::~BoundaryModel_Kos  
    (C++ member), 79  
    (C++ function), 81  
SPH::BoundaryModel_Akinci2012::m_V (C++ SPH::BoundaryModel_Koschier2017::BoundaryModel_Kos  
    member), 79  
    (C++ function), 81  
SPH::BoundaryModel_Akinci2012::m_v (C++ SPH::BoundaryModel_Koschier2017::getMap  
    member), 79  
    (C++ function), 81  
SPH::BoundaryModel_Akinci2012::m_x (C++ SPH::BoundaryModel_Koschier2017::getMaxDist  
    member), 79  
    (C++ function), 81  
SPH::BoundaryModel_Akinci2012::m_x0 SPH::BoundaryModel_Koschier2017::getMaxVel  
    (C++ member), 79  
    (C++ function), 81  
SPH::BoundaryModel_Akinci2012::numberOfParHicBoundaryModel_Koschier2017::initModel  
    (C++ function), 78  
    (C++ member), 81  
SPH::BoundaryModel_Akinci2012::performNeighborhoodBoundaryModel_Koschier2017::m_boundaryDensity  
    (C++ function), 78  
    (C++ member), 81  
SPH::BoundaryModel_Akinci2012::reset SPH::BoundaryModel_Koschier2017::m_boundaryDensity  
    (C++ function), 78  
    (C++ member), 81  
SPH::BoundaryModel_Akinci2012::resize SPH::BoundaryModel_Koschier2017::m_boundaryXj  
    (C++ function), 78  
    (C++ member), 81  
SPH::BoundaryModel_Akinci2012::saveStateSPH::BoundaryModel_Koschier2017::m_map  
    (C++ function), 78  
    (C++ member), 81  
SPH::BoundaryModel_Bender2019 (C++ class), SPH::BoundaryModel_Koschier2017::m_maxDist  
    79  
    (C++ member), 81  
SPH::BoundaryModel_Bender2019::~BoundaryModel_Bender2019::m_maxVel  
    (C++ function), 80  
    (C++ member), 81  
SPH::BoundaryModel_Bender2019::BoundaryModel_Bender2019::reset  
    (C++ function), 80  
    (C++ member), 81  
SPH::BoundaryModel_Bender2019::getMap SPH::BoundaryModel_Koschier2017::setMap  
    (C++ function), 80  
    (C++ function), 81  
SPH::BoundaryModel_Bender2019::getMaxDistSPH::BoundaryModel_Koschier2017::setMaxDist  
    (C++ function), 80  
    (C++ function), 81  
SPH::BoundaryModel_Bender2019::getMaxVelSPH::BoundaryModel_Koschier2017::setMaxVel  
    (C++ function), 80  
    (C++ function), 81  
SPH::BoundaryModel_Bender2019::initModelSPH::CohesionKernel (C++ class), 82  
    (C++ function), 80  
    SPH::CohesionKernel::getRadius (C++ func-  
    (C++ member), 80  
    SPH::CohesionKernel::m_c (C++ member), 82  
SPH::BoundaryModel_Bender2019::m_boundaryVolume (C++ member), 82  
    (C++ member), 80  
    SPH::CohesionKernel::m_k (C++ member), 82  
    (C++ member), 80  
    SPH::CohesionKernel::m_radius (C++ mem-  
    ber), 82  
SPH::BoundaryModel_Bender2019::m_map  
    (C++ member), 80  
    SPH::CohesionKernel::m_W_zero (C++ mem-  
    ber), 82  
SPH::BoundaryModel_Bender2019::m_maxDist  
    (C++ member), 80  
    SPH::CohesionKernel::setRadius (C++ func-
```

tion), 82	
SPH::CohesionKernel::W (C++ function), 82	SPH::DebugTools::initParameters (C++ function), 85
SPH::CohesionKernel::W_zero (C++ function), 82	SPH::DebugTools::m_determineNumNeighbors (C++ member), 85
SPH::CubicKernel (C++ class), 82	SPH::DebugTools::m_determineThreadIds (C++ member), 85
SPH::CubicKernel2D (C++ class), 83	SPH::DebugTools::m_determineVelocityChanges (C++ member), 85
SPH::CubicKernel2D::getRadius (C++ function), 83	SPH::DebugTools::m_numNeighbors (C++ member), 85
SPH::CubicKernel2D::gradW (C++ function), 83	SPH::DebugTools::m_threadIds (C++ member), 85
SPH::CubicKernel2D::m_k (C++ member), 84	SPH::DebugTools::m_velocityChanges (C++ member), 85
SPH::CubicKernel2D::m_l (C++ member), 84	SPH::DebugTools::m_vOld (C++ member), 85
SPH::CubicKernel2D::m_radius (C++ member), 84	SPH::DebugTools::performNeighborhoodSearchSort (C++ function), 84
SPH::CubicKernel2D::m_W_zero (C++ member), 84	SPH::DebugTools::reset (C++ function), 84
SPH::CubicKernel2D::setRadius (C++ function), 83	SPH::DebugTools::step (C++ function), 84
SPH::CubicKernel2D::W (C++ function), 83	SPH::DragBase (C++ class), 85
SPH::CubicKernel2D::W_zero (C++ function), 83	SPH::DragBase::~DragBase (C++ function), 86
SPH::CubicKernel::getRadius (C++ function), 83	SPH::DragBase::DRAG_COEFFICIENT (C++ member), 86
SPH::CubicKernel::gradW (C++ function), 83	SPH::DragBase::DragBase (C++ function), 86
SPH::CubicKernel::m_k (C++ member), 83	SPH::DragBase::initParameters (C++ function), 86
SPH::CubicKernel::m_l (C++ member), 83	SPH::DragBase::m_dragCoefficient (C++ member), 86
SPH::CubicKernel::m_radius (C++ member), 83	SPH::DragForce_Gissler2017 (C++ class), 86
SPH::CubicKernel::m_W_zero (C++ member), 83	SPH::DragForce_Gissler2017::~DragForce_Gissler2017 (C++ function), 86
SPH::CubicKernel::setRadius (C++ function), 83	SPH::DragForce_Gissler2017::C_b (C++ member), 87
SPH::CubicKernel::W (C++ function), 83	SPH::DragForce_Gissler2017::C_d (C++ member), 87
SPH::CubicKernel::W_zero (C++ function), 83	SPH::DragForce_Gissler2017::C_F (C++ member), 87
SPH::DebugTools (C++ class), 84	SPH::DragForce_Gissler2017::C_k (C++ member), 87
SPH::DebugTools::~DebugTools (C++ function), 84	SPH::DragForce_Gissler2017::DragForce_Gissler2017 (C++ function), 86
SPH::DebugTools::cleanup (C++ function), 84	SPH::DragForce_Gissler2017::mu_a (C++ member), 87
SPH::DebugTools::DebugTools (C++ function), 84	SPH::DragForce_Gissler2017::mu_l (C++ member), 87
SPH::DebugTools::DETERMINE_NUM_NEIGHBORSSPH::DragForce_Gissler2017::DragForce_Gissler2017 (C++ member), 84	SPH::DragForce_Gissler2017::reset (C++ function), 86
SPH::DebugTools::DETERMINE_THREAD_IDS (C++ member), 84	SPH::DragForce_Gissler2017::rho_a (C++ member), 87
SPH::DebugTools::DETERMINE_VELOCITY_CHANGES (C++ member), 84	SPH::DragForce_Gissler2017::sigma (C++ member), 87
SPH::DebugTools::determineNumNeighbors (C++ function), 85	SPH::DragForce_Gissler2017::step (C++ function), 86
SPH::DebugTools::determineThreadIds (C++ function), 85	SPH::DragForce_Macklin2014 (C++ class), 87
SPH::DebugTools::determineVelocityChange (C++ function), 85	
SPH::DebugTools::emittedParticles (C++ function), 84	
SPH::DebugTools::init (C++ function), 84	

SPH::DragForce_Macklin2014::~DragForce_Macklin2014 (C++ function), 88
SPH::DragForce_Macklin2014::DragForce_Macklin2014 (C++ function), 88
SPH::DragForce_Macklin2014::reset (C++ function), 87
SPH::DragForce_Macklin2014::step (C++ function), 87
SPH::DragMethods (C++ enum), 174
SPH::DragMethods::Gissler2017 (C++ enumerator), 174
SPH::DragMethods::Macklin2014 (C++ enumerator), 174
SPH::DragMethods::None (C++ enumerator), 174
SPH::DragMethods::NumDragMethods (C++ enumerator), 174
SPH::Elasticity_Becker2009 (C++ class), 88
SPH::Elasticity_Becker2009::~Elasticity_Becker2009 (C++ function), 88
SPH::Elasticity_Becker2009::ALPHA (C++ member), 88
SPH::Elasticity_Becker2009::computeForces (C++ function), 88
SPH::Elasticity_Becker2009::computeRotations (C++ function), 88
SPH::Elasticity_Becker2009::computeStress (C++ function), 88
SPH::Elasticity_Becker2009::Elasticity_Becker2009 (C++ function), 88
SPH::Elasticity_Becker2009::initParameters (C++ function), 88
SPH::Elasticity_Becker2009::initValues (C++ function), 88
SPH::Elasticity_Becker2009::loadState (C++ function), 88
SPH::Elasticity_Becker2009::m_alpha (C++ member), 89
SPH::Elasticity_Becker2009::m_current_to_initial (C++ member), 89
SPH::Elasticity_Becker2009::m_F (C++ member), 89
SPH::Elasticity_Becker2009::m_maxError (C++ member), 90
SPH::Elasticity_Becker2009::m_maxIter (C++ member), 90
SPH::Elasticity_Becker2009::m_neighborhood (C++ member), 90
SPH::Elasticity_Becker2009::m_restVolumes (C++ member), 90
SPH::Elasticity_Becker2009::m_RL (C++ member), 90
SPH::Elasticity_Becker2009::m_rotations (C++ member), 90
SPH::Elasticity_Becker2009::m_stress (C++ member), 90
SPH::Elasticity_Becker2009::performNeighborhood (C++ function), 88
SPH::Elasticity_Becker2009::reset (C++ function), 88
SPH::Elasticity_Becker2009::saveState (C++ function), 88
SPH::Elasticity_Becker2009::step (C++ function), 88
SPH::Elasticity_Peer2018 (C++ class), 89
SPH::Elasticity_Peer2018::~Elasticity_Peer2018 (C++ function), 89
SPH::Elasticity_Peer2018::ALPHA (C++ member), 90
SPH::Elasticity_Peer2018::computeMatrixL (C++ function), 90
SPH::Elasticity_Peer2018::computeRHS (C++ function), 90
SPH::Elasticity_Peer2018::computeRotations (C++ function), 90
SPH::Elasticity_Peer2018::Elasticity_Peer2018 (C++ class), 89
SPH::Elasticity_Peer2018::initParameters (C++ function), 90
SPH::Elasticity_Peer2018::initValues (C++ function), 90
SPH::Elasticity_Peer2018::ITERATIONS (C++ member), 90
SPH::Elasticity_Peer2018::loadState (C++ function), 90
SPH::Elasticity_Peer2018::m_alpha (C++ member), 90
SPH::Elasticity_Peer2018::m_current_to_initial_index (C++ member), 90
SPH::Elasticity_Peer2018::m_F (C++ member), 90
SPH::Elasticity_Peer2018::m_maxError (C++ member), 90
SPH::Elasticity_Peer2018::m_maxIter (C++ member), 90
SPH::Elasticity_Peer2018::m_neighborhood (C++ member), 90
SPH::Elasticity_Peer2018::m_restVolumes (C++ member), 90
SPH::Elasticity_Peer2018::m_RL (C++ member), 90
SPH::Elasticity_Peer2018::m_rotations (C++ member), 90
SPH::Elasticity_Peer2018::m_solver (C++ member), 90
SPH::Elasticity_Peer2018::m_stress (C++ member), 90

```

SPH::Elasticity_Peer2018::matrixVecProd (C++ function), 90
SPH::Elasticity_Peer2018::MAX_ERROR (C++ member), 90
SPH::Elasticity_Peer2018::MAX_ITERATIONS (C++ member), 90
SPH::Elasticity_Peer2018::performNeighboSPH::Elasticity_Peer2018::SHoodEmittersForm_height (C++ member), 93
SPH::Elasticity_Peer2018::reset (C++ function), 89
SPH::Elasticity_Peer2018::saveState (C++ function), 89
SPH::Elasticity_Peer2018::Solver (C++ type), 90
SPH::Elasticity_Peer2018::step (C++ function), 89
SPH::ElasticityBase (C++ class), 91
SPH::ElasticityBase::~ElasticityBase (C++ function), 91
SPH::ElasticityBase::ElasticityBase (C++ function), 91
SPH::ElasticityBase::initParameters (C++ function), 91
SPH::ElasticityBase::m_poissonRatio (C++ member), 91
SPH::ElasticityBase::m_youngsModulus (C++ member), 91
SPH::ElasticityBase::POISSON_RATIO (C++ member), 91
SPH::ElasticityBase::YOUNGS_MODULUS (C++ member), 91
SPH::ElasticityMethods (C++ enum), 174
SPH::ElasticityMethods::Becker2009 (C++ enumerator), 174
SPH::ElasticityMethods::None (C++ enumerator), 174
SPH::ElasticityMethods::NumElasticityMethods (C++ enumerator), 174
SPH::ElasticityMethods::Peer2018 (C++ enumerator), 174
SPH::Emitter (C++ class), 92
SPH::Emitter::~Emitter (C++ function), 92
SPH::Emitter::emitParticles (C++ function), 92
SPH::Emitter::emitParticlesCircle (C++ function), 92
SPH::Emitter::Emitter (C++ function), 92
SPH::Emitter::getNextEmitTime (C++ function), 92
SPH::Emitter::getPosition (C++ function), 92
SPH::Emitter::getRotation (C++ function), 92
SPH::Emitter::getSize (C++ function), 92
SPH::Emitter::getVelocity (C++ function), 92
SPH::Emitter::loadState (C++ function), 92
SPH::Emitter::m_emitCounter (C++ member), 93
SPH::Emitter::m_emitEndTime (C++ member), 93
SPH::Emitter::m_emitStartTime (C++ member), 93
SPH::Emitter::m_model (C++ member), 93
SPH::Emitter::m_nextEmitTime (C++ member), 93
SPH::Emitter::m_rotation (C++ member), 93
SPH::Emitter::m_type (C++ member), 93
SPH::Emitter::m_velocity (C++ member), 93
SPH::Emitter::m_width (C++ member), 93
SPH::Emitter::m_x (C++ member), 93
SPH::Emitter::reset (C++ function), 92
SPH::Emitter::saveState (C++ function), 92
SPH::Emitter::setEmitEndTime (C++ function), 92
SPH::Emitter::setEmitStartTime (C++ function), 92
SPH::Emitter::setNextEmitTime (C++ function), 92
SPH::Emitter::setPosition (C++ function), 92
SPH::Emitter::setRotation (C++ function), 92
SPH::Emitter::setVelocity (C++ function), 92
SPH::Emitter::step (C++ function), 92
SPH::EmitterSystem (C++ class), 93
SPH::EmitterSystem::~EmitterSystem (C++ function), 93
SPH::EmitterSystem::addEmitter (C++ function), 93
SPH::EmitterSystem::disableReuseParticles (C++ function), 93
SPH::EmitterSystem::EmitterSystem (C++ function), 93
SPH::EmitterSystem::enableReuseParticles (C++ function), 93
SPH::EmitterSystem::getEmitters (C++ function), 93
SPH::EmitterSystem::loadState (C++ function), 94
SPH::EmitterSystem::m_boxMax (C++ member), 94
SPH::EmitterSystem::m_boxMin (C++ member), 94
SPH::EmitterSystem::m_emitters (C++ member), 94
SPH::EmitterSystem::m_maxParticlesToReusePerStep (C++ member), 94
SPH::EmitterSystem::m_model (C++ member), 94
SPH::EmitterSystem::m_numberOfEmittedParticles (C++ member), 94

```

SPH::EmitterSystem::m_numReusedParticlesSPH::FluidModel::DENSITY0 (*C++ member*), 97
 (*C++ member*), 94
 SPH::EmitterSystem::m_reusedParticles
 (*C++ member*), 94
 SPH::EmitterSystem::m_reuseParticles
 (*C++ member*), 94
 SPH::EmitterSystem::numEmittedParticles
 (*C++ function*), 93
 SPH::EmitterSystem::numEmitters (*C++ function*), 93
 SPH::EmitterSystem::numReusedParticles
 (*C++ function*), 93
 SPH::EmitterSystem::reset (*C++ function*), 93
 SPH::EmitterSystem::reuseParticles (*C++ function*), 94
 SPH::EmitterSystem::saveState (*C++ function*), 94
 SPH::EmitterSystem::step (*C++ function*), 93
 SPH::FieldDescription (*C++ struct*), 61
 SPH::FieldDescription::FieldDescription
 (*C++ function*), 61
 SPH::FieldDescription::getFct (*C++ member*), 62
 SPH::FieldDescription::name (*C++ member*), 62
 SPH::FieldDescription::storeData (*C++ member*), 62
 SPH::FieldDescription::type (*C++ member*), 62
 SPH::FieldType (*C++ enum*), 174
 SPH::FieldType::Matrix3 (*C++ enumerator*), 174
 SPH::FieldType::Matrix6 (*C++ enumerator*), 174
 SPH::FieldType::Scalar (*C++ enumerator*), 174
 SPH::FieldType::UInt (*C++ enumerator*), 174
 SPH::FieldType::Vector3 (*C++ enumerator*), 174
 SPH::FieldType::Vector6 (*C++ enumerator*), 174
 SPH::FluidModel (*C++ class*), 94
 SPH::FluidModel::~FluidModel (*C++ function*), 95
 SPH::FluidModel::addField (*C++ function*), 95
 SPH::FluidModel::computeDragForce (*C++ function*), 96
 SPH::FluidModel::computeElasticity (*C++ function*), 96
 SPH::FluidModel::computeSurfaceTension
 (*C++ function*), 96
 SPH::FluidModel::computeViscosity (*C++ function*), 96
 SPH::FluidModel::computeVorticity (*C++ function*), 96
 SPH::FluidModel::DENSITY0 (*C++ member*), 97
 (*C++ member*), 94
 SPH::FluidModel::DRAG_METHOD (*C++ member*), 97
 SPH::FluidModel::ELASTICITY_METHOD (*C++ member*), 97
 SPH::FluidModel::emittedParticles (*C++ function*), 95
 SPH::FluidModel::ENUM_DRAG_GISSLER2017
 (*C++ member*), 97
 SPH::FluidModel::ENUM_DRAG_MACKLIN2014
 (*C++ member*), 97
 SPH::FluidModel::ENUM_DRAG_NONE (*C++ member*), 97
 SPH::FluidModel::ENUM_ELASTICITY_BECKER2009
 (*C++ member*), 98
 SPH::FluidModel::ENUM_ELASTICITY_NONE
 (*C++ member*), 98
 SPH::FluidModel::ENUM_ELASTICITY_PEER2018
 (*C++ member*), 98
 SPH::FluidModel::ENUM_SURFACTENSION_AKINCI2013
 (*C++ member*), 97
 SPH::FluidModel::ENUM_SURFACTENSION_BECKER2007
 (*C++ member*), 97
 SPH::FluidModel::ENUM_SURFACTENSION_HE2014
 (*C++ member*), 97
 SPH::FluidModel::ENUM_SURFACTENSION_NONE
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VISCOSITY_BENDER2017
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VISCOSITY_NONE
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VISCOSITY_PEER2015
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VISCOSITY_PEER2016
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VISCOSITY_STANDARD
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VISCOSITY_TAKAHASHI2015
 (*C++ member*), 98
 SPH::FluidModel::ENUM_VISCOSITY_WEILER2018
 (*C++ member*), 98
 SPH::FluidModel::ENUM_VISCOSITY_XSPH
 (*C++ member*), 97
 SPH::FluidModel::ENUM_VORTICITY_MICROPOLAR
 (*C++ member*), 98
 SPH::FluidModel::ENUM_VORTICITY_NONE
 (*C++ member*), 98
 SPH::FluidModel::ENUM_VORTICITY_VC (*C++ member*), 98
 SPH::FluidModel::FluidModel (*C++ function*), 95
 SPH::FluidModel::getDragBase (*C++ function*), 96
 SPH::FluidModel::getDragMethod (*C++ func-*

```

tion), 95
SPH::FluidModel::getElasticityBase (C++ function), 96
SPH::FluidModel::getElasticityMethod (C++ function), 95
SPH::FluidModel::getEmitterSystem (C++ function), 95
SPH::FluidModel::getField (C++ function), 95
SPH::FluidModel::getFields (C++ function),
95
SPH::FluidModel::getId (C++ function), 95
SPH::FluidModel::getNumActiveParticles0 (C++ function), 95
SPH::FluidModel::getPointSetIndex (C++ function), 95
SPH::FluidModel::getSurfaceTensionBase (C++ function), 96
SPH::FluidModel::getSurfaceTensionMethodSPH::FluidModel::m_surfaceTensionMethodChanged (C++ function), 95
SPH::FluidModel::getViscosityBase (C++ function), 96
SPH::FluidModel::getViscosityMethod (C++ function), 95
SPH::FluidModel::getVorticityBase (C++ function), 96
SPH::FluidModel::getVorticityMethod (C++ function), 95
SPH::FluidModel::init (C++ function), 95
SPH::FluidModel::initMasses (C++ function),
98
SPH::FluidModel::initModel (C++ function),
95
SPH::FluidModel::initParameters (C++ function), 98
SPH::FluidModel::loadState (C++ function), 96
SPH::FluidModel::m_a (C++ member), 98
SPH::FluidModel::m_density (C++ member),
98
SPH::FluidModel::m_density0 (C++ member),
99
SPH::FluidModel::m_drag (C++ member), 99
SPH::FluidModel::m_dragMethod (C++ member), 99
SPH::FluidModel::m_dragMethodChanged (C++ member), 99
SPH::FluidModel::m_elasticity (C++ member), 99
SPH::FluidModel::m_elasticityMethod (C++ member), 99
SPH::FluidModel::m_elasticityMethodChangeSEH::FluidModel::performNeighborhoodSearchSort (C++ member), 99
SPH::FluidModel::m_emitterSystem (C++ member), 98
SPH::FluidModel::m_fields (C++ member), 99
SPH::FluidModel::m_id (C++ member), 98
SPH::FluidModel::m_masses (C++ member), 98
SPH::FluidModel::m_numActiveParticles
(C++ member), 99
SPH::FluidModel::m_numActiveParticles0
(C++ member), 99
SPH::FluidModel::m_particleId (C++ member), 98
SPH::FluidModel::m_particleState (C++ member), 98
SPH::FluidModel::m_pointSetIndex (C++ member), 99
SPH::FluidModel::m_surfaceTension (C++ member), 98
SPH::FluidModel::m_surfaceTensionMethod
(C++ member), 98
SPH::FluidModel::m_surfaceTensionMethodChanged (C++ member), 99
SPH::FluidModel::m_V (C++ member), 98
SPH::FluidModel::m_v (C++ member), 98
SPH::FluidModel::m_v0 (C++ member), 98
SPH::FluidModel::m_viscosity (C++ member), 98
SPH::FluidModel::m_viscosityMethod (C++ member), 98
SPH::FluidModel::m_viscosityMethodChanged
(C++ member), 99
SPH::FluidModel::m_vorticity (C++ member), 98
SPH::FluidModel::m_vorticityMethod (C++ member), 98
SPH::FluidModel::m_vorticityMethodChanged
(C++ member), 99
SPH::FluidModel::m_x (C++ member), 98
SPH::FluidModel::m_x0 (C++ member), 98
SPH::FluidModel::NUM_PARTICLES (C++ member), 97
SPH::FluidModel::NUM_REUSE_PARTICLES
(C++ member), 97
SPH::FluidModel::numActiveParticles
(C++ function), 95
SPH::FluidModel::numberOfFields (C++ function), 95
SPH::FluidModel::numberOfParticles (C++ function), 95
SPH::FluidModel::numParticles (C++ function), 95
SPH::FluidModel::operator= (C++ function),
95
SPH::FluidModel::releaseFluidParticles
(C++ function), 98

```

SPH::FluidModel::removeFieldByName (*C++ function*), 95
 SPH::FluidModel::reset (*C++ function*), 95
 SPH::FluidModel::resizeFluidParticles (*C++ function*), 98
 SPH::FluidModel::saveState (*C++ function*), 96
 SPH::FluidModel::setDensity0 (*C++ function*), 95
 SPH::FluidModel::setDragMethod (*C++ function*), 95
 SPH::FluidModel::setDragMethodChangedCal\$B\$H\$e\$C\$JacobiPreconditioner1D::info (*C++ function*), 96
 SPH::FluidModel::setElasticityMethod (*C++ function*), 96
 SPH::FluidModel::setElasticityMethodChanged\$B\$H\$e\$C\$JacobiPreconditioner1D::JacobiPreconditioner1D::info (*C++ function*), 96
 SPH::FluidModel::setNumActiveParticles (*C++ function*), 95
 SPH::FluidModel::setNumActiveParticles0 (*C++ function*), 95
 SPH::FluidModel::setSurfaceMethodChanged\$B\$H\$e\$C\$JacobiPreconditioner1D::m_diagonalElementFct (*C++ member*), 101
 SPH::FluidModel::setSurfaceTensionMethod (*C++ function*), 95
 SPH::FluidModel::setViscosityMethod (*C++ function*), 95
 SPH::FluidModel::setViscosityMethodChanged\$B\$H\$e\$C\$JacobiPreconditioner1D::solve (*C++ function*), 100
 SPH::FluidModel::setVorticityMethod (*C++ function*), 95
 SPH::FluidModel::setVorticityMethodChanged\$B\$H\$e\$C\$JacobiPreconditioner1D::[anonymous] (*C++ enum*), 100
 SPH::FluidModel::SURFACE_TENSION_METHOD (*C++ member*), 97
 SPH::FluidModel::VISCOSITY_METHOD (*C++ member*), 97
 SPH::FluidModel::VORTICITY_METHOD (*C++ member*), 97
 SPH::gaussian_abscissae_1 (*C++ member*), 186
 SPH::gaussian_n_1 (*C++ member*), 187
 SPH::gaussian_weights_1 (*C++ member*), 187
 SPH::GaussQuadrature (*C++ class*), 99
 SPH::GaussQuadrature::Domain (*C++ type*), 99
 SPH::GaussQuadrature::exportSamples (*C++ function*), 99
 SPH::GaussQuadrature::Integrand (*C++ type*), 99
 SPH::GaussQuadrature::integrate (*C++ function*), 99
 SPH::JacobiPreconditioner1D (*C++ class*), 100
 SPH::JacobiPreconditioner1D::_solve_implSPH::JacobiPreconditioner3D::init (*C++ function*), 100
 SPH::JacobiPreconditioner1D::analyzePattern (*C++ function*), 100
 SPH::JacobiPreconditioner1D::cols (*C++ function*), 100
 SPH::JacobiPreconditioner1D::compute (*C++ function*), 100
 SPH::JacobiPreconditioner1D::DiagonalMatrixElement (*C++ type*), 100
 SPH::JacobiPreconditioner1D::factorize (*C++ function*), 100
 SPH::JacobiPreconditioner1D::info (*C++ function*), 100
 SPH::JacobiPreconditioner1D::init (*C++ function*), 100
 SPH::JacobiPreconditioner1D::rows (*C++ function*), 100
 SPH::JacobiPreconditioner1D::StorageIndex (*C++ type*), 100
 SPH::JacobiPreconditioner1D::[anonymous] (*C++ enumerator*), 100
 SPH::JacobiPreconditioner1D::[anonymous] (*C++ enumerator*), 100
 SPH::JacobiPreconditioner3D (*C++ class*), 101
 SPH::JacobiPreconditioner3D::_solve_Impl (*C++ function*), 101
 SPH::JacobiPreconditioner3D::analyzePattern (*C++ function*), 101
 SPH::JacobiPreconditioner3D::cols (*C++ function*), 101
 SPH::JacobiPreconditioner3D::compute (*C++ function*), 101
 SPH::JacobiPreconditioner3D::DiagonalMatrixElement (*C++ type*), 101
 SPH::JacobiPreconditioner3D::factorize (*C++ function*), 101
 SPH::JacobiPreconditioner3D::info (*C++ function*), 101
 SPH::JacobiPreconditioner3D::init (*C++ function*), 101

function), 101
 SPH::JacobiPreconditioner3D::JacobiPreconditioner3D::RealScalar (*C++ type*), 103
 SPH::JacobiPreconditioner3D::m_diagonaleSPH::MatrixReplacement::rows (*C++ function*), 103
 SPH::JacobiPreconditioner3D::m_dim (*C++ member*), 102 SPH::MatrixReplacement::Scalar (*C++ type*), 103
 SPH::JacobiPreconditioner3D::m_invDiag SPH::MatrixReplacement::StorageIndex (*C++ type*), 103
 SPH::JacobiPreconditioner3D::m_userData SPH::MatrixReplacement:: [anonymous] (*C++ enum*), 103
 SPH::JacobiPreconditioner3D::rows (*C++ function*), 101 SPH::MatrixReplacement:: [anonymous]::ColsAtCompileTime (*C++ enumerator*), 103
 SPH::JacobiPreconditioner3D::solve (*C++ function*), 101 SPH::MatrixReplacement:: [anonymous]::IsRowMajor (*C++ enumerator*), 103
 SPH::JacobiPreconditioner3D::StorageIndexSPH::MatrixReplacement:: [anonymous]::MaxColsAtCompileTime (*C++ type*), 101 (*C++ enumerator*), 103
 SPH::JacobiPreconditioner3D:: [anonymous]SPH::MicropolarModel_Bender2017 (*C++ class*), 104
 SPH::JacobiPreconditioner3D:: [anonymous]SPH::MicropolarModel_Bender2017::~MicropolarModel_Bender2017 (*C++ function*), 104
 SPH::JacobiPreconditioner3D:: [anonymous]SPH::MicropolarModel_Bender2017::INERTIA_INVERSE (*C++ member*), 105
 SPH::MathFunctions (*C++ class*), 102 SPH::MicropolarModel_Bender2017::initParameters (*C++ function*), 105
 SPH::MathFunctions::eigenDecomposition SPH::MicropolarModel_Bender2017::m.angularAcceleration (*C++ function*), 102 (*C++ member*), 105
 SPH::MathFunctions::extractRotation SPH::MicropolarModel_Bender2017::m.inertiaInverse (*C++ function*), 102 (*C++ member*), 105
 SPH::MathFunctions::getOrthogonalVectors SPH::MicropolarModel_Bender2017::m.omega (*C++ function*), 102 (*C++ member*), 105
 SPH::MathFunctions::jacobiRotate (*C++ function*), 102 SPH::MicropolarModel_Bender2017::m.viscosityOmega (*C++ function*), 102
 SPH::MathFunctions::pseudoInverse (*C++ function*), 102 SPH::MicropolarModel_Bender2017::MicropolarModel_Bender2017 (*C++ function*), 104
 SPH::MathFunctions::svdWithInversionHandling (*C++ function*), 102 SPH::MicropolarModel_Bender2017::performNeighborhoodSearch (*C++ function*), 104
 SPH::MatrixReplacement (*C++ class*), 103 SPH::MicropolarModel_Bender2017::step (*C++ function*), 104
 SPH::MatrixReplacement::cols (*C++ function*), 103 SPH::MicropolarModel_Bender2017::VISCOSITY_OMEGA (*C++ member*), 105
 SPH::MatrixReplacement::getMatrixVecProdSPH::MicropolarModel_Bender2017::step (*C++ function*), 103 (*C++ function*), 104
 SPH::MatrixReplacement::getUserData SPH::MicropolarModel_Bender2017::VISCOSITY_OMEGA (*C++ member*), 105
 SPH::MatrixReplacement::m_dim (*C++ member*), 104 SPH::NonPressureForceBase (*C++ class*), 105
 SPH::MatrixReplacement::m_matrixVecProdFct SPH::NonPressureForceBase::~NonPressureForceBase (*C++ function*), 106
 SPH::MatrixReplacement::m_userdata (*C++ member*), 104 SPH::NonPressureForceBase::emittedParticles (*C++ function*), 106
 SPH::MatrixReplacement::MatrixReplacement (*C++ function*), 103 SPH::NonPressureForceBase::getModel (*C++ function*), 106
 SPH::MatrixReplacement::MatrixVecProdFct (*C++ type*), 103 SPH::NonPressureForceBase::init (*C++ function*), 106
 SPH::MatrixReplacement::operator* (*C++ function*), 106 SPH::NonPressureForceBase::loadState (*C++ function*), 106

SPH::NonPressureForceBase::m_model (*C++ member*), 106
SPH::NonPressureForceBase::NonPressureForceBase () (*C++ function*), 106
SPH::NonPressureForceBase::operator= () (*C++ function*), 106
SPH::NonPressureForceBase::performNeighborhoodSearchSort () (*C++ function*), 106
SPH::NonPressureForceBase::reset () (*C++ function*), 106
SPH::NonPressureForceBase::saveState () (*C++ function*), 106
SPH::NonPressureForceBase::step () (*C++ function*), 106
SPH::ParticleState (*C++ enum*), 175
SPH::ParticleState::Active (*C++ enumerator*), 175
SPH::ParticleState::AnimatedByEmitter (*C++ enumerator*), 175
SPH::ParticleState::AnimatedByVM (*C++ enumerator*), 175
SPH::PoissonDiskSampling (*C++ class*), 106
SPH::PoissonDiskSampling::CellPosHasher (*C++ struct*), 62
SPH::PoissonDiskSampling::CellPosHasher::SPH::PrecomputedKernel::m_W_zero (*C++ member*), 109
SPH::PoissonDiskSampling::HashEntry (*C++ struct*), 62, 107
SPH::PoissonDiskSampling::HashEntry::HasSEHtr::SPH::PrecomputedKernel::W (*C++ function*), 109
SPH::PoissonDiskSampling::HashEntry::sampleSPHs::SPH::PrecomputedKernel::W_zero (*C++ function*), 109
SPH::PoissonDiskSampling::HashEntry::stashSPHnd::SPH::RegularSampling2D (*C++ class*), 109
SPH::PoissonDiskSampling::InitialPointInfo (*C++ struct*), 63, 107
SPH::PoissonDiskSampling::InitialPointInfo::cP (*C++ function*), 110
SPH::PoissonDiskSampling::InitialPointInfo::ID 110
SPH::PoissonDiskSampling::InitialPointInfo::pos (*C++ function*), 110
SPH::PoissonDiskSampling::PoissonDiskSampling () (*C++ function*), 110
SPH::PoissonDiskSampling::sampleMesh () (*C++ function*), 107
SPH::Poly6Kernel (*C++ class*), 108
SPH::Poly6Kernel::getRadius () (*C++ function*), 108
SPH::Poly6Kernel::gradW () (*C++ function*), 108
SPH::Poly6Kernel::laplacianW () (*C++ function*), 108
SPH::Poly6Kernel::m_k (*C++ member*), 108
SPH::Poly6Kernel::m_l (*C++ member*), 108
SPH::Poly6Kernel::m_m (*C++ member*), 108
SPH::Poly6Kernel::m_radius (*C++ member*), 108
SPH::Poly6Kernel::m_W_zero (*C++ member*), 108
SPH::Poly6Kernel::setRadius () (*C++ function*), 108
SPH::Poly6Kernel::W (*C++ function*), 108
SPH::Poly6Kernel::W_zero (*C++ function*), 108
SPH::PrecomputedKernel (*C++ class*), 108
SPH::PrecomputedKernel::getRadius () (*C++ function*), 109
SPH::PrecomputedKernel::gradW () (*C++ function*), 109
SPH::PrecomputedKernel::m_gradW (*C++ member*), 109
SPH::PrecomputedKernel::m_invStepSize (*C++ member*), 109
SPH::PrecomputedKernel::m_radius (*C++ member*), 109
SPH::PrecomputedKernel::m_radius2 (*C++ member*), 109
SPH::PrecomputedKernel::m_W (*C++ member*), 109
SPH::PrecomputedKernel::m_W_zero (*C++ member*), 109
SPH::PrecomputedKernel::setRadius () (*C++ function*), 109
SPH::RegularSampling2D (*C++ class*), 111
SPH::RegularSampling2D::RegularSampling2D (*C++ function*), 109
SPH::RegularSampling2D::sampleMesh () (*C++ function*), 111
SPH::RegularTriangleSampling (*C++ class*), 111
SPH::RegularTriangleSampling::RegularTriangleSampling (*C++ function*), 111
SPH::RigidBodyObject (*C++ class*), 111
SPH::RigidBodyObject::~RigidBodyObject () (*C++ function*), 111
SPH::RigidBodyObject::addForce () (*C++ function*), 111
SPH::RigidBodyObject::addTorque () (*C++ function*), 111
SPH::RigidBodyObject::getAngularVelocity () (*C++ function*), 111
SPH::RigidBodyObject::getFaces () (*C++ function*), 111

SPH::RigidBodyObject::getMass (*C++ function*), 111
 SPH::RigidBodyObject::getPosition (*C++ function*), 111
 SPH::RigidBodyObject::getRotation (*C++ function*), 111
 SPH::RigidBodyObject::getVelocity (*C++ function*), 111
 SPH::RigidBodyObject::getVertexNormals (*C++ function*), 111
 SPH::RigidBodyObject::getVertices (*C++ function*), 111
 SPH::RigidBodyObject::getWorldSpacePosition (*C++ function*), 111
 SPH::RigidBodyObject::getWorldSpaceRotation (*C++ function*), 111
 SPH::RigidBodyObject::isDynamic (*C++ function*), 111
 SPH::RigidBodyObject::setAngularVelocity (*C++ function*), 111
 SPH::RigidBodyObject::setPosition (*C++ function*), 111
 SPH::RigidBodyObject::setRotation (*C++ function*), 111
 SPH::RigidBodyObject::setVelocity (*C++ function*), 111
 SPH::SimpleQuadrature (*C++ class*), 112
 SPH::SimpleQuadrature::determineSamplePointsInDomain (*C++ member*), 112
 SPH::SimpleQuadrature::determineSamplePointsInElement (*C++ function*), 112
 SPH::SimpleQuadrature::Domain (*C++ type*), 112
 SPH::SimpleQuadrature::Integrand (*C++ type*), 112
 SPH::SimpleQuadrature::integrate (*C++ function*), 112
 SPH::SimpleQuadrature::m_samplePoints (*C++ member*), 112
 SPH::SimpleQuadrature::m_volume (*C++ member*), 112
 SPH::Simulation (*C++ class*), 112
 SPH::Simulation::~Simulation (*C++ function*), 113
 SPH::Simulation::addBoundaryModel (*C++ function*), 113
 SPH::Simulation::addFluidModel (*C++ function*), 113
 SPH::Simulation::animateParticles (*C++ function*), 114
 SPH::Simulation::BOUNDARY_HANDLING_METHOD (*C++ member*), 115
 SPH::Simulation::CFL_FACTOR (*C++ member*), 114
 SPH::Simulation::CFL_MAX_TIMESTEPSIZE (*C++ member*), 114
 SPH::Simulation::CFL_METHOD (*C++ member*), 114
 SPH::Simulation::CFL_MIN_TIMESTEPSIZE (*C++ member*), 114
 SPH::Simulation::computeNonPressureForces (*C++ function*), 114
 SPH::Simulation::emitParticles (*C++ function*), 114
 SPH::Simulation::emittedParticles (*C++ function*), 114
 SPH::Simulation::ENABLE_Z_SORT (*C++ member*), 114
 SPH::Simulation::ENUM_AKINCI2012 (*C++ member*), 115
 SPH::Simulation::ENUM_BENDER2019 (*C++ member*), 115
 SPH::Simulation::ENUM_CFL_ITER (*C++ member*), 115
 SPH::Simulation::ENUM_CFL_NONE (*C++ member*), 115
 SPH::Simulation::ENUM_CFL_STANDARD (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_CUBIC (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_CUBIC_2D (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_POLY6 (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_PRECOMPUTED_CUBIC (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_SPIKY (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_WENDLANDQUINTIC_C2 (*C++ member*), 115
 SPH::Simulation::ENUM_GRADKERNEL_WENDLANDQUINTIC_C2_2D (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_CUBIC (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_CUBIC_2D (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_POLY6 (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_PRECOMPUTED_CUBIC (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_SPIKY (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_WENDLANDQUINTIC_C2 (*C++ member*), 115
 SPH::Simulation::ENUM_KERNEL_WENDLANDQUINTIC_C2_2D (*C++ member*), 115
 SPH::Simulation::ENUM_KOSCHIER2017 (*C++ member*), 115

```
SPH::Simulation::ENUM_SIMULATION_DFSPH  
    (C++ member), 115  
SPH::Simulation::ENUM_SIMULATION_IISPH  
    (C++ member), 115  
SPH::Simulation::ENUM_SIMULATION_PBF  
    (C++ member), 115  
SPH::Simulation::ENUM_SIMULATION_PCISPH  
    (C++ member), 115  
SPH::Simulation::ENUM_SIMULATION_PF  
    (C++ member), 115  
SPH::Simulation::ENUM_SIMULATION_WCSPH  
    (C++ member), 115  
SPH::Simulation::getAnimationFieldSystem  
    (C++ function), 113  
SPH::Simulation::getBoundaryHandlingMethod  
    (C++ function), 113  
SPH::Simulation::getBoundaryModel (C++  
    function), 113  
SPH::Simulation::getBoundaryModelFromPointSet  
    (C++ function), 113  
SPH::Simulation::getCurrent (C++ function),  
    114  
SPH::Simulation::getFluidModel (C++ func-  
    tion), 113  
SPH::Simulation::getFluidModelFromPointSet  
    (C++ function), 113  
SPH::Simulation::getGradKernel (C++ func-  
    tion), 113  
SPH::Simulation::getKernel (C++ function),  
    113  
SPH::Simulation::getNeighborhoodSearch  
    (C++ function), 114  
SPH::Simulation::getParticleRadius (C++  
    function), 114  
SPH::Simulation::getSimulationMethod  
    (C++ function), 113  
SPH::Simulation::getSupportRadius (C++  
    function), 114  
SPH::Simulation::getTimeStep (C++ func-  
    tion), 113  
SPH::Simulation::GRAD_KERNEL_METHOD  
    (C++ member), 115  
SPH::Simulation::GRAVITATION (C++ mem-  
    ber), 114  
SPH::Simulation::hasCurrent (C++ function),  
    114  
SPH::Simulation::init (C++ function), 113  
SPH::Simulation::initParameters (C++  
    function), 116  
SPH::Simulation::is2DSimulation (C++  
    function), 113  
SPH::Simulation::KERNEL_METHOD (C++ mem-  
    ber), 114  
SPH::Simulation::loadState (C++ function),  
    114  
SPH::Simulation::m_animationFieldSystem  
    (C++ member), 116  
SPH::Simulation::m_boundaryHandlingMethod  
    (C++ member), 116  
SPH::Simulation::m_boundaryModels (C++  
    member), 116  
SPH::Simulation::m_cflFactor (C++ mem-  
    ber), 116  
SPH::Simulation::m_cflMaxTimeStepSize  
    (C++ member), 116  
SPH::Simulation::m_cflMethod (C++ mem-  
    ber), 116  
SPH::Simulation::m_cflMinTimeStepSize  
    (C++ member), 116  
SPH::Simulation::m_enableZSort (C++ mem-  
    ber), 116  
SPH::Simulation::m_fluidModels (C++ mem-  
    ber), 116  
SPH::Simulation::m_gradKernelFct (C++  
    member), 116  
SPH::Simulation::m_gradKernelMethod  
    (C++ member), 116  
SPH::Simulation::m_gravitation (C++ mem-  
    ber), 116  
SPH::Simulation::m_kernelFct (C++ mem-  
    ber), 116  
SPH::Simulation::m_kernelMethod (C++  
    member), 116  
SPH::Simulation::m_neighborhoodSearch  
    (C++ member), 116  
SPH::Simulation::m_particleRadius (C++  
    member), 116  
SPH::Simulation::m_sim2D (C++ member), 116  
SPH::Simulation::m_simulationMethod  
    (C++ member), 116  
SPH::Simulation::m_simulationMethodChanged  
    (C++ member), 116  
SPH::Simulation::m_supportRadius (C++  
    member), 116  
SPH::Simulation::m_timeStep (C++ member),  
    116  
SPH::Simulation::m_W_zero (C++ member),  
    116  
SPH::Simulation::numberOfBoundaryModels  
    (C++ function), 113  
SPH::Simulation::numberOfFluidModels  
    (C++ function), 113  
SPH::Simulation::operator= (C++ function),  
    113  
SPH::Simulation::PARTICLE_RADIUS (C++  
    member), 114  
SPH::Simulation::performNeighborhoodSearch  
    (C++ function), 114
```

```

SPH::Simulation::performNeighborhoodSearchSort function, 117
    (C++ function), 114
SPH::Simulation::PrecomputedCubicKernel
    (C++ type), 113
SPH::Simulation::reset (C++ function), 113
SPH::Simulation::saveState (C++ function),
    114
SPH::Simulation::setBoundaryHandlingMethod
    (C++ function), 113
SPH::Simulation::setCurrent (C++ function),
    114
SPH::Simulation::setGradKernel (C++ function),
    113
SPH::Simulation::setKernel (C++ function),
    113
SPH::Simulation::setParticleRadius (C++ function), 114
SPH::Simulation::setSimulationMethod
    (C++ function), 113
SPH::Simulation::setSimulationMethodChangedCall
    (C++ function), 113
SPH::Simulation::SIM_2D (C++ member), 114
SPH::Simulation::Simulation (C++ function),
    113
SPH::Simulation::SIMULATION_METHOD (C++ member), 115
SPH::Simulation::updateBoundaryVolume
    (C++ function), 113
SPH::Simulation::updateTimeStepSize
    (C++ function), 114
SPH::Simulation::updateTimeStepSizeCFL
    (C++ function), 114
SPH::Simulation::zSortEnabled (C++ function),
    113
SPH::SimulationDataDFSPH (C++ class), 117
SPH::SimulationDataDFSPH::~SimulationDataDFSPH
    (C++ function), 117
SPH::SimulationDataDFSPH::cleanup (C++ function), 117
SPH::SimulationDataDFSPH::emittedParticles
    (C++ function), 117
SPH::SimulationDataDFSPH::init (C++ function), 117
SPH::SimulationDataDFSPH::m_density_adv
    (C++ member), 118
SPH::SimulationDataDFSPH::m_factor (C++ member), 118
SPH::SimulationDataDFSPH::m_kappa
    (C++ member), 118
SPH::SimulationDataDFSPH::m_kappaV (C++ member), 118
SPH::SimulationDataDFSPH::performNeighborhoodSearch
    (C++ function), 117
SPH::SimulationDataDFSPH::reset
    (C++ function), 117
SPH::SimulationDataDFSPH::SimulationDataDFSPH
    (C++ function), 117
SPH::SimulationDataIISPH (C++ class), 118
SPH::SimulationDataIISPH::~SimulationDataIISPH
    (C++ function), 118
SPH::SimulationDataIISPH::cleanup (C++ function), 118
SPH::SimulationDataIISPH::emittedParticles
    (C++ function), 118
SPH::SimulationDataIISPH::init (C++ function), 118
SPH::SimulationDataIISPH::m_aii
    (C++ member), 119
SPH::SimulationDataIISPH::m_density_adv
    (C++ member), 119
SPH::SimulationDataIISPH::m_dii
    (C++ member), 119
SPH::SimulationDataIISPH::m_dij_pj (C++ member), 119
SPH::SimulationDataIISPH::m_lastPressure
    (C++ member), 119
SPH::SimulationDataIISPH::m_pressure
    (C++ member), 119
SPH::SimulationDataIISPH::m_pressureAccel
    (C++ member), 119
SPH::SimulationDataIISPH::performNeighborhoodSearch
    (C++ function), 118
SPH::SimulationDataIISPH::reset
    (C++ function), 118
SPH::SimulationDataIISPH::SimulationDataIISPH
    (C++ function), 118
SPH::SimulationDataPBF (C++ class), 120
SPH::SimulationDataPBF::~SimulationDataPBF
    (C++ function), 120
SPH::SimulationDataPBF::cleanup (C++ function), 120
SPH::SimulationDataPBF::emittedParticles
    (C++ function), 120
SPH::SimulationDataPBF::init (C++ function), 120
SPH::SimulationDataPBF::m_deltaX
    (C++ member), 121
SPH::SimulationDataPBF::m_lambda
    (C++ member), 121
SPH::SimulationDataPBF::m_lastX
    (C++ member), 121
SPH::SimulationDataPBF::m_oldX
    (C++ member), 121
SPH::SimulationDataPBF::performNeighborhoodSearch
    (C++ function), 120
SPH::SimulationDataPBF::reset
    (C++ function), 120
SPH::SimulationDataPBF::SimulationDataPBF
    (C++ function), 120

```

(C++ function), 120
SPH::SimulationDataPCISPH (C++ class), 121 SPH::SimulationDataWCSPH (C++ class), 124
SPH::SimulationDataPCISPH::~SimulationDataPCISPH SimulationDataWCSPH::~SimulationDataWCSPH
(C++ function), 121 (C++ function), 124
SPH::SimulationDataPCISPH::cleanup (C++ function), 121 SPH::SimulationDataWCSPH::cleanup (C++ function), 124
SPH::SimulationDataPCISPH::emittedParticles (C++ function), 121 SPH::SimulationDataWCSPH::emittedParticles (C++ function), 124
SPH::SimulationDataPCISPH::getPCISPH_ScaleFormationDataWCSPH::init (C++ function), 121
SPH::SimulationDataPCISPH::init (C++ function), 121 SPH::SimulationDataWCSPH::m_pressure
(C++ member), 124
SPH::SimulationDataPCISPH::m_densityAdv SPH::SimulationDataWCSPH::m_pressureAccel
(C++ member), 122 (C++ member), 124
SPH::SimulationDataPCISPH::m_lastV (C++ member), 122 SPH::SimulationDataWCSPH::performNeighborhoodSearch
(C++ function), 124
SPH::SimulationDataPCISPH::m_lastX (C++ member), 122 SPH::SimulationDataWCSPH::reset (C++ function), 124
SPH::SimulationDataPCISPH::m_pcisph_fact SPH::SimulationDataWCSPH::SimulationDataWCSPH
(C++ member), 122 (C++ function), 124
SPH::SimulationDataPCISPH::m_pressure (C++ member), 122 SPH::SimulationMethods (C++ enum), 175
SPH::SimulationDataPCISPH::m_pressureAccel (C++ member), 122 SPH::SimulationMethods::DFSPH (C++ enum)
SPH::SimulationDataPCISPH::m_pressureAccel (C++ member), 122 SPH::SimulationMethods::IISPH (C++ enum)
SPH::SimulationDataPCISPH::performNeighborhoodSearch (C++ function), 121 SPH::SimulationMethods::NumSimulationMethods
SPH::SimulationDataPCISPH::reset (C++ function), 121 SPH::SimulationMethods::PBF (C++ enum)
SPH::SimulationDataPCISPH::SimulationDataPCISPH (C++ function), 121 SPH::SimulationMethods::PCISPH (C++ enum)
SPH::SimulationDataPF (C++ class), 122 SPH::SimulationMethods::SpikyKernel (C++ class), 125
SPH::SimulationDataPF::~SimulationDataPF SPH::SimulationMethods::SpikyKernel::getRadius (C++ function),
(C++ function), 122 125
SPH::SimulationDataPF::cleanup (C++ function), 122 SPH::SimulationMethods::SpikyKernel::gradW (C++ function), 125
SPH::SimulationDataPF::emittedParticles (C++ function), 123 SPH::SimulationMethods::SpikyKernel::m_k (C++ member), 125
SPH::SimulationDataPF::init (C++ function), 122 SPH::SimulationMethods::SpikyKernel::m_l (C++ member), 125
SPH::SimulationDataPF::m_mat_diag (C++ member), 123 SPH::SimulationMethods::SpikyKernel::m_radius (C++ member),
(C++ member), 123 125
SPH::SimulationDataPF::m_num_fluid_neigh SPH::SpikyKernel (C++ class), 125
SPH::SimulationDataPF::m_old_position (C++ member), 123 SPH::SpikyKernel::m_W_zero (C++ member),
SPH::SimulationDataPF::m_particleOffset (C++ member), 123 125 SPH::SpikyKernel::setRadius (C++ function),
SPH::SimulationDataPF::m_s (C++ member), 123 SPH::SpikyKernel::W (C++ function), 125
SPH::SimulationDataPF::m_s (C++ member), 123 SPH::SpikyKernel::W_zero (C++ function), 125
SPH::SimulationDataPF::performNeighborhoodSearch (C++ class), 126
SPH::SimulationDataPF::reset (C++ function), 122 SPH::StaticRigidBody::addForce (C++ function), 126
SPH::SimulationDataPF::SimulationDataPF (C++ function), 126 SPH::StaticRigidBody::addTorque (C++ function), 126

SPH::StaticRigidBody::getAngularVelocity (*C++ enumerator*, 175)
 (*C++ function*), 126
 SPH::StaticRigidBody::getFaces (*C++ function*), 126
 SPH::StaticRigidBody::getGeometry (*C++ function*), 126
 SPH::StaticRigidBody::getMass (*C++ function*), 126
 SPH::StaticRigidBody::getPosition (*C++ function*), 126
 SPH::StaticRigidBody::getRotation (*C++ function*), 126
 SPH::StaticRigidBody::getVelocity (*C++ function*), 126
 SPH::StaticRigidBody::getVertexNormals (*C++ function*), 126
 SPH::StaticRigidBody::getVertices (*C++ function*), 126
 SPH::StaticRigidBody::getWorldSpacePosition (*C++ function*), 126
 SPH::StaticRigidBody::getWorldSpaceRotation (*C++ function*), 126
 SPH::StaticRigidBody::isDynamic (*C++ function*), 126
 SPH::StaticRigidBody::m_geometry (*C++ member*), 126
 SPH::StaticRigidBody::m_R (*C++ member*), 126
 SPH::StaticRigidBody::m_R_world (*C++ member*), 126
 SPH::StaticRigidBody::m_x (*C++ member*), 126
 SPH::StaticRigidBody::m_x_world (*C++ member*), 126
 SPH::StaticRigidBody::m_zero (*C++ member*), 126
 SPH::StaticRigidBody::setAngularVelocity (*C++ function*), 126
 SPH::StaticRigidBody::setPosition (*C++ function*), 126
 SPH::StaticRigidBody::setRotation (*C++ function*), 126
 SPH::StaticRigidBody::setVelocity (*C++ function*), 126
 SPH::StaticRigidBody::setWorldSpacePosition (*C++ function*), 126
 SPH::StaticRigidBody::setWorldSpaceRotation (*C++ function*), 126
 SPH::SurfaceSamplingMode (*C++ enum*), 175
 SPH::SurfaceSamplingMode::PoissonDisk (*C++ enumerator*), 175
 SPH::SurfaceSamplingMode::Regular2D

SPH::SurfaceSamplingMode::RegularTriangle (*C++ enumerator*), 175
 SPH::SurfaceTension_Akinci2013 (*C++ class*), 127
 SPH::SurfaceTension_Akinci2013::~SurfaceTension_Akinci2013 (*C++ function*), 127
 SPH::SurfaceTension_Akinci2013::computeNormals (*C++ function*), 127
 SPH::SurfaceTension_Akinci2013::m_normals (*C++ member*), 127
 SPH::SurfaceTension_Akinci2013::performNeighborhoodSearch (*C++ function*), 127
 SPH::SurfaceTension_Akinci2013::reset (*C++ function*), 127
 SPH::SurfaceTension_Akinci2013::step (*C++ function*), 127
 SPH::SurfaceTension_Akinci2013::SurfaceTension_Akinci2013

SPH::SurfaceTension_Becker2007 (*C++ class*), 128
 SPH::SurfaceTension_Becker2007::~SurfaceTension_Becker2007 (*C++ function*), 128
 SPH::SurfaceTension_Becker2007::reset (*C++ function*), 128
 SPH::SurfaceTension_Becker2007::step (*C++ function*), 128
 SPH::SurfaceTension_Becker2007::SurfaceTension_Becker2007

SPH::SurfaceTension_He2014 (*C++ class*), 129
 SPH::SurfaceTension_He2014::~SurfaceTension_He2014 (*C++ function*), 129
 SPH::SurfaceTension_He2014::m_color (*C++ member*), 129
 SPH::SurfaceTension_He2014::m_gradC2 (*C++ member*), 129
 SPH::SurfaceTension_He2014::performNeighborhoodSearch (*C++ function*), 129
 SPH::SurfaceTension_He2014::reset (*C++ function*), 129
 SPH::SurfaceTension_He2014::step (*C++ function*), 129
 SPH::SurfaceTension_He2014::SurfaceTension_He2014

SPH::SurfaceTension_ZorillaRitter2020 (*C++ class*), 130
 SPH::SurfaceTension_ZorillaRitter2020::~SurfaceTension_ZorillaRitter2020 (*C++ function*), 130
 SPH::SurfaceTension_ZorillaRitter2020::classifySurface (*C++ function*), 130
 SPH::SurfaceTension_ZorillaRitter2020::performNeighborhoodSearch (*C++ function*), 130
 SPH::SurfaceTension_ZorillaRitter2020::SurfaceTension_ZorillaRitter2020

SPH::SurfaceTensionBase (*C++ class*), 131
SPH::SurfaceTensionBase::~SurfaceTensionBase (*C++ function*), 131
SPH::SurfaceTensionBase::initParameters (*C++ function*), 131
SPH::SurfaceTensionBase::m_surfaceTension (*C++ member*), 131
SPH::SurfaceTensionBase::m_surfaceTensionBoundary (*C++ member*), 131
SPH::SurfaceTensionBase::SURFACE_TENSION (*C++ member*), 131
SPH::SurfaceTensionBase::SURFACE_TENSION_BOUNDARY (*C++ member*), 131
SPH::SurfaceTensionBase::SurfaceTensionBase (*C++ function*), 131
SPH::SurfaceTensionMethods (*C++ enum*), 176
SPH::SurfaceTensionMethods::Akinci2013 (*C++ enumerator*), 176
SPH::SurfaceTensionMethods::Becker2007 (*C++ enumerator*), 176
SPH::SurfaceTensionMethods::He2014 (*C++ enumerator*), 176
SPH::SurfaceTensionMethods::None (*C++ enumerator*), 176
SPH::SurfaceTensionMethods::NumSurfaceTensionBoundaryStep (*C++ member*), 176
SPH::TimeIntegration (*C++ class*), 131
SPH::TimeIntegration::semiImplicitEuler (*C++ function*), 131
SPH::TimeIntegration::velocityUpdateFirstOrderStep (*C++ function*), 132
SPH::TimeIntegration::velocityUpdateSecondOrderStep (*C++ function*), 132
SPH::TimeManager (*C++ class*), 132
SPH::TimeManager::~TimeManager (*C++ function*), 132
SPH::TimeManager::getCurrent (*C++ function*), 133
SPH::TimeManager::getTime (*C++ function*), 132, 180
SPH::TimeManager::getTimeStepSize (*C++ function*), 132
SPH::TimeManager::hasCurrent (*C++ function*), 133
SPH::TimeManager::loadState (*C++ function*), 132
SPH::TimeManager::saveState (*C++ function*), 132
SPH::TimeManager::setCurrent (*C++ function*), 133
SPH::TimeManager::setTime (*C++ function*), 132
SPH::TimeManager::setTimeStepSize (*C++ function*), 132
SPH::TimeManager::TimeManager (*C++ function*), 132
SPH::TimeManager::TimeStep (*C++ class*), 133
SPH::TimeManager::TimeStep::~TimeStep (*C++ function*), 133
SPH::TimeManager::TimeStep::approximateNormal (*C++ function*), 134
SPH::TimeManager::TimeStep::clearAccelerations (*C++ function*), 134
SPH::TimeManager::TimeStep::computeDensities (*C++ function*), 133
SPH::TimeManager::TimeStep::computeDensityAndGradient (*C++ function*), 134
SPH::TimeManager::TimeStep::computeVolumeAndBoundaryX (*C++ function*), 134
SPH::TimeManager::TimeStep::emittedParticles (*C++ function*), 134
SPH::TimeManager::TimeStep::init (*C++ function*), 133
SPH::TimeManager::TimeStep::initParameters (*C++ function*), 134
SPH::TimeManager::TimeStep::loadState (*C++ function*), 134
SPH::TimeManager::TimeStep::m_iterations (*C++ member*), 134
SPH::TimeManager::TimeStep::m_maxError (*C++ member*), 134
SPH::TimeManager::TimeStep::m_maxIterations (*C++ member*), 134
SPH::TimeManager::TimeStep::m_minIterations (*C++ member*), 134
SPH::TimeManager::TimeStep::MAX_ERROR (*C++ member*), 134
SPH::TimeManager::TimeStep::MAX_ITERATIONS (*C++ member*), 134
SPH::TimeManager::TimeStep::MIN_ITERATIONS (*C++ member*), 134
SPH::TimeManager::TimeStep::reset (*C++ function*), 133
SPH::TimeManager::TimeStep::resize (*C++ function*), 134
SPH::TimeManager::TimeStep::saveState (*C++ function*), 134
SPH::TimeManager::TimeStep::SOLVER_ITERATIONS (*C++ member*), 134
SPH::TimeStep::step (*C++ function*), 133
SPH::TimeStep::TimeStep (*C++ function*), 133
SPH::TimeStepDFSPH (*C++ class*), 135
SPH::TimeStepDFSPH::~TimeStepDFSPH (*C++ function*), 135
SPH::TimeStepDFSPH::computeDensityAdv (*C++ function*), 136
SPH::TimeStepDFSPH::computeDensityChange (*C++ function*), 136
SPH::TimeStepDFSPH::computeDFSPHFactor (*C++ function*), 136
SPH::TimeStepDFSPH::divergenceSolve (*C++ function*), 136
SPH::TimeStepDFSPH::divergenceSolveIteration (*C++ function*), 136
SPH::TimeStepDFSPH::emittedParticles

```

(C++ function), 136
SPH::TimeStepDFSPH::initParameters (C++ function), 136
SPH::TimeStepDFSPH::m_counter (C++ member), 136
SPH::TimeStepDFSPH::m_enableDivergenceSo$PMr: TimeStepIISPH::predictAdvection
(C++ member), 136
SPH::TimeStepDFSPH::m_eps (C++ member), 136
SPH::TimeStepDFSPH::m_iterationsV (C++ member), 136
SPH::TimeStepDFSPH::m_maxErrorV (C++ member), 136
SPH::TimeStepDFSPH::m_maxIterationsV (C++ member), 136
SPH::TimeStepDFSPH::m_simulationData (C++ member), 136
SPH::TimeStepDFSPH::MAX_ERROR_V (C++ member), 135
SPH::TimeStepDFSPH::MAX_ITERATIONS_V (C++ member), 135
SPH::TimeStepDFSPH::performNeighborhoodSearch (C++ function), 136
SPH::TimeStepDFSPH::pressureSolve (C++ function), 136
SPH::TimeStepDFSPH::pressureSolveIteration (C++ function), 136
SPH::TimeStepDFSPH::reset (C++ function), 135
SPH::TimeStepDFSPH::resize (C++ function), 135
SPH::TimeStepDFSPH::SOLVER_ITERATIONS_V (C++ member), 135
SPH::TimeStepDFSPH::step (C++ function), 135
SPH::TimeStepDFSPH::TimeStepDFSPH (C++ function), 135
SPH::TimeStepDFSPH::USE_DIVERGENCE_SOLVER (C++ member), 135
SPH::TimeStepDFSPH::warmstartDivergenceSolve (C++ function), 136
SPH::TimeStepDFSPH::warmstartPressureSolve (C++ function), 136
SPH::TimeStepIISPH (C++ class), 137
SPH::TimeStepIISPH::~TimeStepIISPH (C++ function), 137
SPH::TimeStepIISPH::computePressureAccels (C++ function), 137
SPH::TimeStepIISPH::emittedParticles (C++ function), 137
SPH::TimeStepIISPH::getSimulationData (C++ function), 137
SPH::TimeStepIISPH::integration (C++ function), 137
SPH::TimeStepIISPH::m_counter (C++ mem- ber), 137
SPH::TimeStepIISPH::m_simulationData (C++ member), 137
SPH::TimeStepIISPH::performNeighborhoodSearch (C++ function), 137
SPH::TimeStepIISPH::predictAdvection (C++ function), 137
SPH::TimeStepIISPH::pressureSolve (C++ function), 137
SPH::TimeStepIISPH::pressureSolveIteration (C++ function), 137
SPH::TimeStepIISPH::reset (C++ function), 137
SPH::TimeStepIISPH::resize (C++ function), 137
SPH::TimeStepIISPH::step (C++ function), 137
SPH::TimeStepIISPH::TimeStepIISPH (C++ function), 137
SPH::TimeStepPBF (C++ class), 138
SPH::TimeStepPBF::~TimeStepPBF (C++ function), 138
SPH::TimeStepPBF::emittedParticles (C++ function), 139
SPH::TimeStepPBF::ENUM_PBF_FIRST_ORDER (C++ member), 138
SPH::TimeStepPBF::ENUM_PBF_SECOND_ORDER (C++ member), 138
SPH::TimeStepPBF::initParameters (C++ function), 139
SPH::TimeStepPBF::m_counter (C++ member), 139
SPH::TimeStepPBF::m_simulationData (C++ member), 139
SPH::TimeStepPBF::m_velocityUpdateMethod (C++ member), 139
SPH::TimeStepPBF::performNeighborhoodSearch (C++ function), 139
SPH::TimeStepPBF::pressureSolve (C++ function), 139
SPH::TimeStepPBF::pressureSolveIteration (C++ function), 139
SPH::TimeStepPBF::reset (C++ function), 138
SPH::TimeStepPBF::resize (C++ function), 138
SPH::TimeStepPBF::step (C++ function), 138
SPH::TimeStepPBF::TimeStepPBF (C++ function), 138
SPH::TimeStepPCISPH (C++ class), 139
SPH::TimeStepPCISPH::~TimeStepPCISPH (C++ function), 139
SPH::TimeStepPCISPH::emittedParticles (C++ function), 140
SPH::TimeStepPCISPH::m_counter (C++ mem-
```

ber), 140
 SPH::TimeStepPCISPH::m_simulationData
 (C++ member), 140
 SPH::TimeStepPCISPH::performNeighborhoodSearch (C++ function), 141
 (C++ function), 140
 SPH::TimeStepPCISPH::pressureSolve (C++ function), 140
 SPH::TimeStepPCISPH::pressureSolveIteration
 (C++ function), 140
 SPH::TimeStepPCISPH::reset (C++ function), 139
 SPH::TimeStepPCISPH::resize (C++ function), 139
 SPH::TimeStepPCISPH::step (C++ function), 139
 SPH::TimeStepPCISPH::TimeStepPCISPH
 (C++ function), 139
 SPH::TimeStepPF (C++ class), 140
 SPH::TimeStepPF::~TimeStepPF (C++ function), 140
 SPH::TimeStepPF::addAccellerationToVelocity
 (C++ function), 141
 SPH::TimeStepPF::emittedParticles (C++ function), 141
 SPH::TimeStepPF::initialGuessForPositions
 (C++ function), 141
 SPH::TimeStepPF::initParameters (C++ function), 141
 SPH::TimeStepPF::m_counter (C++ member), 141
 SPH::TimeStepPF::m_numActiveParticlesTotal
 (C++ member), 141
 SPH::TimeStepPF::m_simulationData (C++ member), 141
 SPH::TimeStepPF::m_solver (C++ member), 141
 SPH::TimeStepPF::m_stiffness (C++ member), 141
 SPH::TimeStepPF::matrixFreeRHS (C++ function), 141
 SPH::TimeStepPF::matrixVecProd (C++ function), 141
 SPH::TimeStepPF::performNeighborhoodSearch
 (C++ function), 141
 SPH::TimeStepPF::preparePreconditioner
 (C++ function), 141
 SPH::TimeStepPF::reset (C++ function), 140
 SPH::TimeStepPF::resize (C++ function), 140
 SPH::TimeStepPF::solvePDCConstraints
 (C++ function), 141
 SPH::TimeStepPF::Solver (C++ type), 141
 SPH::TimeStepPF::step (C++ function), 140
 SPH::TimeStepPF::STIFFNESS (C++ member), 141

SPH::TimeStepPF::TimeStepPF (C++ function),
 140
 SPH::TimeStepPF::updatePositionsAndVelocity
 SPH::TimeStepPCSPH (C++ class), 142
 SPH::TimeStepWCSPH (~TimeStepWCSPH (C++ function), 142
 SPH::TimeStepWCSPH::computePressureAccels
 (C++ function), 143
 SPH::TimeStepWCSPH::emittedParticles
 (C++ function), 143
 SPH::TimeStepWCSPH::EXPONENT (C++ member), 142
 SPH::TimeStepWCSPH::initParameters (C++ function), 143
 SPH::TimeStepWCSPH::m_counter (C++ member), 143
 SPH::TimeStepWCSPH::m_exponent (C++ member), 143
 SPH::TimeStepWCSPH::m_simulationData
 (C++ member), 143
 SPH::TimeStepWCSPH::m_stiffness (C++ member), 143
 SPH::TimeStepWCSPH::performNeighborhoodSearch
 (C++ function), 143
 SPH::TimeStepWCSPH::reset (C++ function), 142
 SPH::TimeStepWCSPH::resize (C++ function), 142
 SPH::TimeStepWCSPH::step (C++ function), 142
 SPH::TimeStepWCSPH::STIFFNESS (C++ member), 142

SPH::TimeStepWCSPH::TimeStepWCSPH (C++ function), 142
 SPH::TriangleMesh (C++ class), 143
 SPH::TriangleMesh::~TriangleMesh (C++ function), 143
 SPH::TriangleMesh::addFace (C++ function), 143
 SPH::TriangleMesh::addVertex (C++ function), 143
 SPH::TriangleMesh::Faces (C++ type), 143
 SPH::TriangleMesh::getFaceNormals (C++ function), 144
 SPH::TriangleMesh::getFaces (C++ function),
 143, 144
 SPH::TriangleMesh::getVertexNormals
 (C++ function), 144
 SPH::TriangleMesh::getVertices (C++ function), 144

SPH::TriangleMesh::initMesh (*C++ function*), 143
 SPH::TriangleMesh::m_indices (*C++ member*), 144
 SPH::TriangleMesh::m_normals (*C++ member*), 144
 SPH::TriangleMesh::m_vertexNormals (*C++ member*), 144
 SPH::TriangleMesh::m_x (*C++ member*), 144
 SPH::TriangleMesh::Normals (*C++ type*), 143
 SPH::TriangleMesh::numFaces (*C++ function*), 144
 SPH::TriangleMesh::numVertices (*C++ function*), 144
 SPH::TriangleMesh::release (*C++ function*), 143
 SPH::TriangleMesh::TriangleMesh (*C++ function*), 143
 SPH::TriangleMesh::updateNormals (*C++ function*), 144
 SPH::TriangleMesh::updateVertexNormals (*C++ function*), 144
 SPH::TriangleMesh::Vertices (*C++ type*), 143
 SPH::Viscosity_Bender2017 (*C++ class*), 144
 SPH::Viscosity_Bender2017::~Viscosity_Bender2017 (*C++ function*), 145
 SPH::Viscosity_Bender2017::computeTargetStrainRate (*C++ function*), 145
 SPH::Viscosity_Bender2017::computeViscosityFactnnumber), 146
 SPH::Viscosity_Bender2017::initParameters (*C++ function*), 145
 SPH::Viscosity_Bender2017::ITERATIONS (*C++ member*), 145
 SPH::Viscosity_Bender2017::m_iterations (*C++ member*), 145
 SPH::Viscosity_Bender2017::m_maxError (*C++ member*), 145
 SPH::Viscosity_Bender2017::m_maxIter (*C++ member*), 145
 SPH::Viscosity_Bender2017::m_targetStrainRate (*C++ member*), 145
 SPH::Viscosity_Bender2017::m_viscosityFa~~SPh~~*R*:Viscosity_Peer2016::~Viscosity_Peer2016 (*C++ function*), 148
 SPH::Viscosity_Bender2017::m_viscosityLa~~SPh~~*A*:Viscosity_Peer2016::computeDensities (*C++ function*), 149
 SPH::Viscosity_Bender2017::MAX_ERROR (*C++ member*), 145
 SPH::Viscosity_Bender2017::MAX_ITERATIONS (*C++ member*), 145
 SPH::Viscosity_Bender2017::performNeigh~~SPh~~*Hood\$ea*~~\$yr~~*Peer2016*::ITERATIONS_OME~~G~~*A* (*C++ function*), 145
 SPH::Viscosity_Bender2017::reset (*C++ function*), 145
 SPH::Viscosity_Bender2017::step (*C++ function*), 145
 SPH::Viscosity_Bender2017::Viscosity_Bender2017 (*C++ function*), 145
 SPH::Viscosity_Bender2017::Viscosity_Bender2017 (*C++ function*), 145
 SPH::Viscosity_Peer2015 (*C++ class*), 146
 SPH::Viscosity_Peer2015::~Viscosity_Peer2015 (*C++ function*), 146
 SPH::Viscosity_Peer2015::computeDensities (*C++ function*), 147
 SPH::Viscosity_Peer2015::initParameters (*C++ function*), 147
 SPH::Viscosity_Peer2015::ITERATIONS (*C++ member*), 146
 SPH::Viscosity_Peer2015::m_density (*C++ member*), 147
 SPH::Viscosity_Peer2015::m_iterations (*C++ member*), 147
 SPH::Viscosity_Peer2015::m_maxError (*C++ member*), 147
 SPH::Viscosity_Peer2015::m_maxIter (*C++ member*), 147
 SPH::Viscosity_Peer2015::m_solver (*C++ member*), 147
 SPH::Viscosity_Peer2015::matrixVecProd~~(C++ function)~~, 146
 SPH::Viscosity_Peer2015::MAX_ERROR (*C++ member*), 146
 SPH::Viscosity_Peer2015::MAX_ITERATIONS (*C++ member*), 146
 SPH::Viscosity_Peer2015::performNeighborhoodSearch (*C++ function*), 146
 SPH::Viscosity_Peer2015::reset (*C++ function*), 146
 SPH::Viscosity_Peer2015::Solver (*C++ type*), 147
 SPH::Viscosity_Peer2015::step (*C++ function*), 146
 SPH::Viscosity_Peer2015::Viscosity_Peer2015 (*C++ function*), 146
 SPH::Viscosity_Peer2016 (*C++ class*), 147
 SPH::Viscosity_Peer2016::~Viscosity_Peer2016 (*C++ function*), 148
 SPH::Viscosity_Peer2016::computeDensities (*C++ function*), 149
 SPH::Viscosity_Peer2016::initParameters (*C++ function*), 149
 SPH::Viscosity_Peer2016::ITERATIONS_OME~~G~~*A* (*C++ member*), 148
 SPH::Viscosity_Peer2016::ITERATIONS_V (*C++ member*), 148
 SPH::Viscosity_Peer2016::m_density (*C++ member*), 149

```

SPH::Viscosity_Peer2016::m_iterationsOmega      (C++ member), 150
SPH::Viscosity_Peer2016::m_iterationsV          (C++ member), 149
SPH::Viscosity_Peer2016::m_maxErrorOmega        (C++ member), 149
SPH::Viscosity_Peer2016::m_maxErrorV            (C++ member), 149
SPH::Viscosity_Peer2016::m_maxIterOmega         (C++ member), 149
SPH::Viscosity_Peer2016::m_maxIterV             (C++ member), 149
SPH::Viscosity_Peer2016::m_omega    (C++ member), 149
SPH::Viscosity_Peer2016::m_solverOmega          (C++ member), 149
SPH::Viscosity_Peer2016::m_solverV (C++ member), 149
SPH::Viscosity_Peer2016::m_targetNablaV        (C++ member), 149
SPH::Viscosity_Peer2016::matrixVecProdOmega     (C++ function), 148
SPH::Viscosity_Peer2016::matrixVecProdV         (C++ function), 148
SPH::Viscosity_Peer2016::MAX_ERROR_OMEGA        (C++ member), 148
SPH::Viscosity_Peer2016::MAX_ERROR_V             (C++ member), 148
SPH::Viscosity_Peer2016::MAX_ITERATIONS_OMEGA   (C++ member), 148
SPH::Viscosity_Peer2016::MAX_ITERATIONS_V        (C++ member), 148
SPH::Viscosity_Peer2016::performNeighborhoodSeas (C++ function), 151
SPH::Viscosity_Peer2016::performNeighborhoodSearc (C++ function), 151
SPH::Viscosity_Peer2016::reset (C++ function), 148
SPH::Viscosity_Peer2016::Solver    (C++ type), 148
SPH::Viscosity_Peer2016::step (C++ function), 148
SPH::Viscosity_Peer2016::Viscosity_Peer2016       (C++ function), 148
SPH::Viscosity_Standard (C++ class), 149
SPH::Viscosity_Standard::~Viscosity_Standard     (C++ function), 150
SPH::Viscosity_Standard::initParameters          (C++ function), 150
SPH::Viscosity_Standard::m_boundaryViscosity    (C++ member), 150
SPH::Viscosity_Standard::reset (C++ function), 150
SPH::Viscosity_Standard::step (C++ function), 150
SPH::Viscosity_Standard::VISCOSITY_COEFFICIENT (bound member), 153
SPH::Viscosity_Standard::Viscosity_Standard       (C++ member), 150
SPH::Viscosity_Standard::Viscosity_Standard       (C++ function), 150
SPH::Viscosity_Takahashi2015 (C++ class), 150
SPH::Viscosity_Takahashi2015::~Viscosity_Takahashi2015 (C++ function), 151
SPH::Viscosity_Takahashi2015::computeViscosityAccel (C++ function), 152
SPH::Viscosity_Takahashi2015::initParameters      (C++ function), 151
SPH::Viscosity_Takahashi2015::ITERATIONS          (C++ member), 151
SPH::Viscosity_Takahashi2015::m_accel             (C++ member), 151
SPH::Viscosity_Takahashi2015::m_iterations        (C++ member), 151
SPH::Viscosity_Takahashi2015::m_maxError          (C++ member), 151
SPH::Viscosity_Takahashi2015::m_maxIter           (C++ member), 151
SPH::Viscosity_Takahashi2015::m_solver             (C++ member), 151
SPH::Viscosity_Takahashi2015::m_viscousStress     (C++ member), 151
SPH::Viscosity_Takahashi2015::matrixVecProd        (C++ function), 151
SPH::Viscosity_Takahashi2015::MAX_ERROR            (C++ member), 151
SPH::Viscosity_Takahashi2015::MAX_ITERATIONS       (C++ member), 151
SPH::Viscosity_Takahashi2015::performNeighborhoodSearch (C++ function), 151
SPH::Viscosity_Takahashi2015::reset                (C++ function), 151
SPH::Viscosity_Takahashi2015::Solver               (C++ type), 151
SPH::Viscosity_Takahashi2015::step (C++ function), 151
SPH::Viscosity_Takahashi2015::Viscosity_Takahashi2015 (C++ function), 151
SPH::Viscosity_Weiler2018 (C++ class), 152
SPH::Viscosity_Weiler2018::~Viscosity_Weiler2018   (C++ function), 152
SPH::Viscosity_Weiler2018::initParameters          (C++ function), 153
SPH::Viscosity_Weiler2018::ITERATIONS              (C++ member), 153
SPH::Viscosity_Weiler2018::m_boundaryViscosity    (C++ member), 153
SPH::Viscosity_Weiler2018::m_iterations             (C++ member), 153
SPH::Viscosity_Weiler2018::m_maxError              (C++ member), 153

```

```

SPH::Viscosity_Weiler2018::m_maxIter           enumerator), 176
(C++ member), 153
SPH::Viscosity_Weiler2018::m_solver            SPH::ViscosityMethods::None (C++ enumera-
(C++ member), 153                                tor), 176
SPH::Viscosity_Weiler2018::m_tangentialDistance SPH::ViscosityMethods::NumViscosityMethods
(C++ member), 153                                Factor (C++ enumerator), 176
SPH::Viscosity_Weiler2018::m_vDiff (C++         SPH::ViscosityMethods::Peer2015      (C++
member), 153                                     enumerator), 176
SPH::Viscosity_Weiler2018::matrixVecProd        SPH::ViscosityMethods::Peer2016      (C++
(C++ function), 152                            enumerator), 176
SPH::Viscosity_Weiler2018::MAX_ERROR            SPH::ViscosityMethods::Standard     (C++
(C++ member), 153                            enumerator), 176
SPH::Viscosity_Weiler2018::MAX_ITERATIONS       SPH::ViscosityMethods::Takahashi2015
(C++ member), 153                                (C++ enumerator), 176
SPH::Viscosity_Weiler2018::performNeighborhoodSearch (C++ member), 176
(C++ function), 152
SPH::Viscosity_Weiler2018::reset (C++           SPH::ViscosityMethods::Weiler2018 (C++
function), 152                                 function), 176
SPH::Viscosity_Weiler2018::Solver (C++           SPH::ViscosityMethods::XSPH (C++ enumera-
type), 153                                     tor), 176
SPH::Viscosity_Weiler2018::step (C++           SPH::VorticityBase (C++ class), 156
function), 152
SPH::Viscosity_Weiler2018::VISCOSITY_COEFFICIENT SPH::VorticityBase::~VorticityBase (C+++
(C++ member), 153                               function), 156
SPH::Viscosity_Weiler2018::Viscosity_Wei$BH20V8rticityBase::VORTICITY_COEFFICIENT
(C++ function), 152                               (C++ member), 156
SPH::Viscosity_XSPH (C++ class), 154          SPH::VorticityBase::VorticityBase (C++
SPH::Viscosity_XSPH::~Viscosity_XSPH           function), 156
(C++ function), 154
SPH::Viscosity_XSPH::initParameters           SPH::VorticityConfinement (C++ class), 157
(C++ function), 154
SPH::Viscosity_XSPH::m_boundaryViscositySPH::VorticityConfinement::m_normOmega
(C++ member), 154                               (C++ member), 157
SPH::Viscosity_XSPH::reset (C++ function),   SPH::VorticityConfinement::m_omega (C++
154                                         member), 157
SPH::Viscosity_XSPH::step (C++ function),    SPH::VorticityConfinement::performNeighborhoodSearch
154                                         (C++ function), 157
SPH::Viscosity_XSPH::VISCOSITY_COEFFICIENTSPH::VorticityConfinement::reset (C++
(C++ member), 154                               function), 157
SPH::Viscosity_XSPH::Viscosity_XSPH           SPH::VorticityConfinement::step (C++
(C++ function), 154                               function), 157
SPH::ViscosityBase (C++ class), 155          SPH::VorticityConfinement::VorticityConfinement
SPH::ViscosityBase::~ViscosityBase (C++         (C++ function), 157
function), 155
SPH::ViscosityBase::initParameters (C++         SPH::VorticityMethods (C++ enum), 177
function), 155
SPH::ViscosityBase::m_viscosity (C++           SPH::VorticityMethods::Micropolar (C++
member), 155                                     enumerator), 177
SPH::ViscosityBase::VISCOSITY_COEFFICIEN$PH::VorticityMethods::None (C++ enumera-
(C++ member), 155                                tor), 177
SPH::ViscosityBase::ViscosityBase (C++         SPH::VorticityMethods::VorticityConfinement
function), 155                                (C++ enumerator), 177
SPH::ViscosityMethods (C++ enum), 176          SPH::WendlandQuinticC2Kernel (C++ class),
SPH::ViscosityMethods::Bender2017 (C++          157

```

SPH::WendlandQuinticC2Kernel1D	(C++ class), 158	Utilities::AverageCount::sum (C++ member), 63
SPH::WendlandQuinticC2Kernel1D::getRadius	(C++ function), 158	Utilities::AverageTime (C++ struct), 64
SPH::WendlandQuinticC2Kernel1D::gradW	(C++ function), 158	Utilities::AverageTime::counter (C++ member), 64
SPH::WendlandQuinticC2Kernel1D::m_k	(C++ member), 159	Utilities::AverageTime::name (C++ member), 64
SPH::WendlandQuinticC2Kernel1D::m_l	(C++ member), 159	Utilities::AverageTime::totalTime (C++ member), 64
SPH::WendlandQuinticC2Kernel1D::m_W_zero	(C++ member), 159	Utilities::ConsoleSink (C++ class), 159
SPH::WendlandQuinticC2Kernel1D::m_radius	(C++ member), 159	Utilities::ConsoleSink::ConsoleSink (C++ function), 159
SPH::WendlandQuinticC2Kernel1D::setRadius	(C++ function), 158	Utilities::ConsoleSink::write (C++ function), 159
SPH::WendlandQuinticC2Kernel1D::W	(C++ function), 158	Utilities::Counting (C++ class), 159
SPH::WendlandQuinticC2Kernel1D::W_zero	(C++ function), 158	Utilities::Counting::m_averageCounts (C++ member), 160
SPH::WendlandQuinticC2Kernel::getRadius	(C++ function), 158	Utilities::Counting::reset (C++ function), 159
SPH::WendlandQuinticC2Kernel::gradW	(C++ function), 158	Utilities::FileSink (C++ class), 160
SPH::WendlandQuinticC2Kernel::m_k	(C++ member), 158	Utilities::FileSink::~FileSink (C++ function), 160
SPH::WendlandQuinticC2Kernel::m_l	(C++ member), 158	Utilities::FileSink::FileSink (C++ function), 160
SPH::WendlandQuinticC2Kernel::m_radius	(C++ member), 158	Utilities::FileSink::m_file (C++ member), 160
SPH::WendlandQuinticC2Kernel::m_W_zero	(C++ member), 158	Utilities::FileSink::write (C++ function), 160
SPH::WendlandQuinticC2Kernel::setRadius	(C++ function), 158	Utilities::FileSystem (C++ class), 160
SPH::WendlandQuinticC2Kernel::W	(C++ function), 158	Utilities::FileSystem::checkMD5 (C++ function), 161
SPH::WendlandQuinticC2Kernel::W_zero	(C++ function), 158	Utilities::FileSystem::copyFile (C++ function), 161
START_TIMING (C macro), 194		Utilities::FileSystem::fileExists (C++ function), 161
STOP_TIMING (C macro), 194		Utilities::FileSystem::getFileExt (C++ function), 161
STOP_TIMING_AVG (C macro), 194		Utilities::FileSystem::getFileMD5 (C++ function), 161
STOP_TIMING_AVG_PRINT (C macro), 195		Utilities::FileSystem::getFileName (C++ function), 161
STOP_TIMING_PRINT (C macro), 195		Utilities::FileSystem::getFileNameWithExt (C++ function), 161
SystemMatrixType (C++ type), 198		Utilities::FileSystem::getFilePath (C++ function), 161
U		Utilities::FileSystem::getFilesInDirectory (C++ function), 161
USE_BLOCKDIAGONAL_PRECONDITIONER	(C macro), 195	Utilities::FileSystem::getProgramPath (C++ function), 161
USE_WARMSTART (C macro), 195		Utilities::FileSystem::isDirectory (C++ function), 161
USE_WARMSTART_V (C macro), 195		Utilities::FileSystem::isFile (C++ function), 161
Utilities::AverageCount	(C++ struct), 63	Utilities::FileSystem::isRelativePath
Utilities::AverageCount::numberOfCalls	(C++ member), 63	

Utilities::FileSystem::makeDir (*C++ function*), 161
 Utilities::FileSystem::makeDirs (*C++ function*), 161
 Utilities::FileSystem::normalizePath (*C++ function*), 161
 Utilities::FileSystem::writeMD5File (*C++ function*), 161
 Utilities::IDFactory (*C++ class*), 161
 Utilities::IDFactory::getId (*C++ function*), 161
 Utilities::Logger (*C++ class*), 162
 Utilities::logger (*C++ member*), 187
 Utilities::Logger::~Logger (*C++ function*), 162
 Utilities::Logger::activate (*C++ function*), 162
 Utilities::Logger::addSink (*C++ function*), 162
 Utilities::Logger::Logger (*C++ function*), 162
 Utilities::Logger::m_active (*C++ member*), 162
 Utilities::Logger::m_sinks (*C++ member*), 162
 Utilities::Logger::write (*C++ function*), 162
 Utilities::LogLevel (*C++ enum*), 177
 Utilities::LogLevel::DEBUG (*C++ enumerator*), 177
 Utilities::LogLevel::ERR (*C++ enumerator*), 177
 Utilities::LogLevel::INFO (*C++ enumerator*), 177
 Utilities::LogLevel::WARN (*C++ enumerator*), 177
 Utilities::LogSink (*C++ class*), 162
 Utilities::LogSink::~LogSink (*C++ function*), 163
 Utilities::LogSink::LogSink (*C++ function*), 163
 Utilities::LogSink::m_minLevel (*C++ member*), 163
 Utilities::LogSink::write (*C++ function*), 163
 Utilities::LogStream (*C++ class*), 163
 Utilities::LogStream::~LogStream (*C++ function*), 163
 Utilities::LogStream::LogStream (*C++ function*), 163
 Utilities::LogStream::m_buffer (*C++ member*), 163
 Utilities::LogStream::m_level (*C++ member*), 163
 Utilities::LogStream::m_logger (*C++ member*), 163
 Utilities::LogStream::operator<< (*C++ function*), 163
 Utilities::MeshFaceIndices (*C++ struct*), 64
 Utilities::MeshFaceIndices::normalIndices (*C++ member*), 64
 Utilities::MeshFaceIndices::posIndices (*C++ member*), 64
 Utilities::MeshFaceIndices::texIndices (*C++ member*), 64
 Utilities::OBJLoader (*C++ class*), 163
 Utilities::OBJLoader::loadObj (*C++ function*), 164
 Utilities::OBJLoader::Vec2f (*C++ type*), 164
 Utilities::OBJLoader::Vec3f (*C++ type*), 164
 Utilities::PartioReaderWriter (*C++ class*), 164
 Utilities::PartioReaderWriter::readParticles (*C++ function*), 164
 Utilities::PartioReaderWriter::writeParticles (*C++ function*), 164
 Utilities::SceneLoader (*C++ class*), 165
 Utilities::SceneLoader::AnimationFieldData (*C++ struct*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::endTime (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::express (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::particle (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::rotation (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::scale (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::shapeType (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::startTime (*C++ member*), 65, 166
 Utilities::SceneLoader::AnimationFieldData::x (*C++ member*), 65, 166
 Utilities::SceneLoader::BoundaryData (*C++ struct*), 65, 166
 Utilities::SceneLoader::BoundaryData::color (*C++ member*), 65, 166
 Utilities::SceneLoader::BoundaryData::density (*C++ member*), 65, 166
 Utilities::SceneLoader::BoundaryData::dynamic (*C++ member*), 65, 166
 Utilities::SceneLoader::BoundaryData::isWall (*C++ member*), 65, 166
 Utilities::SceneLoader::BoundaryData::mapFile (*C++ member*), 65, 166
 Utilities::SceneLoader::BoundaryData::mapInvert

(C++ member), 66, 166
Utilities::SceneLoader::BoundaryData::mapRésistances::SceneLoader::FluidData (C++ struct), 66, 166
Utilities::SceneLoader::BoundaryData::mapThickness::SceneLoader::FluidData::id (C++ member), 66, 166
Utilities::SceneLoader::BoundaryData::meshFileNames::SceneLoader::FluidData::initialVelocity (C++ member), 65, 166
Utilities::SceneLoader::BoundaryData::rigidBodies::SceneLoader::FluidData::invert (C++ member), 65, 166
Utilities::SceneLoader::BoundaryData::rotations::SceneLoader::FluidData::mode (C++ member), 65, 166
Utilities::SceneLoader::BoundaryData::sampleFile::SceneLoader::FluidData::resolutionSDF (C++ member), 65, 166
Utilities::SceneLoader::BoundaryData::samplingMode::SceneLoader::FluidData::rotation (C++ member), 66, 166
Utilities::SceneLoader::BoundaryData::scatteredities::SceneLoader::FluidData::samplesFile (C++ member), 65, 166
Utilities::SceneLoader::BoundaryData::translations::SceneLoader::FluidData::scale (C++ member), 65, 166
Utilities::SceneLoader::Box (C++ struct), Utilities::SceneLoader::FluidData::translation (C++ member), 66, 166
Utilities::SceneLoader::Box::m_maxX (C++ member), 66, 167
Utilities::SceneLoader::Box::m_minX (C++ member), 66, 167
Utilities::SceneLoader::EmitterData (C++ struct), Utilities::SceneLoader::MaterialData (C++ struct), 66, 167
Utilities::SceneLoader::EmitterData::emissionTimes::SceneLoader::MaterialData::colorMapType (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::emissionTimes::SceneLoader::MaterialData::emitterBoxMax (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::heightilities::SceneLoader::MaterialData::emitterBoxMin (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::id Utilities::SceneLoader::MaterialData::emitterReuse (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::rotatiomites::SceneLoader::MaterialData::id (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::typeUtilities::SceneLoader::MaterialData::maxEmitterPart (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::velocityties::SceneLoader::MaterialData::maxVal (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::widthilities::SceneLoader::MaterialData::minVal (C++ member), 67, 167
Utilities::SceneLoader::EmitterData::x Utilities::SceneLoader::readMaterialParameterObject (C++ function), 67, 167
Utilities::SceneLoader::FluidBlock (C++ struct), 67, 167
Utilities::SceneLoader::FluidBlock::box Utilities::SceneLoader::readParameterObject (C++ function), 67, 167
Utilities::SceneLoader::FluidBlock::id Utilities::SceneLoader::readValue (C++ function), 67, 167
Utilities::SceneLoader::FluidBlock::initailVelocitySceneLoader::readVector (C++ function), 67, 167
Utilities::SceneLoader::FluidBlock::modeUtilities::SceneLoader::Scene (C++

struct), 69, 168 Utilities::VolumeSampling::sampleMesh
 Utilities::SceneLoader::Scene::animatedFields (*C++ function*), 171
(C++ member), 69, 168 Utilities::WindingNumbers (*C++ class*), 171
 Utilities::SceneLoader::Scene::boundaryModel::WindingNumbers::computeGeneralizedWindingNumber
(C++ member), 69, 168 (*C++ function*), 172
 Utilities::SceneLoader::Scene::camLookat
(C++ member), 69, 168 V
 Utilities::SceneLoader::Scene::camPosition Vector2i (*C++ type*), 199
(C++ member), 69, 168 Vector2r (*C++ type*), 199
 Utilities::SceneLoader::Scene::emitters Vector3f (*C++ type*), 199
(C++ member), 69, 168 Vector3f8 (*C++ class*), 172
 Utilities::SceneLoader::Scene::fluidBlock Vector3f8::blend (*C++ function*), 173
(C++ member), 69, 168 Vector3f8::cross (*C++ function*), 172
 Utilities::SceneLoader::Scene::fluidMode Vector3f8::dot (*C++ function*), 172
(C++ member), 69, 168 Vector3f8::norm (*C++ function*), 173
 Utilities::SceneLoader::Scene::materials Vector3f8::normalize (*C++ function*), 173
(C++ member), 69, 168 Vector3f8::operator* (*C++ function*), 172
 Utilities::SceneLoader::Scene::particleRadius Vector3f8::operator*= (*C++ function*), 172
(C++ member), 69, 168 Vector3f8::operator/ (*C++ function*), 172
 Utilities::SceneLoader::Scene::sim2D Vector3f8::operator/= (*C++ function*), 173
(C++ member), 69, 168 Vector3f8::operator% (*C++ function*), 172
 Utilities::SceneLoader::Scene::timeStep Vector3f8::operator- (*C++ function*), 173
(C++ member), 69, 168 Vector3f8::operator-= (*C++ function*), 173
 Utilities::SDFFunctions (*C++ class*), 169 Vector3f8::operator[] (*C++ function*), 172
 Utilities::SDFFunctions::computeBoundingBox Vector3f8::setZero (*C++ function*), 172
(C++ function), 169 Vector3f8::squaredNorm (*C++ function*), 173
 Utilities::SDFFunctions::distance (*C++ function*), 169 Vector3f8::store (*C++ function*), 173
 Utilities::SDFFunctions::generateSDF Vector3f8::v (*C++ member*), 173
(C++ function), 169 Vector3f8::Vector3f8 (*C++ function*), 172
 Utilities::StringTools (*C++ class*), 169 Vector3f8::x (*C++ function*), 172
 Utilities::StringTools:: tokenize (*C++ function*), 169 Vector3f8::y (*C++ function*), 172
(C++ member), 169 Vector3f8::z (*C++ function*), 172
 Utilities::SystemInfo (*C++ class*), 170 Vector3r (*C++ type*), 199
 Utilities::SystemInfo::getHostName (*C++ function*), 170 Vector4f (*C++ type*), 199
 Utilities::Timing (*C++ class*), 170 Vector4r (*C++ type*), 200
 Utilities::Timing::m_averageTimes (*C++ member*), 170 Vector5r (*C++ type*), 200
 Utilities::Timing::m_dontPrintTimes Vector6r (*C++ type*), 200
(C++ member), 170
 Utilities::Timing::m_startCounter (*C++ member*), 170
 Utilities::Timing::m_stopCounter (*C++ member*), 170
 Utilities::Timing::m_timingStack (*C++ member*), 170
 Utilities::Timing::reset (*C++ function*), 170
 Utilities::TimingHelper (*C++ struct*), 70
 Utilities::TimingHelper::name (*C++ member*), 70
 Utilities::TimingHelper::start (*C++ member*), 70
 Utilities::VolumeSampling (*C++ class*), 171